

NOVA LUCE

OUTDOOR
COLLECTION
2022 | 23



01

FLOOR & WALL
p. 008

02

CEMENT WALL & FLOOR
p. 090

03

WALL SOLAR
& SENSOR
p. 108

04

WALL
p. 114

05

SPIKES
p. 154

06

CEILING
p. 164

07

SPOT
p. 174

08

PORTABLE
p. 178


09

STEP LIGHTS
p. 196

10


PORTABLE
p. 178

FLOOR & WALL






NEW



MABEL - 9002869
 Black Aluminium
 & Clear Glass
 LED 8.5 Watt 590Lm
 3000K 220-240 Volt
 Beam Angle 36° IP54
 Dimension of cable 64 cm
 L: 7.8 W: 7.8 H: 150 cm



NEW



MABEL - 9002870
 Black Aluminium
 & Clear Glass
 LED 17 Watt 1190Lm
 3000K 220-240 Volt
 Beam Angle 36° IP54
 Dimension of cable 35 cm
 L: 48.9 W: 20.1 H: 201.2 cm






NEW





ADURO - 9002871
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 35 cm



NEW



ADURO - 9002872
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 65 cm



NEW




TIEN - 9002878

Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 W: 9 H: 25 cm



NEW




TIEN - 9002879

Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 W: 9 H: 65 cm



NEW



MINOT - 9026125

Black Aluminium
& Acrylic
LED 12 Watt 716Lm 3000K
280mA 100-240V
Beam Angle 122° IP54
L: 15 W: 9.5 H: 70 cm



NEW



TALA - 9026121

Black Aluminium
& Clear Glass
LED 9 Watt 468Lm 3000K
260mA 100-240V
Beam Angle 120° IP54
D: 9 H: 19.5 cm




NEW




TALA - 9026122

Black Aluminium
& Clear Glass
LED 9 Watt 468Lm 3000K
260mA 100-240V
Beam Angle 120° IP54
D: 9 H: 65 cm




IP54




FOCUS - 9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



FOCUS - 9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm




FOCUS - 9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm







RAMO - 9291701
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 20 H: 14.6 cm




RAMO - 9291702
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 14.6 H: 60 cm



RAMO - 9291703
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 21 H: 60 cm



IP65






IP65

NEW



ELLERY - 9100917

Black Aluminium
& Acrylic
LED COB 10 Watt
Lm 3000K
100-240V IP65
L: 8 W: 8 H: 60 cm




NEW



ELLERY - 9100918

Black Aluminium
& Acrylic
LED COB 10 Watt
Lm 3000K
100-240V IP65
L: 8 W: 8 H: 80 cm





NEW



ELLERY - 9100916

Black Aluminium
& Acrylic
LED COB 10 Watt
Lm 3000K
100-240V IP65
L: 8 W: 8 H: 36 cm






IP54




NEW



PORTAL - 9002840
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm



NEW



PORTAL - 9002841
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm






IP54



NED - 9104021


Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 960Lm
3000K 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm



Rotating


VOLVEL - 9195062

Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm



NED - 9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm




Rotating



VOLVEL - 9195061

Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm



IP54




IP65



SURF - 9176101

Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm



SURF - 9176102

Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm






IP54



PAX - 9756800
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 80 cm



PAX - 9756500
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 50 cm






BLISS - 819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 16 cm




BLISS - 819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 50 cm




ACQUA - 713312

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm



ACQUA - 713313

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm







Rotating



TWIN - 713121
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 2x5 Watt 600Lm
 3000K 220-240 Volt 50Hz
 Rotation 0-90° IP54
 L: 20 W: 10 H: 60 cm



Rotating



TWIN - 713122
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 2x5 Watt 600Lm
 3000K 220-240 Volt 50Hz
 Rotation 0-90° IP54
 L: 20 W: 10 H: 10 cm



IP54



NEW



OFIR - 9002866

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
D: 8 W: 7 H: 16 cm



NEW



OFIR - 9002867

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 9.3 W: 16 H: 50 cm




NEW



OFIR - 9002868

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 9.3 W: 16 H: 75 cm





IP65




NEW




POET - 9492780

Anthracite die-Casting Aluminium
& Clear Glass
LED 16 Watt 1177Lm
3000K 220-240V
Beam Angle 90° IP65
L : 23.5 W: 10 H: 65 cm




NEW



POET - 9492770

Anthracite die-Casting Aluminium
& Clear Glass
LED 8 Watt 560Lm
3000K 220-240V
Beam Angle 94° IP65
L: 13.5 W: 10 H: 65 cm






Charging time: 4-6hrs
 Working hours: 12 hours
 Sensing distance :between 5-8 meters




NEW



BERO - 9060201
 Gray Aluminium
 Acrylic Diffuser
 LED 1.5W Watt 96Lm
 CCT 3000K/4000K/6000K 5 Volt
 Beam Angle 120° IP65
 L: 10 W: 5.5 H: 26 cm



NEW



BERO - 9060198
 Gray Aluminium
 Acrylic Diffuser
 LED 1.5W Watt 96Lm 3.7 Volt
 Blue light strip: 0.3W
 CCT 3000K/4000K/6000K
 Beam Angle 120° IP65
 L: 10 W: 5.5 H: 80 cm






PARK - 711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 9 W: 14.5 H: 18 cm




PARK - 713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 700Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 12.5 W: 22 H: 80 cm



PARK - 713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
IC Driver Included
L: 12.5 W: 12 H: 80 cm




IP54






POSEN - 9131201
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 744Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 5 cm




ENZI - 9936101
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 17 Watt 1050Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 7 cm



POSEN - 9131202
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 744Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 65 cm




ENZI - 9936102
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 17 Watt 1050Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 80 cm






APOLLO - 713411

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm




APOLLO - 713311

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm



IP54






IP54



SUITE - 9207167

Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



SUITE - 9207168

Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



IP54



SUITE - 859439

White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




SUITE - 9297191

Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



SUITE - 859438

Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm





IP65

NEW



BRIGITTA - 9020929
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 501.50Lm
 3000K 100-240V IP65
 L: 12 W: 13.6 H: 60 cm

NEW



BRIGITTA - 9020928
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 503.66Lm
 3000K 100-240V IP65
 L: 12 W: 8.3 H: 20.8 cm

NEW



BRIGITTA - 9020930
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 515.08Lm
 3000K 100-240V IP65
 L : 12 W: 15.5 H: 40 cm

NEW




BRIGITTA - 9020931
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 526.18Lm
 3000K 100-240V IP65
 L : 12 W: 15.5 H: 80 cm

IP65



IP65




BRIGITTA - 9020925
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 341.27Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm



NEW




NEW



BRIGITTA - 9020921
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 334.86Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm



NEW




BRIGITTA - 9020922
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301.15Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm






NEW



BRIGITTA - 9020926
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571.53Lm
3000K 220-240V IP65
L: 12 W: 9.4 H: 15 cm




NEW



BRIGITTA - 9020923
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 590.66Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 40 cm



NEW



BRIGITTA - 9020924
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571.36Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 80 cm




IP65





DEVORA - 822642
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED 8 Watt 195Lm 3000K
 220-240 Volt 50Hz IP54
 D: 11 H: 65 cm





DEVORA - 826423
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED 8 Watt 195Lm 3000K
 220-240 Volt 50Hz IP54
 D: 11 H: 22 cm




NEW

STARK - 9492660
 Anthracite die-Casting Aluminium
 & Frost Acrylic
 LED 8.2 Watt 116Lm
 3000K 220-240V
 Beam Angle 168° IP65
 D: 16 W: 16 H: 14.6 cm





NEW



STONE - 9002850


White Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm



IP54



NEW



STONE - 9002851

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm



NEW



STONE - 9002860

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 12 H: 65 cm





AGOSTO - 9207615

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 W: 11 cm



AGOSTO - 9207616

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
L: 11 W: 11 H: 11 cm



MAX - 9026002

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 630Lm
3000K 200-240 Volt
Beam Angle 120° IP65
D: 16 W: 10 H: 16 cm




MAX - 9026001

Dark Gray ABS &
Clear & White Acrylic
LED 12 Watt 630Lm
3000K 200-240 Volt
Beam Angle 120° IP65
L: 16 W: 10 H: 16 cm



AGOSTO - 9277151

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 H: 50 cm





PYRO - 9209211
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



PYRO - 9209212
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm



IP54





STICK - 713412
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 7.6 W: 11 H: 17 cm



STICK - 71371102
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 7.6 W: 7.6 H: 25 cm



IP54



STICK - 71371101
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 7.6 W: 7.6 H: 80 cm



IP65



NOTEN - 9905023
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 10 Watt 780Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 20 cm



LED IP65 WARM WHITE




NOTEN - 9905022
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 10 Watt 780Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 40 cm



LED IP65 WARM WHITE



NOTEN - 9905021
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 10 Watt 780Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 80 cm



LED IP65 WARM WHITE




IP65




ROCK - 9905025

Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



ROCK - 9905024

Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm



IP54

NEW





TALA - 9026123
Black Aluminium
& Acrylic
LED 12 Watt 409Lm 3000K
280mA 100-240V
Beam Angle 180° IP54
D: 13.4 H: 25 cm



NEW



TALA - 9026124
Black Aluminium
& Acrylic
LED 12 Watt 409Lm 3000K
280mA 100-240V
Beam Angle 180° IP54
D: 13.5 H: 70 cm




NEW



CETERA - 9002873

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



NEW



CETERA - 9002874

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 9 H: 50 cm



IP54



NEW



CETERA - 9002875


Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 9 H: 90 cm





IP65

NEW




ZOSIA - 9060181
Dark Grey Aluminum & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 12 H: 25 cm



NEW




ZOSIA - 9060182
Dark Grey Aluminum & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 50 cm



NEW



ZOSIA - 9060183
Dark Grey Aluminum & Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 80 cm






IP65

NEW




FERRON - 9060184
 Dark Grey Aluminum & Clear Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 L: 13 W: 13 H: 50 cm




NEW




FERRON - 9060185
 Dark Grey Aluminum & Clear Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 L: 13 W: 13 H: 80 cm



LOCK - 813101
 Aluminium Dark Gray
 White & Clear Acrylic Diffuser
 LED 12 Watt 220-240 Volt 50Hz
 960Lm Beam 45° IP54
 3000K or 4000K
 AC Driver Included
 L: 13.5 W: 16 H: 20 cm



LOCK - 813104
 Aluminium Dark Gray
 White & Clear Acrylic Diffuser
 LED 12 Watt 220-240 Volt 50Hz
 960Lm Beam 45° IP54
 3000K or 4000K
 AC Driver Included
 L: 13.5 W: 13.5 H: 50 cm



IP54





IP65




NEW



SELENA - 9492720

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm




NEW



SELENA - 9492740

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm



NEW



SELENA - 9492730

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 65 cm





NEW




SELENA - 9492750

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 8.5 W: 8.5 H: 65 cm







ZEST - 870026
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 18 W: 17 H: 28 cm



LOEVE - 9193101
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm



LOEVE - 9193102
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm




ZEST - 870045
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 20 W: 20 H: 29 cm






NEW



FIGO - 9060192
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 15 H: 24.5 cm




NEW



FIGO - 9492500
 Anthracite Aluminium
 Die-casting & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 L: 14.5 W: 20.5 H: 43 cm



NEW



FIGO - 9060193
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 11 H: 50 cm





NEW




SORREN - 9197701

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm



REGINA - 9492442

Anthracite Aluminium Die-casting & Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm



SORREN - 9197702

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt IP65
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm




NEW



REGINA - 9492760

Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm




NEW



REGINA - 9492710

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm



IP65



NEW



OMIKA - 9060195

Dark Grey Aluminum & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
D: 15 W: 15 H: 37 cm




NEW



OMIKA - 9060197

Dark Grey Aluminum & Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 W: 15 H: 88.5 cm



IP54

NEW



OMIKA - 9060196

Dark Grey Aluminum & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
D: 15 W: 15 H: 97 cm




NEW



OMIKA - 9060194

Dark Grey Aluminum & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
D: 15 W: 18.5 H: 28 cm





IP54



ISIDORA - 870426
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 25 W: 27 H: 40 cm



ISIDORA - 870445
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 22 H: 95 cm




CEMENT WALL & FLOOR






IP65

NEW




BEV - 9540214
 Gray Cement
 Glass Diffuser & Mirror
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 17 W: 17 H: 20 cm
 LED IP65 WARM WHITE

NEW



BEV - 9540215
 Gray Cement
 Glass Diffuser & Mirror
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 20 W: 20 H: 35 cm
 LED IP65 WARM WHITE

NEW




BEV - 9540216
 Gray Cement
 Glass Diffuser & Mirror
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 20 W: 20 H: 70 cm
 LED IP65 WARM WHITE



IP65


NEW



CAIRO . 9540217
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm




NEW




CAIRO . 9540218
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm






CASTRO - 9762161
 Gray Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65 IP65
 L: 16 W: 16 H: 16 cm



CASTRO - 9762162
 White Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65 IP65
 L: 16 W: 16 H: 16 cm



CASTRO - 9739351
 Gray Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65 IP65
 L: 20 W: 20 H: 35 cm



CASTRO - 9739352
 White Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65 IP65
 L: 20 W: 20 H: 35 cm



IP65




NEW



EGYPT - 9540213

Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 16 W: 15 H: 50 cm



NEW



EGYPT - 9540212

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 15 W: 14 H: 70 cm



NEW



EGYPT - 9540211

Gray Cement
Glass Diffuser
LED 2x5 Watt 850Lm
3000K 120-230V IP65
L: 13 W: 14.5 H: 70 cm




IP65




GRANTE . 9790021

Gray Concrete & Aluminium
LED 1x5 Watt 365Lm 3000K
220-240 Volt 50Hz IP65
L: 12 W: 12 H: 53 cm



GRANTE . 9790022

Gray Concrete & Aluminium
LED GU10 2x10 Watt IP65
100-240 Volt
Bulb Excluded IP65
L: 20 W: 12 H: 60 cm




NEW



BARCO . 9540207

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 25 cm



NEW



BARCO . 9540208

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 60 cm





FOX . 9470582
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm



FOX . 9470581
Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm




IP65






FUENTO . 9790541

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790542

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790551

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



FUENTO . 9790552

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm




IP65

NEW



EMILE . 9540209

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 9 W: 9.7 H: 11.2 cm




NEW



EMILE . 9540210

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 W: 9.7 H: 11.2 cm




IP65




LIDO . 9790531

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm




LIDO . 9790532

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm




LIDO . 9790521

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



LIDO . 9790522

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




WALL SOLAR & SENSOR



NEW




VALOR - 9492540
 Anthracite Die-Casting Aluminium
 & Frost Acrylic
 LED 2 Watt 104Lm
 3000K DC 3.7V
 Beam Angle 86° IP65
 Switch On/Off
 L: 18.6 W: 7.2 H: 14 cm




NEW



PRIM - 9492510
 Anthracite die-Casting
 Aluminium & Clear Glass
 LED 2 Watt 197Lm
 3000K DC 3.7 Volt
 Beam Angle 100° IP65
 L: 18 W: 17.5 H: 3.5 cm




IP65



NEW




TRENDO - 9492520
 Anthracite die-Casting Aluminium
 & Clear Glass
 LED 2 Watt 219Lm
 3000K DC 3.7V
 Beam Angle 106° IP65
 Switch On/Off
 L: 12.2 W: 14.6 H: 5 cm




NEW




MARTA - 9492530
 Anthracite die-Casting Aluminium
 & Clear Glass
 LED 1 Watt 57Lm
 3000K DC 3.7V
 Beam Angle 54° IP65
 Switch On/Off
 L: 11.3 W: 8.9 H: 11.2 cm



Motion Sensor Activation
 Max. distance 5M. (the temperature less than 20°C)
 The lights need to be installed at least 1.5-2.5M.






Motion Sensor Activation
 Max. distance 5M.(the temperature less than 20°C)
 The lights need to be installed at least 1.5-2.5M.




LOVETO - 9120622

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 152Lm
 3000K 200-240 Volt
 Beam Angle 125° IP65
 Solar / Switch On/Off
 L: 14.5 W: 14.5 H: 50 cm




LOVETO - 9120621

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 152Lm
 3000K 200-240 Volt
 Beam Angle 125° IP65
 Solar / Switch On/Off
 L: 14.5 W: 16.2 H: 24 cm




BAY - 9120711

Dimmable
 Anthracite Die-Casting Aluminium
 Clear Glass & Acrylic Diffuser
 LED 1.5 Watt 152Lm
 3000K 200-240 Volt
 Beam Angle 87° IP65
 Solar / Switch On/Off
 L: 12.6 W: 8.3 H: 25.2 cm



DYN - 9190101

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 152Lm
 3000K 200-240 Volt
 Beam Angle 110° IP65
 Solar / Switch On/Off
 L: 16 W: 11.5 H: 6 cm



IP65





WALL



IP54



IP65




IP54



VEIRO . 9104835

Anthracite Die-Casting Aluminium & Clear Glass
LED 6 Watt 440Lm 3000K
200-240 Volt IP65
Light up & Down
Beam Angle 40°
L: 9 W: 9.3 H: 20.5 cm



MILEY . 9202262

Sandy Black Aluminium Clear Glass
LED 6 Watt 397Lm 3000K IP54
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm




MILEY . 9202261

Sandy White Aluminium & Glass
LED 6 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm




MILEY . 9202131

Sandy White Aluminium & Glass
LED 3 Watt 304Lm 3000K
200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm





NEW



VIDENO - 9492590
 Anthracite die-Casting Aluminium
 & Clear Glass
 LED 10 Watt 302Lm
 3000K 220-240V
 Beam Angle 270° IP65
 L: 20 W: 10.3 H: 5.5 cm


LED IP65 WARM WHITE

NEW




ZIRI - 9492570
 Anthracite die-Casting Aluminium
 & Clear Glass
 LED 10 Watt 284Lm
 3000K 220-240V
 Beam Angle 96° IP65
 D: 18 W: 11.6 H: 4 cm

LED IP65 WARM WHITE



IP65




FUNGO - 9027201
 Dark Gray Aluminium
 Glass Diffuser
 LED 12 Watt 720Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 120° IP65
 Light Down
 L: 22 W: 7.6 H: 3.2 cm


LED IP65 WARM WHITE

FUNGO - 9027202
 Sandy White Aluminium
 Glass Diffuser
 LED 12 Watt 720Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 120° IP65
 Light Down
 L: 22 W: 7.6 H: 3.2 cm

LED IP65 WARM WHITE



NEW



PURE - 9492560
 Anthracite die-Casting Aluminium
 & Frost Acrylic
 LED 6 Watt 299Lm
 3000K 220-240V
 Beam Angle 103° IP65
 L: 16 W: 10.2 H: 3.4 cm


LED IP65 WARM WHITE






IP54

NEW




ARABELLA - 9026119

White Aluminium
& Clear Glass
LED 6 Watt 327Lm 3000K
135mA 100-240V
Beam Angle 50° IP54
L: 11 W: 9 H: 18 cm




CHEZ - 9259361

White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° IP54
Light Up & Down
L: 13 W: 9 H: 7 cm




CHEZ - 9292211

White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° IP54
Light Up & Down
L: 17 H: 8.5 H₂: 14 cm



MILE - 9257871

White Aluminium & Glass
LED 9 Watt 475Lm
3000K 100-240 Volt
Beam Angle 155° IP54
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm



MILE - 9262111

White Aluminium & Glass
LED 2x5 Watt 550Lm
3000K 100-240 Volt
Beam Angle 102° IP54
Light Up & Down
L: 18 W: 3.5 H: 9 cm




IP65

NEW




FEDOR - 9492630

Anthracite die-Casting Aluminium & Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm



NEW



CAPO - 9060199

Sandy Black Aluminium & Tempered Glass Diffuser
Silicone Gasket
LED 3 Watt Lm
3000K 220-240V IP65
L: W: H: cm




NEW



COMBO - 9492600

Anthracite die-Casting Aluminium & Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm





NEW



GOA - 9192171

Anthracite Die-Casting Aluminium & Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm






IP65

NEW



PARRIS - 9492620

Anthracite die-Casting Aluminium & Clear Glass
 LED 8.6 Watt 395Lm
 3000K 220-240V
 Beam Angle 101° IP65
 L: 12 W: 12 H: 11.5 cm




NEW



SERIKA - 9492580

Anthracite die-Casting Aluminium & Clear Glass
 LED 8 Watt 188Lm
 3000K 220-240V
 Beam Angle 222° IP65
 D: 11 W: 6 H: 11 cm




NEW



ZARO - 9492650

Anthracite die-Casting Aluminium & Clear Glass
 LED 10.4 Watt 639Lm
 3000K 220-240V
 Beam Angle 266° IP65
 L: 9 W: 5.5 H: 10.2 cm




NEW




DEWI - 9492640

Anthracite die-Casting Aluminium & Clear Glass
 LED 7.7 Watt 296Lm
 3000K 220-240V
 Beam Angle 253° IP65
 L: 11.8 W: 3.8 H: 9.7 cm



IP65



IP54



COMO . 741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




COMO . 741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




SOHO . 740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm




SOHO . 740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm




SOHO . 740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



SOHO . 740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm



IP54



ZARI - 9226217
Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



COMO - 726217
Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions



ZARI - 9226216
Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



COMO - 852436
Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm
3000K 220-240 Volt 50Hz
Beam Angle 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions



ZARI - 9226215
Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



ZARI - 9226214
Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



IP54



IP54

Adjustable



AGILE - 833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm




IP65

Rotating




BRIN - 9160101

Anthracite Die-Casting Aluminium
Clear Glass
LED 10 Watt 298Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm







DARF • 9925666
 Sandy Black Aluminium
 ABS Diffuser
 LED 2x5 Watt 840Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 115° IP65
 Light Up & Down
 D: 9.5 W: 10.5 H: 13 cm




DARF • 9925665
 Sandy Black Aluminium
 ABS Diffuser
 LED 5 Watt 420Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 104° IP65
 Light Down
 D: 9.5 W: 10.5 H: 8.5 cm




NUS • 9200201
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 4 Watt 240Lm
 3000K 100-240 Volt
 Beam Angle 120° IP54
 Light Down
 L: 13.2 W: 9 H: 6.9 cm




NUS • 9200202
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 2x4 Watt 480Lm
 3000K 100-240 Volt
 Beam Angle 120° IP54
 Light Up & Down
 L: 13.2 W: 9 H: 7.8 cm





FOCUS - 752470

Dark Gray Aluminium & Glass
 Osram LED 6 Watt 420Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 44° IP54
 L: 8.5 W: 14 H: 12 cm



VITORIA - 8401030

Dark Gray Aluminium
 LED 6 Watt 300Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 120° IP65
 AC Driver Included
 L: 6.2 W: 12 H: 23.6 cm




Rotating



GRAVITY - 810067

Dark Gray Die-Casting Aluminium
 Acrylic Diffuser
 LED 12 Watt 660Lm
 3000K 220-240 Volt 50Hz
 Rotation IP54 P54
 D: 14 W: 4.8 H: 14 cm




Rotating




PIER - 810066

Dark Gray Die-Casting Aluminium
 Acrylic Diffuser
 LED 12 Watt 660Lm
 3000K 220-240 Volt 50Hz
 Rotation IP54
 L: 14 W: 4.8 H: 14 cm





IP54



Adjustable Beam Angle



COMO - 747406
Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



COMO - 847406
Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



COMO - 847408
Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



COMO - 847407
Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm






NEW



AZAR - 9026116

Black Aluminium
& Acrylic
LED 2x2 Watt 255Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
L: 5 W: 4 H: 9 cm




NEW



DEWEI - 9026117

Black Aluminum
& Acrylic
LED 2x2 Watt 255Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
L: 5 W: 4 H: 9 cm




NEW




DEWEI - 9026118

White Aluminium
& Acrylic
LED 2x2 Watt 255Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
L: 5 W: 4 H: 9 cm







NERO - 710022
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 7 W: 8 H: 15 cm



NERO - 710021
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 7 W: 8 H: 8 cm



NERO - 710042
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 L: 6.7 W: 8 H: 15 cm



NERO - 710041
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 L: 6.7 W: 8 H: 8 cm




IP54




NERO - 910022
 Aluminium White
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 7 W: 8 H: 15 cm




NERO - 910021
 Aluminium White
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 7 W: 8 H: 8 cm



NERO - 910042
 Aluminium White
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 L: 6.7 W: 8 H: 15 cm



NERO - 910041
 Aluminium White
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 L: 6.7 W: 8 H: 8 cm







IP54



LIMBIO - 9010601
 White ABS
 Glass Diffuser
 LED GU10 1x7 Watt
 Bulb Excluded IP44
 Light Down
 D: 6 W: 8.5 H: 12 cm




LIMBIO - 9010602
 Black ABS
 Glass Diffuser
 LED GU10 1x7 Watt
 Bulb Excluded IP44
 Light Down
 D: 6 W: 8.5 H: 12 cm




IP44




OVI - 9136182
 Black Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded Light Down
 D: 10 W: 11 H: 9 cm




NODUS - 773223
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 6.5 W: 10.4 H: 18 cm




NODUS - 773221
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 6.5 W: 10.4 H: 11 cm




NODUS - 773224
 Antique Brown Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 6.5 W: 10.4 H: 18 cm




NODUS - 773222
 Antique Brown Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 6.5 W: 10.4 H: 11 cm




LIMBIO - 9010622
 Black ABS
 Glass Diffuser
 LED GU10 2x7 Watt
 Bulb Excluded IP44
 Light Up & Down
 D: 8 W: 8.5 H: 16 cm



LIMBIO - 9010621
 White Acrylic
 Glass Diffuser
 LED GU10 2x7 Watt
 Bulb Excluded IP44
 Light Up & Down
 D: 8 W: 8.5 H: 16 cm




IP65




LUPO - 9926617

Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm




KEEN - 9160081

Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm



NEW



NOBU - 9060206

Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt Lm
3000K 220-240V IP65
L: W: H: cm




NEW



LETO . 9060203

Anthracite Gray Aluminium
Acrylic Diffuser
LED 18 Watt 2100Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




NEW



LETO . 9060202

Anthracite Gray Aluminium
Acrylic Diffuser
LED 18 Watt 2100Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




NEW



LETO . 9060204

Anthracite Gray Aluminium
Acrylic Diffuser
LED 18 Watt 2100Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm




NEW




LETO . 9060205

Sandy White Acrylic
LED 10 Watt 1200Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm






KEEN - 9270027
 Sandy Black Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 18 W: 9 H: 9 cm




KEEN - 9270028
 Sandy White Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 18 W: 9 H: 9 cm



NEW



ZENON - 9492610
 Anthracite die-Casting
 Aluminium & Frost Acrylic
 LED 10 Watt 558Lm
 3000K 220-240V
 Beam Angle 114° IP65
 L: 18 W: 7.5 H: 9 cm




IP65



NEW

CAPE - 9492550
 Anthracite die-Casting Aluminium
 & Frost Acrylic & Clear Glass
 LED 10 Watt 763Lm
 3000K 220-240V
 Beam Angle 112° IP65
 L: 20 W: 7.4 H: 20 cm



IP65



KEEN - 9270015
 Sandy Black Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 9 W: 7 H: 18 cm



KEEN - 9270016
 Sandy White Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 9 W: 7 H: 18 cm





IP65



DROPLET - 9522101
 Sandy White Aluminium & Acrylic
 LED 6 Watt 230Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 64° IP65
 L: 13 W: 2.5-4.5 H: 16 cm



DROPLET - 9522102
 Sandy Black Aluminium & Acrylic
 LED 6 Watt 230Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 64° IP65
 L: 13 W: 2.5-4.5 H: 16 cm

IP65



TUNE - 9529712
 Sandy White Aluminium & Acrylic
 LED 9 Watt 620Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 112° IP65
 D: 15 W: 5.5 cm



TUNE - 9529713
 Sandy Black Aluminium & Acrylic
 LED 9 Watt 620Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 112° IP65
 D: 15 W: 5.5 cm



TUNE - 9529720
 Sandy White Aluminium & Acrylic
 LED 9 Watt 620Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 115° IP65
 L: 15 W: 5.5 H: 15 cm




TUNE - 9529721
 Sandy Black Aluminium & Acrylic
 LED 9 Watt 620Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 115° IP65
 L: 15 W: 5.5 H: 15 cm

NEW



SANTO - 9020933

Dark Gray Stainless metal
& Anti-glare Acrylic diffuser
LED E27 1x12 Watt
220-240 Volt IP44
Bulb Excluded
L: 30.3 W: 9 H: 10 cm




NEW




SANTO - 9020932

Dark Gray Stainless metal
& Anti-glare Acrylic diffuser
LED E27 1x12 Watt
220-240 Volt IP44
Bulb Excluded
L: 30.3 W: 9 H: 10 cm




ZENITH - 713212

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm



ZENITH - 713514

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm




IP44



ZENITH - 713115

White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm




ZENITH - 713114

Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



ZENITH - 713113

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



IP44





SPIKES

IP65



Rotating & Adjustable



FEND - 9271431
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



Rotating & Adjustable



FEND - 9271491
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm



Rotating & Adjustable



FEND - 9271433
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm




Rotating & Adjustable



FEND - 9971451
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



Rotating & Adjustable



FEND - 9971452
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm





Rotating & Adjustable

STAKE - 9271432

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21.2° IP65
D: 5 W: 9 H: 33 cm



Rotating & Adjustable

STAKE - 9271492

Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24.6° IP65
D: 6.5 W: 11 H: 35 cm



Rotating & Adjustable

STAKE - 9971455


Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21.2° IP65
D: 5 W: 7 H: 45 cm



NEW

KIMIKO - 9026126



Black Aluminium & Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 H: 12.5 cm



NEW

KIMIKO - 9026127


Black Aluminium & Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 W: 12.5 H: 21 cm



NEW

KIMIKO - 9026128

Black Aluminium & Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm





Adjustable

INSIDE - 9010001

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



Adjustable

INSIDE - 9010003

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



Adjustable

INSIDE - 9010002


Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-31 cm



Adjustable

INSIDE - 9010005

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65



BASE - 9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



Adjustable

MINI - 9010004

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54 GU10



IP65





CEILING

NEW



FOCUS - 752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS - 752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





IP65



CECI - 9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



CECI - 9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



CERISE . 9020021
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 6 H: 10.5 cm



CERISE . 9040021
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 6 H: 10.5 cm



CERISE . 9020061
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 9 H: 9 cm



CERISE . 9040061
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 9 H: 9 cm




CERISE . 9020022
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 L: 8.6 W: 8.6 H: 9 cm




CERISE . 9040022
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 L: 8.6 W: 8.6 H: 9 cm



IP65




OLIVER - 9944603
Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm




OLIVER - 9944602
Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP54



TOMMY - 9521001
Dark Gray ABS & Acrylic Diffuser
LED 30 Watt 2400Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm



TOMMY - 9521002
Dark Gray ABS & Acrylic Diffuser
LED 24 Watt 1920Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm






SPOT




BLADE - 9232116

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE - 9232115

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE - 9232119

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE - 9232120

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm




Rotating 

BLADE - 9232117

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



Rotating 

BLADE - 9232118

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



IP65





PORTABLE



IP54

NEW



FUMO - 9002863

Dimmable

White Aluminium & Acrylic
 LED 2 Watt 230Lm
 3000K 220-240 Volt
 Beam Angle 163° IP54
 Switch On/Off / USB Wire
 D: 11.8 W: 11.8 H: 30 cm




NEW



FUMO - 9002864

Dimmable

Black Aluminium & Acrylic
 LED 2 Watt 230Lm 3000K
 3000K 220-240 Volt
 Beam Angle 163° IP54
 Switch On/Off / USB Wire
 D: 11.8 W: 11.8 H: 30 cm




NEW



FABIO - 9492441

Dimmable

Black Die-Casting Aluminium & Frost Acrylic
 LED 2 Watt 280Lm
 3000K DC3.7 Volt
 Beam Angle 83° IP54
 Switch On/Off / USB Wire
 D: 19 W: 19 H: 38 cm



USB CHARGER

Charging time: 7-10hrs
 • Touch 1: 100% of light - 4hrs
 • Touch 2: 40% of light - 10 hrs
 • Touch 3: 10% of light - 50 hrs



Charging time: 4.5hrs

- Touch 1: 100% of light - 10hrs
- Touch 2: 50% of light - 20 hrs




NEW



SEINA - 9223403

Dimmable
Sandy Brown Aluminium & Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off / USB Type C Wire
D: 11.4 H: 39.5 cm




NEW



SEINA - 9223405

Dimmable
Sandy Green Aluminium & Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off / USB Type C Wire
D: 11.4 H: 39.5 cm




NEW



SEINA - 9223404

Dimmable
Sandy Green Aluminium & Acrylic
LED 2.2 Watt 190Lm
2700K DC5 Volt IP54
Switch On/Off / USB Type C Wire
D: 11.4 H: 39.5 cm




NEW



IONI - 9223415

Dimmable
Sandy White Aluminium & Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm



NEW



IONI - 9223411

Dimmable
Sandy Black Aluminium & Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm



NEW



IONI - 9223412

Dimmable
Sandy Brown Aluminium & Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm



NEW



IONI - 9223414

Dimmable
Sandy Green Aluminium & Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm




NEW



IONI - 9223414

Dimmable
Sandy Green Aluminium & Acrylic
LED Watt Lm
K DC5 Volt IP
Switch On/Off / USB Type C Wire
D: 8 H: 30 cm



Charging time: 4.5hrs
 • Touch 1: 100% of light - 10hrs
 • Touch 2: 50% of light - 20 hrs



TWO DIFFERENT TYPES OF CHARGING




PG RECHARGING BASE



USB TYPE C


NEW



SEINA - 9223406
 Dimmable
 Sandy Black Aluminium & Acrylic
 LED 2.2 Watt 190Lm
 2700K DC5 Volt IP54
 Switch On/Off /
 USB Type C Wire or
 PG recharging Base code: 9223408
 D: 11.4 H: 39.5 cm



NEW




SEINA - 9223407
 Dimmable
 Sandy White Aluminium & Acrylic
 LED 2.2 Watt 190Lm
 2700K DC5 Volt IP54
 Switch On/Off /
 White USB Type C Wire or
 PG recharging Base code: 9223408
 D: 11.4 H: 39.5 cm



SEINA - 9223408
 Sandy Black Aluminium
 PG recharging Base compatible
 with codes 9223406 & 9223407

SEINA - 9223409
 Black adapter 5V 2A

SEINA - 9223410
 White adapter 5V 2A





IP54 **PORTABLE** 

Charging time: 7-8hrs

- Touch 1: 100% of light - 8-9hrs
- Touch 2: 5% of light - 280 hrs



COLT - 9223400

Dimmable

Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT - 9223401

Dimmable

Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT - 9121912

Dimmable


Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT - 9121911

Dimmable

Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K IP54
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm






Charging time: 4-5hrs
• Touch 1: 100% of light - 7-8hrs
• Touch 2: 5% of light - 180 hrs

IP54




ROSE - 9281380


White Aluminium
& Acrylic
LED 1 Watt 240Lm
3000K 3.7 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



ROSE - 9281381

Black Aluminium
& Acrylic
LED 1 Watt 215Lm
3000K 3.7 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm





Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs

NEW



NEW



USB CHARGER

VERHAAL - 9002862

Dimmable
 Black Aluminium & Clear Glass
 LED 2 Watt 200Lm
 3000K 220-240 Volt
 Beam Angle 360° IP54
 Solar / USB Wire / Switch On/Off
 D: 16 W: 16 H: 47.5 cm



VERHAAL - 9002861

Dimmable
 White Aluminium & Clear Glass
 LED 2 Watt 200Lm
 3000K 220-240 Volt
 Beam Angle 360° IP54
 Solar / USB Wire / Switch On/Off
 D: 16 W: 16 H: 47.5 cm



NEW




NEW




JIGRA - 9002876

Dimmable
 Black Aluminium & Acrylic
 LED 2 Watt 200Lm
 3000K 220-240 Volt
 Beam Angle 306° IP54
 Switch On/Off / USB Wire
 D: 16 W: 16 H: 22.8 cm



JIGRA - 9002877

Dimmable
 Black Aluminium & Acrylic
 LED 2 Watt 210Lm
 3000K 220-240 Volt
 Beam Angle 339° IP54
 Switch On/Off / USB Wire
 D: 16 W: 16 H: 22 cm




IP54 PORTABLE SOLAR



IP65

PORTABLE



FIGI - 9923500

Dimmable

Anthracite Die-Casting Aluminium

LED 2 Watt 215Lm

3000K 200-240 Volt

Beam Angle 108° IP65

Touch Lamp / Battery / USB Wire

L: 14.5 W: 14.5 H: 50 cm



FIGI - 9922350

Dimmable

Anthracite Die-Casting Aluminium


LED 2 Watt 215Lm

3000K 200-240 Volt

Beam Angle 108° IP65

Touch Lamp / Battery / USB Wire

L: 14.5 W: 14.5 H: 35 cm



NEW

IP54



MOCHA - 9492700



Anthracite die-Casting Aluminium & Clear Glass

LED 2 Watt 191Lm

3000K DC 3.7V


Beam Angle 96° IP54

D: 15 W: 15 H: 35 cm







BALI - 9922360
Dimmable
Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm
3000K 200-240 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm



BALI - 9922510
Dimmable
Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm
3000K 200-240 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



Charging time: 3hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs




 SOLAR



NEW

VENEDO - 9002865
Dimmable

Black Aluminium
& Acrylic
LED 2 Watt 220-240 Volt
180 Lm 3000K IP54
D: 10.2 W: 10.2 H: 15 cm




IP65 PORTABLE  SOLAR



IP54

USB CHARGER





STEP LIGHTS



LIV - 9018062

Dark Gray Die-Casting Aluminium & Glass Diffuser
 LED 3.5 Watt 150Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 13 W: 3 H: 5.5 cm



LIV - 9018061

White Die-Casting Aluminium & Glass Diffuser
 LED 3.5 Watt 150Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 13 W: 3 H: 5.5 cm




NEW



VISION - 9492690

Anthracite die-Casting Aluminium & Clear Acrylic
 LED 1.5 Watt 34Lm
 3000K 220-240V
 Beam Angle 50° IP54
 L: 10 W: 2.9 H: 6.7 cm




NEW




RIO - 9492670

Anthracite die-Casting Aluminium & Clear Glass
 LED 10.4 Watt 639Lm
 3000K 220-240V
 Beam Angle 266° IP65
 L: 22.7 W: 3.5 H: 12.7 cm




NEW




FINLO - 9117080
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm

NEW



FINLO - 9117086
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm


NEW



FINLO - 9117084
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm

9117082

Grey Aluminium
LED 2 Watt 111Lm
3000K 220-240V IP65
HEP DRIVER
Compatible with: 9117080,
9117084, 9117086
L: 6.5 W: 6.7 H: 3.9 cm



IP65







KRYPTON - 710446
 Dark Gray Aluminium & Glass
 LED 6 Watt 480Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 31° IP54
 D: 16 W: 9.6 cm



KRYPTON - 726408
 Dark Gray Aluminium
 LED 3 Watt 270Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 15° IP54
 L: 8.5 W: 5 H: 8.5 cm




KRYPTON - 752250
 Dark Gray Aluminium
 LED 6 Watt 480Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 32° IP54
 L: 15 W: 7.5 H: 15 cm



NEW




ARNE - 9492680
 Anthracite die-Casting Aluminium
 & Clear Acrylic
 LED 1.5 Watt 39Lm
 3000K 220-240V
 Beam Angle 50° IP54
 D: 12 W: 2.9 H: 12 cm




NEW




BRIGI - 9020927
 Dark Grey Acrylic cover
 & Diffuser
 LED RC1.2 Watt 158.99Lm
 3000K 220-240V IP65
 D: 11 W: 11 H: 3.1 cm






LUTON - 8403624
 Dark Gray ABS
 LED 1.2 Watt
 90Lm 3000K IP65
 100-220 Volt 50Hz
 RC Driver Included
 L: 12.5 W: 3.3 H: 12.5 cm



LUTON - 8403622
 Dark Gray ABS
 LED 1.6 Watt
 100Lm 3000K IP65
 100-220 Volt 50Hz
 RC Driver Included
 L: 23 W: 3.3 H: 8 cm



LUTON - 8403626
 Dark Gray ABS
 LED 1.2 Watt
 150Lm 3000K IP65
 100-220 Volt 50Hz
 RC Driver Included
 L: 12.5 W: 3.3 H: 8.3 cm





JOYA - 9944141
 Sandy Black Aluminium
 LED 3 Watt 48Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 21° IP65
 D: 6.5 W: 4 H: 6 cm
 Cut Out: 5.5 cm

LED IP65 WARM WHITE

JOYA - 9944142
 Sandy Black Aluminium
 LED 3 Watt 54Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 19° IP65
 D: 6.5 W: 4 H: 6 cm
 Cut Out: 5.5 cm

LED IP65 WARM WHITE



COVE - 9083011
 Matt White Die-Casting Aluminium
 & Glass Diffuser
 LED 1.5 Watt 105Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 14 W: 3.8 H: 7.7 cm
 Junction Box Not Included
 Cut Out: L: 13.2 W: 5 H: 7.4 cm

LED IP54 WARM WHITE



IP65



IP54



COVE - 9083021
 Matt White Die-Casting Aluminium
 & Glass Diffuser
 LED 1.5 Watt 105Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 7.7 W: 3.8 H: 14 cm
 Junction Box Not Included
 Cut Out: L: 7.4 W: 5 H: 13.2 cm

LED IP54 WARM WHITE






IP54




PULSAR - 812302

Dark Gray ABS
LED 4 Watt 320Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm




PULSAR - 811201

Dark Gray ABS
LED 2 Watt 160Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm




PULSAR - 812102

Dark Gray ABS
LED 4 Watt 320Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm




PULSAR - 811502

Dark Gray ABS
LED 2 Watt 160Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR - 811501

Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 320Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR - 812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



PULSAR - 812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



IP54



IP54



KRYPTON - 726407

Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



KRYPTON - 727002

Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




KRYPTON - 727001

White Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




KRYPTON - 726403

White Aluminium
LED 1.5 Watt 145Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm




KRYPTON - 726404

Dark Gray Aluminium
LED 1.5 Watt 145Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm





KRYPTON - 726405

White Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



KRYPTON - 726406

Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



NEW



AIZEN - 9026120

White Aluminium
& Clear Glass
LED 3 Watt 11Lm 3000K
600mA 100-240V
Beam Angle 148° IP54
L: 13.5 W: 5 H: 6.5 cm



IP54





PASSAGIO - 8090801

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045418

Black Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045514

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 8058001

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9031616

White Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170




PASSAGIO - 9002601

White Aluminium
LED Chip Cree 2 Watt 80Lm
100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54





BANG - 9019212

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



BANG - 9019213

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



BANG - 9203113

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



BANG - 9203111

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG - 9203112

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG - 8038801

White Aluminium
LED 1 Watt 60Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG - 8038401

White Aluminium
LED 1 Watt 60Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG - 8039001

White Aluminium
LED 1 Watt 60Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



DRIVER - 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170






WALL WASHER

Rotation 30°



WALL WASHER - 9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 36 Watt 3670Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



WALL WASHER - 9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 48 Watt 4700Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



Rotation 30°



WALL WASHER - 9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt



RGB



BRACKET - 9011163

Brackets for 9011162
2pcs Included




CONTROLLER - 9011101

DMX CONTROLLER
Used to Control Max 1000 pcs


INSTALLATION



CONNECTION: 9011161 - 9011162



CONNECTION: 9011164




IP67 WATERPROOF







WALL WASHER - 9011102


Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
1200Lm 3000K DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm



INSTALLATION



IP67 WATERPROOF / ULTRA THIN



IP65 WATERPROOF / ULTRA THIN / 7°



ALP - 9010009

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1200Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 17 cm




ALP - 9010008

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 600Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 10 cm



INSTALLATION



**ULTRA NARROW
BEAM ANGLE 7°
IP67 WATERPROOF**

