

NOVA LUCE

info@novaluce.com
www.novaluce.com

NOVA LUCE

20 | 21

NOVA LUCE

TECHNICAL
CATALOGUE

20 | 21

THINGS
TO LOOK FOR



p.047



p.144



p.151



p.127



p.226




p.241




p.232

PREVIEW




PREVIEW



PREVIEW



PREVIEW




INDEX

1.0 MAGNETIC - DECORATIVE LIGHTING SYSTEMS	010
1.1 ACCESSORIES	030
1.2 WALL MAGNETIC DECORATIVE & ACCESSORIES	040
2.0 MAGNETIC PROFILE SOLUTIONS	048
2.1 PLANET MAGNETIC PROFILE ACCESSORIES	060
2.2 PLANET MAGNETIC DALI SYSTEM	066
2.3 BUXTON & CURVE MAGNETIC PROFILE ACCESSORIES	090
2.4 BUXTON & CURVE MAGNETIC DALI SYSTEM	098
3.0 LINEAR LIGHTING PROFILES	100
3.1 CARE SYSTEM	106
4.0 OFFICE LIGHTING	110
5.0 SPOT LIGHTS & TRACK LIGHTING SYSTEMS	114
5.1 TRACK RAILS & ACCESSORIES	136
6.0 DOWNLIGHT RECESSED SPOTS	142
6.1 STEP LIGHTS	186
7.0 DOWNLIGHT RECESSED SPOTS GU10	192
7.1 MOUNTED SOLUTIONS	214
8.0 DECORATIVE LIGHTS	230
8.1 SPOTS	256
9.0 GYPSUM & CONCRETE WALL & CEILING LIGHTS	272
9.1 RECESSED GYPSUM LIGHTS	290
9.2 STEP LIGHTS	302
10.0 LED PANEL	308


MAGNETIC
DECORATIVE LIGHTING
SYSTEMS





DION | 9028803

Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 350 Watt
AC220-240V Output 24V DC
D1: 100 D2: 80 D3: 60 H: 200 cm




DION | 9028800

Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 200 Watt
AC220-240V Output 24V DC
D1: 80 D2: 60 H: 150 cm




**EASY
INSTALLATION
UP
DOWN**



DION | 9028600


Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
D: 60 H: 120 cm






DION | 9028923

Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 350 Watt
AC220-240V Output 24V DC
D1: 100 D2: 80 D3: 60 H: 200 cm



DION | 9028922

Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 200 Watt
AC220-240V Output 24V DC
D1: 80 D2: 60 H: 150 cm



DION | 9028921

Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
D: 60 H: 120 cm





FEDON | 9028820

Magnetic Linear Structure
Satin Gold Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 80 H: 110 cm




FEDON | 9028981

Magnetic Linear Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 80 H: 110 cm






GRAMMI 03 | 9028348



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
L: 150 H: 35 cm



GRAMMI 04 | 9028750



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
L: 150 H: 75 cm







IF 110cm
IS NOT
COMPATIBLE
FOR YOU
WE HAVE ALSO
35cm & 70cm
TUBE


GRAMMI 01 | 9180563

Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt AC85-265V
L: 150 H: 110 cm



ZED | 9980751

Sandy Black Aluminium
Tube
D: 2 H: 70 cm





ZED | 9980752

Sandy Black Aluminium
Tube
D: 2 H: 35 cm



GRAMMI 02 | 9180564


Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt AC85-265V
L: 200 H: 110 cm






CRON | 9028310

Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 300 H: 35 cm




CRON | 9028311


Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 300 H: 35 cm








CRIMSON | 919080



Magnetic Tubular Structure
 Sandy Black Aluminium IP20
 Included Driver 100 Watt AC85-265V
 Output 24V DC
 L: 200 W: 80 H: 35 cm



CRIMSON | 9190350




Magnetic Tubular Structure
 Sandy Black Aluminium
 L: 200 H: 35 cm

JUST COMBINE THE 9190800 AND 9190350 TO CREATE A DOUBLE MAGNETIC LAYER




For accessories go on page 032







PUZZLE | 9180566

Magnetic Cube Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt AC85-265V
Output 24V DC
L: 150 W: 150 H: 10 cm



PUZZLE | 9180565

Magnetic Cube Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt AC85-265V
Output 24V DC
L: 80 W: 80 H: 10 cm



ZED | 9180567

Sandy Black Aluminium
Tube
D: 2 H: 70 cm



ZED | 9180568

Sandy Black Aluminium
Tube
D: 2 H: 30 cm




ZED | 9980570

Sandy Black Aluminium
Tube
D: 2 H: 10 cm



PLUS | 9180569

Connector Tube
Sandy Black Aluminium
D: 2 H: 30 cm




HOW IT WORKS

step 1



CHOOSE YOUR MAGNETIC ACCESSORIES

step 2




IF YOU WANT TO COMBINE MORE THAN ONE 'PUZZLES' USE 'PLUS 9180569'

step 3



TO ADJUST THE HEIGHT CHOOSE 'ZED' 9180567 OR 9180568 OR 9980570

MAGNETIC DECORATIVE
ACCESSORIES





**ONE SOURCE
OF LIGHT
MANY
DIFFERENT
ACCESSORIES**

**CRI
90**




JUST KEEP THE 9028801 OR 9028924 AND PICK THE GLASS YOU NEED


Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028801	Satin Gold Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028924	Sandy Black Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III




SPOK | 9028801
5W · 3000K




SPOK | 9028924
5W · 3000K




SURF | 9028804




FLER | 9028805




ALMON | 9028806



LAN | 9028807



NUDA | 9028808






CRI
90



COCKTAIL | **9090290**
5W · 3000K



COCKTAIL | **9090291**
5W · 3000K




GRU | **9090289**
8W · 3000K



GRU | **9090288**
8W · 3000K



MINIMAL | **9090284**
5W · 3000K



MINIMAL | **9090283**
5W · 3000K






Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090290	Satin Gold Alum. & Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090291	Sandy Black Alum. & Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090289	Sandy Black Alum. & Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090288	Satin Gold Alum. & Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090284	Satin Gold Alum. & Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090283	Sandy Black Alum. & Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III




CRI
90



VERSUS | 9090293
10W · 3000K



VERSUS | 9090292
10W · 3000K




CONO | 9090285
5W · 3000K





CONO | 9090286
5W · 3000K



BAR | 9180561
5W · 3000K




BAR | 9090281
5W · 3000K



Rotating
& Adjustable

TAG | 9180562
5W · 3000K



Rotating
& Adjustable

TAG | 9090282
5W · 3000K





Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090293	Sandy Black Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090292	Satin Gold Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090285	Sandy Black Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090286	Satin Gold Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180561	Sandy Black Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090281	Satin Gold Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180562	Sandy Black Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	✓	X	X	III
	9090282	Satin Gold Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	✓	X	X	III







CRI 90




POINT | **9028818**
15W · 3000K




ART | **9028817**
15W · 3000K





ART | **9028925**
15W · 3000K



NOX | **9190615**
15W · 3000K



ZEON | **9028838**
38W · 3000K



ZEON | **9190619**
20W · 3000K








Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028818	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 27.3	1100Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	9028817	Satin Gold Aluminium	15W	DC24V	Osram	D: 16 H: 5	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028925	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 5	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190615	Sandy Black Aluminium	15W	DC24V	Osram	L: 45.4 H: 7.4	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190619	Sandy Black Aluminium	20W	DC24V	Osram	L: 75.5 H: 4 H2: 10	1400Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	9028838	Sandy Black Aluminium	38W	DC24V	Osram	L: 150 H: 4 H2: 10	2660Lm	>90	<18	120°	3000K	IP20	√	X	X	III



WALL MAGNETIC DECORATIVE
& ACCESSORIES



**CREATE
YOUR
WALL
DESIGN**




MAGNA | 9180660

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm




MAGNA | 9180120

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 120 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm




MAGNA | 9180121

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 12 cm




MAGNA | 9180122

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 9 H2: 12 cm



MAGNA | 9180123

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 12 cm



**HOW IT
WORKS**

YOU CAN MAKE YOUR OWN SHAPE

- Choose the stick with the driver you need
- Connect magnetically the sticks you need
- Add your favorite accessories the driver supports

FOR ONE LINE ORDER:
9180660 or 9180120

FOR TWO LINES ORDER:
9180660 + 9180122

FOR THREE LINES ORDER:
9180660 + 9180121
9180123

FOR FOUR LINES ORDER:
9180120 + 9180121
9180123 + 9180121

FOR FIVE LINES ORDER:
9180120 + 9180121
9180121 + 9180121
9180123

FOR SIX LINES ORDER:
9180120 + 9180121
9180123 + 9180121
9180123 + 9180122





CHOOSE
YOUR
ACCESSORY

CRI
90



LIBO | 9180006
6W · 3000K



LIBO | 9180015
15W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9180006	Sandy Black Aluminium	6W	DC24V	Osram	D: 16 H: 6	300Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9180015	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 6	900Lm	>90	<18	120°	3000K	IP20	X	X	X	III


CREATE
YOUR
WALL
DESIGN

- Choose the stick MAGNA with the driver you need



MAGNA | 9180660

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm



MAGNA | 9180120

Magnetic Wall Structure
Sandy Black Aluminium IP20
Included Driver 120 Watt
AC85-265V Output 24V DC
L: 150 W: 1.5 H: 12 cm




- Add the RUB accessory



RUB | 9180661


Magnetic Wall Accessory
Sandy Black Aluminium
38 Watt 24V DC IP20
2660Lm 3000K CRI>90
UGR<18 Beam Angle 120°
L: 150 H: 10 cm



ROTATING & MOVABLE



ROTATING & MOVABLE



MAGNETIC PROFILE
SOLUTIONS






SURFACE MOUNTED




PENDANT SUSPENDED

BUILT IN RECESSED






SURFACE - PENDANT APPLICATION



PLANET 01 | 9136338
 Surface or Pendant
 Magnetic Profile IP20
 Sandy Black Aluminium
 Max Power 300 Watt
 L: 200 W: 2.3 W₂: 4.4 H: 3.9 cm
  






PLANET 02 | 9136101
 Surface or Pendant
 Magnetic Profile IP20
 Sandy Black Aluminium
 Max Power 300 Watt
 L: 100 W: 2.3 W₂: 4.4 H: 3.9 cm
  

RECESS APPLICATION




PLANET 03 | 9136335
 Trimless Recess
 Magnetic Profile IP20
 Sandy Black Aluminium
 Max Power 300 Watt
 L: 200 W: 2.3 W₂: 6.5 H: 3.9 cm
 Cut Out: 2.6 cm
  



PLANET 04 | 9136100
 Trimless Recess
 Magnetic Profile IP20
 Sandy Black Aluminium
 Max Power 300 Watt
 L: 100 W: 2.3 W₂: 6.5 H: 3.9 cm
 Cut Out: 2.6 cm
  

On our website you will find installation instructions!







Q-CONNECTOR | 9136303

Corner Connector for
Recess Magnetic Profile 90°
Sandy Black Aluminium
L: 30.3 W1: 2.3 W2: 6.5 H: 3.9 cm
Cut Out: 2.6 cm



V-CONNECTOR | 9236105

Corner Connector for
Recess Magnetic Profile 90°
Sandy Black Aluminium
L: 10.5 W1: 2.3 W2: 6.5 H: 3.9 cm
Cut Out: 2.6 cm



Q-CONNECTOR | 9136290

Corner Connector for
Surface or Pendant Magnetic
Profile 90°
Sandy Black Aluminium
L: 29 W1: 2.3 W2: 4.4 H: 3.9 cm




V-CONNECTOR | 9136105

Corner Connector for
Surface or Pendant Magnetic
Profile 90°
Sandy Black Aluminium
L: 10.5 W1: 2.3 W2: 4.4 H: 3.9 cm




POWER CONNECTOR | 9236107

Integrated Pre Wired Power Feed
Used on Magnetic Profile to Connect
the Final Profile with Driver



CONNECTOR | 9236106

Mechanical-Electrical Connector
Used on Recess and Surface Magnetic
Profile to Connect two Profiles Together
L: 11 W: 2.1 H: 1.4 cm



SCREW | 9811362



CAP | 9811361

Mechanical Connector
Sandy Black Aluminium
L: 12 W: 0.5 H: 2 cm



CAP | 9136110

End Cap for Surface or Pendant
Profile Cover
Sandy Black Aluminium Frame
D: 4.4 W: 0.2 H: 3.9 cm



CAP | 9136111

End Cap for Recess Profile Cover
Sandy Black Aluminium Frame
L: 3.3 W: 0.2 H: 3.9 cm



DRIVER | 8252019

Philips Driver
60 Watt
Input: 220-240V AC
Output: 24V DC 2.5A



DRIVER | 8252020

Philips Driver
120 Watt
Input 220-240V AC
Output: 24V DC



DRIVER | 8252021

Philips Driver
180 Watt
Input 220-240V AC
Output: 24V DC



DRIVER | 1035001

Dali Driver
350 Watt
Input 100-270V AC
Output: 48V DC



TINT | 9366462
 Connector Tube
 Sandy Black Aluminium
 D: 2.3 H: 10 cm

TINT | 9366461
 Connector Tube
 Sandy Black Aluminium
 D: 6 H: 10 cm

TINT | 9136323
 Connector Tube
 Sandy Black Aluminium
 D: 2.3 H: 37.3 cm


TINT | 9136360
 Connector Tube
 Sandy Black Aluminium
 D: 6 H: 37.3 cm

TINT | 9236323
 Connector Tube
 Sandy Black Aluminium
 D: 2.3 H: 70 cm

TINT | 9236360
 Connector Tube
 Sandy Black Aluminium
 D: 6 H: 70 cm



MAGNETIC DECORATIVE
ACCESSORIES








CRI
90




NOT | **9136122**
15W · 3000K




LOD | **9136135**
10W · 3000K



LOD | **9136136**
20W · 3000K



HARN | **9136124**
15W · 3000K



HARN | **9136125**
15W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9136122	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 26	1200Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	9136135	Sandy Black Aluminium	10W	DC24V	Pauray	D: 3.2 H: 19.6	800Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9136136	Sandy Black Aluminium	20W	DC24V	Cree	D: 6.5 H: 21	1600Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9136124	Sandy Black Aluminium	15W	DC24V	Philips	L: 24.5 H: 11	1200Lm	>90	<18	30°	3000K	IP20	√	X	X	III
	9136125	Sandy Black Aluminium	15W	DC24V	Philips	L: 24.5 H: 11	1200Lm	>90	<18	120°	3000K	IP20	√	X	X	III







CRI
90



PEC | **9136120**
26W · 3000K



PEC | **9136121**
13W · 3000K



KOZY | **9136130**
13W · 3000K

ANTI
GLARE
NETWORK



KOZY | **9136131**
26W · 3000K

ANTI
GLARE
NETWORK



ROTATING
& MOVABLE

RAM | **9136123**
38W · 3000K

24.5
12
R21
150

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9136120	Sandy Black Aluminium	26W	DC24V	Osram	L: 100 H: 3	2080Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9136121	Sandy Black Aluminium	13W	DC24V	Osram	L: 50 H: 3	1040Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9136130	Sandy Black Aluminium	13W	DC24V	Philips	L: 50 H: 3	1040Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9136131	Sandy Black Aluminium	26W	DC24V	Philips	L: 100 H: 3	2080Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9136123	Sandy Black Aluminium	38W	DC24V	Osram	L: 150 H: 12	3040Lm	>90	<18	120°	3000K	IP20	√	X	X	III






DALI

Rotating & Adjustable




NOLAN | **9136129**
15W · 3000K



Rotating & Adjustable




LOCE | **1025201**
2x5W · 3000K · 45°



Rotating & Adjustable




ABER | **9136126**
10W · 3000K · 45°




ANTI
GLARE
NETWORK



OLVI | **9136127**
13W · 3000K



OLVI | **9136128**
13W · 3000K



DRIVER | **1035001**


Dali Driver
350 Watt
Input 100-270V AC
Output: 48V DC

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9136129	Sandy Black Aluminium	15W	DC48V	Philips	L: 24.5 H: 11	1200Lm	>90	<14	30°	3000K	IP20	√	X	√	III
	1025201	Sandy Black Aluminium	2x5W	DC48V	Philips	L:14.4 H:10 H2:16	662Lm	>90	<14	45°	3000K	IP20	√	X	√	III
	9136126	Sandy Black Aluminium	10W	DC48V	Cree	D: 3.2 H: 19.6	800Lm	>90	<14	45°	3000K	IP20	√	X	√	III
	9136127	Sandy Black Aluminium	13W	DC48V	Philips	L: 50 H: 3	1040Lm	>90	<14	120°	3000K	IP20	X	X	√	III
	9136128	Sandy Black Aluminium	13W	DC48V	Osram	L: 50 H: 3	1040Lm	>90	<14	120°	3000K	IP20	X	X	√	III





JOIN TWO 9112690 IN REVERSE TO HAVE THE ABOVE SHAPE



CURVE | 9112690

Curve Track 90°
Sandy Black Aluminium
Surface or Pendant Magnetic Profile IP20
Included Mechanical-Electrical Connector
R: 120 W: 4.1 H: 7.5 cm



CURVE | 9112672

Curve Track 72°
Sandy Black Aluminium
Surface or Pendant Magnetic Profile IP20
Included Mechanical-Electrical Connector
R: 120 W: 4.1 H: 7.5 cm




SOME OF OUR IDEAS

JOIN 9112672 AND 8252001 TO HAVE THE FOLLOWING SHAPE



ACCESSORIES FOR CURVES MAGNETIC PROFILE



SIN | 9912611
 Connector Tube for Curves Magnetic Profile
 Sandy Black Aluminium
 D: 2.3 H: 37.3 cm



SIN | 9912601
 Connector Tube for Curves Magnetic Profile
 Sandy Black Aluminium
 D: 6 H: 37.3 cm



CAP | 9912603
 End Cap for the two Ends Curves Magnetic Profile
 Sandy Black Aluminium Frame
 L: 4.1 W: 0.5 H: 7.5 cm




SIN | 9912612
 Connector Tube for Curves Magnetic Profile
 Sandy Black Aluminium
 D: 2.3 H: 70 cm



SIN | 9912602
 Connector Tube for Curves Magnetic Profile
 Sandy Black Aluminium
 D: 6 H: 70 cm





CURVE | 9212690

Curve Track 90°
Sandy Black Aluminium
Recess Magnetic Profile IP20
Included Mechanical-Electrical Connector
R: 120 W: 6.9 H: 7.5 cm



CURVE | 9212672

Curve Track 72°
Sandy Black Aluminium
Recess Magnetic Profile IP20
Included Mechanical-Electrical Connector
R: 120 W: 6.9 H: 7.5 cm



**SOME
OF OUR
IDEAS**



**ALSO
TRY
YOURS**

JOIN 9212690 AND 8252002 TO HAVE THE ABOVE SHAPE


JOIN TWO 9212690 IN REVERSE TO HAVE THE ABOVE SHAPE



SURFACE MOUNTED

PENDANT SUSPENDED


BUILT IN RECESSED



SURFACE - PENDANT APPLICATION




RECESS APPLICATION





BUXTON 01 | 8252001

Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 100 W: 3.9 H: 7.5 cm



BUXTON 02 | 8252002


Recess Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 100 W: 6.8 H: 7.5 cm
Cut Out: 4.4 cm






POWER CONNECTOR | 9252015

Integrated Pre Wired Power Feed
Used on Magnetic Profile to Connect
the Final Profile with Driver



CONNECTOR | 8252015

Mechanical-Electrical Connector
Used on Recess and Surface Magnetic
Profile to Connect two Profiles Together
L: 10 W: 4.2 H: 2.1 cm



KIT | 8252017

Set of accessories for
Pendant Application of
Magnetic Rail



SCREW | 8252016

Screws for Ceiling Application



CAP | 8252003

End Cap for Profile Cover
Sandy Black Aluminium Frame
L: 3.9 W: 0.2 H: 7.5 cm




SURFACE Q-CONNECTOR




SURFACE V-CONNECTOR

HOW IT WORKS


USE THE CONNECTOR




TWO APPLICABLE WAYS



PLACE END CAPS




CONNECT THE COMPATIBLE DRIVER




Q-CONNECTOR | 8252011

Corner Connector for
Surface Magnetic Profile
Sandy Black Aluminium
L: 30 W: 30 H: 7.5 cm



V-CONNECTOR | 8252014

Corner Connector for
Surface Magnetic Profile
Sandy Black Aluminium
L: 10 W: 3.9 H: 7.5 cm



RECESS Q-CONNECTOR




RECESS V-CONNECTOR



COVER | 9012677

Cutable Cover for Magnetic Rail
Sandy Black PVC Cover
L: 1 meter



BOX | 8252037

Fedder Power Included Driver
120 Watt Philips DC24V
Used for Surface and Hanging
Driver Placement
L: 40 H: 7.5 cm



BOX | 8252038

Fedder Box Excluded Driver
Used for Surface and Hanging
Driver Placement
L: 40 H: 7.5 cm



DRIVER | 8252019

Philips Driver
60 Watt
Input: 220-240V AC
Output: 24V DC 2.5A



DRIVER | 8252020

Philips Driver
120 Watt
Input: 220-240V AC
Output: 24V DC



DRIVER | 8252021

Philips Driver
180 Watt
Input: 220-240V AC
Output: 24V DC




SMART DEVICE | 9011103

Connect it between driver and power
of magnetic profile.
Using a non dimmable driver and
this device you can have a dimmable
result on SMD products.




Q-CONNECTOR | 8252013




Corner Connector for
Recess Magnetic Profile
Sandy Black Aluminium
L: 30 W: 30 H: 7.5 cm
Cut Out: 4.4 cm



V-CONNECTOR | 8252012


Corner Connector for
Recess Magnetic Profile
Sandy Black Aluminium
L: 10 W: 10 H: 7.5 cm
Cut Out: 4.4 cm





TREE 01 | 8252035

Corner 2V - 120°
Connector between two tracks
Sandy Black Aluminium
L: 18 W: 14.5 H: 7.5 cm



TREE 02 | 8252036

Corner 3V - 120°
Connector between three tracks
Sandy Black Aluminium
L: 18 W: 21 H: 7.5 cm

HOW TO

ORDER 27PCS OF BUXTON 01
8252001

step 1



ORDER 54PCS OF CONNECTOR
8252015

step 5



ORDER 12PCS OF TREE 01
8252035

step 2




ADD COMPATIBLE DRIVER

step 6


ORDER 10PCS OF TREE 02
8252036

step 3



YOU ARE READY!

step 7



step 4

OR

ORDER KIT
8252017


ORDER SCREW
8252016



ALSO YOU CAN DO

ORDER 6PCS OF BUXTON 01
8252001

step 1



ORDER 6PCS OF TREE 01
8252035

step 2



step 3

OR

ORDER KIT
8252017

ORDER SCREW
8252016




ADD COMPATIBLE DRIVER

step 4

YOU ARE READY!

step 5






BUXTON 03 | 8252034

Surface or Pendant
 Magnetic Track
 Sandy Black Aluminium
 L: 47.4 W: 6.2 H: 7.5 cm

HOW TO

ORDER 6PCS OF BUXTON 03
 8252034

step 1



ORDER KIT
 8252017

step 2



OR

ORDER SCREW
 8252016




ADD COMPATIBLE
 DRIVER

step 3

YOU ARE READY!

step 4






LOOP 01 | 8925201

Circular Magnetic Profile
Sandy Black Aluminium IP20
Driver 75 Watt AC 220-240 V
D: 90 H: 120 cm



LOOP 02 | 8925202

Circular Magnetic Profile
Sandy Black Aluminium IP20
Driver 120 Watt AC 220-240 V
D: 120 H: 120 cm






SIGN | 8925204
Rectangular Magnetic Profile
Sandy Black Aluminium IP20
Driver 100 Watt AC 220-240 V
L: 120 W: 30 H: 120 cm




PROFILE
ACCESSORIES







RIETI | **8254414** · 15W · 4000K
8254418 · 15W · 3000K




RIETI | **8254415** · 22W · 4000K
8254419 · 22W · 3000K




RIETI | **8254413** · 22W · 4000K
8254417 · 22W · 3000K




RIETI | **8254412** · 15W · 4000K
8254416 · 15W · 3000K




ESTE | **8252007** · 22W · 4000K
8252028 · 22W · 3000K



ESTE | **8252006** · 15W · 4000K
8252027 · 15W · 3000K



ESTE | **8252004** · 15W · 4000K
8252025 · 15W · 3000K



ESTE | **8252005** · 22W · 4000K
8252026 · 22W · 3000K





Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254414	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	954Lm	>90	<18	120°	4000K	IP20	✓	X	X	III
	8254418	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	860Lm	>90	<18	120°	3000K	IP20	✓	X	X	III
	8254415	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1400Lm	>90	<18	120°	4000K	IP20	✓	X	X	III
	8254419	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1230Lm	>90	<18	120°	3000K	IP20	✓	X	X	III
	8254412	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	580Lm	>90	<18	120°	4000K	IP20	X	X	X	III
	8254416	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	528Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	8254413	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	943Lm	>90	<18	120°	4000K	IP20	X	X	X	III
	8254417	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	850Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	8252004	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	1080Lm	>90	<18	35°	4000K	IP20	X	X	X	III
	8252025	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	900Lm	>90	<18	35°	3000K	IP20	X	X	X	III
	8252006	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1428Lm	>90	<18	35°	4000K	IP20	✓	X	X	III
	8252027	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1220Lm	>90	<18	35°	3000K	IP20	✓	X	X	III
	8252005	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1746Lm	>90	<18	35°	4000K	IP20	X	X	X	III
	8252026	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1480Lm	>90	<18	35°	3000K	IP20	X	X	X	III
	8252007	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	2100Lm	>90	<18	35°	4000K	IP20	✓	X	X	III
	8252028	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1880Lm	>90	<18	35°	3000K	IP20	✓	X	X	III

INSTALLATION & REMOVAL OF PRODUCTS

All Fittings Can Be Magnetically Installed Ensuring Tool-Free Mounting And Repositioning







Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252010	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	800Lm	>90	<14	45°	4000K	IP20	X	X	X	III
	8252030	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>90	<14	45°	3000K	IP20	X	X	X	III
	9025201	Sandy Black Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9012676	Satin Gold Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>90	<14	45°	3000K	IP20	X	X	X	III
	9012662	Satin Gold Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	8252031	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:42	720Lm	>90	<14	30°	3000K	IP20	✓	X	X	III
	8252032	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:62	720Lm	>90	<14	30°	3000K	IP20	✓	X	X	III

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9012675	Satin Gold Aluminium & Glass	5W	DC24V	Philips	D:12 H:80	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9012672	Sandy Black Aluminium & Glass	5W	DC24V	Philips	D:10 H:80	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9012671	Sandy Black Aluminium & Glass	5W	DC24V	Philips	D:10 H:15	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9012674	Sandy Black Aluminium & Glass	5W	DC24V	Philips	D:12 H:16.5	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III









Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252008	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	400Lm	>90	<14	30°	4000K	IP20	✓	X	X	III
	8252039	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	340Lm	>90	<14	30°	3000K	IP20	✓	X	X	III
	8252009	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>90	<14	30°	4000K	IP20	✓	X	X	III
	8252029	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>90	<14	30°	3000K	IP20	✓	X	X	III
	9013620	Sandy Black Aluminium	20W	DC24V	Cree	D:8.5 H1:20 H2:27	2250Lm	>90	<14	35°	4000K	IP20	✓	X	X	III
	9013720	Sandy Black Aluminium	20W	DC24V	Cree	D:8.5 H1:20 H2:27	1920Lm	>90	<14	35°	3000K	IP20	✓	X	X	III
	8925220	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>90	<14	35°	3000K	IP20	✓	X	X	III
	9012673	Satin Gold & Black Alum.	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>90	<14	35°	3000K	IP20	✓	X	X	III
	8925216	Sandy Black Aluminium	8W	DC24V	Cree	D:3 H1:12 H2:19	580Lm	>90	<14	10°	3000K	IP20	✓	X	X	III






DALI




Rotating & Adjustable

LOCE | 1025203
10W · 3000K · 45°




Rotating & Adjustable


LOCE | 1025201
2x5W · 3000K · 45°



ZANO | 1025202
15W · 3000K



ZANO | 1025204
22W · 3000K



DRIVER | 1035001

Dali Driver
350 Watt
Input 100-270V AC
Output: 48V DC

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	1025203	Sandy Black Aluminium	10W	DC48V	Philips	D: 3.2 H: 17	622Lm	>90	<14	45°	3000K	IP20	✓	X	✓	III
	1025201	Sandy Black Aluminium	2x5W	DC48V	Philips	L:14.4 H:10 H2:16	662Lm	>90	<14	45°	3000K	IP20	✓	X	✓	III
	1025202	Sandy Black Aluminium	15W	DC48V	Philips	L:27 W:3.5 H:5	817Lm	>90	<18	45°	3000K	IP20	X	X	✓	III
	1025204	Sandy Black Aluminium	22W	DC48V	Philips	L:40 W:3.5 H:5	1133Lm	>90	<18	45°	3000K	IP20	X	X	✓	III



LINEAR LIGHTING
PROFILES






SURFACE MOUNTED

PENDANT SUSPENDED

BUILT IN RECESSED



SURFACE



GENT | **8254401** · 40W · 4000K
8254429 · 40W · 3000K



GENT | **8254402** · 40W · 4000K
8254430 · 40W · 3000K

RECESS




GENT | **8254403** · 40W · 4000K
8254431 · 40W · 3000K



GENT | **8254404** · 20W · 4000K
8254432 · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254401	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	<18	120°	4000K	IP20	X	✓	X	II
	8254429	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	<18	120°	3000K	IP20	X	✓	X	II
	8254402	Sandy Black Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	<18	120°	4000K	IP20	X	✓	X	II
	8254430	Sandy Black Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	<18	120°	3000K	IP20	X	✓	X	II
	8254403	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:7 H:7	2740Lm	>80	<18	120°	4000K	IP20	X	✓	X	II
	8254431	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:7 H:7	2480Lm	>80	<18	120°	3000K	IP20	X	✓	X	II
	8254404	Sandy White Aluminium	20W	AC220-240V	Epistar	L:60 W:7 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	✓	X	II
	8254432	Sandy White Aluminium	20W	AC220-240V	Epistar	L:60 W:7 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	✓	X	II





SURFACE



RECESS



DIDO | **8254443** · 20W · 4000K
8254441 · 20W · 3000K



DIDO | **8254444** · 20W · 4000K
8254442 · 20W · 3000K



GAGA | **8254408** · 20W · 4000K
8254433 · 20W · 3000K



GAGA | **8254409** · 20W · 4000K
8254434 · 20W · 3000K



KIT | **8254410 W**
White Set of
Accessories for
Pendant Application



KIT | **8254410 B**
Black Set of
Accessories for
Pendant Application



END CAP | **8254407**
White Aluminium
Frame



END CAP | **8254406**
Black Aluminium
Frame




ZERINO | **8254425**
Connector for
Two Linear Profiles



SCREW | **8254411**
Screws for Ceiling
Application



END CAP | **8254445**
White Aluminium Frame



GAGA | **8254420** · 20W · 3000K



GAGA | **8254421** · 20W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension(°cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254444	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254442	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(°cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254408	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254433	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254409	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254434	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254420	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254421	Sandy Black Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II


LINEAR LIGHTING PROFILES

CARE SYSTEM

DIMMABLE - ADJUSTABLE CCT 3000-6500K



CCT
3000-6500K



UMA | 8254424
40W · 3000-6500K



UMA | 8254423
40W · 3000-6500K



UMA | 8254428 · Corner H
20W · 3000-6500K



UMA | 8254422
20W · 3000-6500K



UMA | 8254427 · Corner V
20W · 3000-6500K



KIT | 8254410 W
White Set of accessories for Pendant Application



END CAP | 8254407
White Aluminium Frame



SCREW | 8254411
Screws for Ceiling Application



UMA | 8254426 · Corner H
20W · 3000-6500K



ZERINO | 8254425
Connector for two linear



WIRELESS | 8252024
SWITH PANEL L: 8.5 W: 1.4 H: 8.5 cm




END CAP | 8254445
White Aluminium Frame

Photo	Code	Material	Watt	Volt	LED Chip	Dimension _(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254424	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	<18	120°	3000-6500K	IP20	X	✓	✓	II
	8254423	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	<18	120°	3000-6500K	IP20	X	✓	✓	II
	8254428	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:3.8 H:7	250-2020Lm	>80	<18	120°	3000-6500K	IP20	X	✓	✓	II
	8254422	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-1360Lm	>80	<18	120°	3000-6500K	IP20	X	✓	✓	II
	8254427	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	<18	120°	3000-6500K	IP20	X	✓	✓	II
	8254426	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	<18	120°	3000-6500K	IP20	X	✓	✓	II






OFFICE LIGHTING



GAL | 9008801
 Sandy Black Aluminium
 LED Up 30 Watt 2700Lm
 Down 10 Watt 900Lm
 Dimmable Downside
 3000K 230 Volt IP20
 CRI>90 UGR<16
 L: 95.6 W: 3.5 H: 200 cm



GAL | 9008815
 Sandy Black Aluminium
 LED Up 45 Watt 4050Lm
 Down 15 Watt 1350Lm
 Dimmable Downside
 3000K 230 Volt IP20
 CRI>90 UGR<16
 L: 160 W: 3.5 H: 200 cm



- Top Light Switch
- Bottom Light Switch
- Bottom Light Dimmer





SPOT LIGHTS & TRACK
LIGHTING SYSTEMS




CRI 98

4 Wires



LAVISH | 9123141 · 24W · 3000K · CRI>98



LAVISH | 9123142 · 24W · 3000K · CRI>98




Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9123141	Sandy Black Aluminium	24W	220-240V	600	Global	Citizen	D:6 H:20	2295Lm	>98	<15	24°	3000K	IP20	4 Wires	✓	X	✓	I
	9123142	Sandy White Aluminium	24W	220-240V	600	Global	Citizen	D:6 H:20	2295Lm	>98	<15	24°	3000K	IP20	4 Wires	✓	X	✓	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)






Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9062301	Sandy White Aluminium	30W	220-240V	700	Philips	Citizen	D:6 H:20	2230Lm	>90	<24	15-36°	3000K	IP20	4 Wires	✓	X	✓	I
	9062302	Sandy Black Aluminium	30W	220-240V	700	Philips	Citizen	D:6 H:20	2230Lm	>90	<24	15-36°	3000K	IP20	4 Wires	✓	X	✓	I
	9118151	Sandy White Aluminium	15W	220-240V	350	Tridonic	Citizen	D:6 H:15	1115Lm	>90	<20	15-36°	3000K	IP20	4 Wires	✓	X	✓	I
	9118152	Sandy Black Aluminium	15W	220-240V	350	Tridonic	Citizen	D:6 H:15	1115Lm	>90	<20	15-36°	3000K	IP20	4 Wires	✓	X	✓	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)



CRI
90



KORS | 9913071 · 20W · 3000K



KORS | 9913072 · 20W · 3000K



KORS | 9913073 · 38W · 3000K



KORS | 9913074 · 38W · 3000K





Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9913071	Sandy White Aluminium	20W	220-240V	700	Philips	Cree	D:6 H:17	1433Lm	>90	<13	15-36°	3000K	IP20	4 Wires	✓	X	✓	II
	9913072	Sandy Black Aluminium	20W	220-240V	700	Philips	Cree	D:6 H:17	1433Lm	>90	<13	15-36°	3000K	IP20	4 Wires	✓	X	✓	II
	9913073	Sandy White Aluminium	38W	220-240V	350	Philips	Cree	D:8.5 H:18	2344Lm	>90	<13	15-36°	3000K	IP20	4 Wires	✓	X	✓	II
	9913074	Sandy Black Aluminium	38W	220-240V	350	Philips	Cree	D:8.5 H:18	2344Lm	>90	<13	15-36°	3000K	IP20	4 Wires	✓	X	✓	II

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)





CRI 90




Rotating & Adjustable

4 WIRES



WANG | 9123131 · 12W · 3000K



WANG | 9123132 · 12W · 3000K





Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9123131	Sandy Black Aluminium	12W	220-240V	300	Global	Bridgelu	D:3 H:29	960Lm	>90	<15	25°	3000K	IP20	4 Wires	✓	X	✓	I
	9123132	Sandy White Aluminium	12W	220-240V	300	Global	Bridgelu	D:3 H:29	960Lm	>90	<15	25°	3000K	IP20	4 Wires	✓	X	✓	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)




CRI 90


4 WIRES




WEST | 9011941 · 10W · 3000K



WEST | 9011942 · 10W · 3000K



WEST | 9011951 · 20W · 3000K



WEST | 9011952 · 20W · 3000K





Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9011941	Sandy White Alum.	10W	220-240V	250	Philips	Cree	D:4 H:19	950Lm	>90	<13	36°	3000K	IP20	4 Wires	✓	X	✓	I
	9011942	Sandy Black Alum.	10W	220-240V	250	Philips	Cree	D:4 H:19	950Lm	>90	<13	36°	3000K	IP20	4 Wires	✓	X	✓	I
	9011951	Sandy White Alum.	20W	220-240V	500	Philips	Cree	D:6 H:18	2100Lm	>90	<10	36°	3000K	IP20	4 Wires	✓	X	✓	I
	9011952	Sandy Black Alum.	20W	220-240V	500	Philips	Cree	D:6 H:18	2100Lm	>90	<10	36°	3000K	IP20	4 Wires	✓	X	✓	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)







ROLER | 9011861 · 20W · 3000K



ROLER | 9011862 · 20W · 3000K



ROLER | 9011871 · 20W · 3000K



ROLER | 9011872 · 20W · 3000K





Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9011861	Sandy White Alum.	20W	220-240V	500	Philips	Cree	D:9.5 H:15.5	1160Lm	>90	<13	36°	3000K	IP20	4 Wires	✓	X	✓	II
	9011862	Sandy Black Alum.	20W	220-240V	500	Philips	Cree	D:9.5 H:15.5	1160Lm	>90	<13	36°	3000K	IP20	4 Wires	✓	X	✓	II
	9011871	Sandy White Alum.	20W	220-240V	500	Philips	Cree	L:9.5 H:15.5	1160Lm	>90	<13	36°	3000K	IP20	4 Wires	✓	X	✓	II
	9011872	Sandy Black Alum.	20W	220-240V	500	Philips	Cree	L:9.5 H:15.5	1160Lm	>90	<13	36°	3000K	IP20	4 Wires	✓	X	✓	II

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)






HERM | 7770408 · 12W · 3000K
8770412 · 12W · 4000K



HERM | 7770410 · 30W · 3000K
8770413 · 30W · 4000K




HERM | 7770407 · 12W · 3000K
8770411 · 12W · 4000K



HERM | 7770409 · 30W · 3000K
8770414 · 30W · 4000K



HERM | 7770406 · 30W · 3000K



HERM | 7770402 · 30W · 3000K



HERM | 7770401 · 30W · 3000K




Photo	Code	Material	Watt	Driver	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adaptor	Driver Included
	7770407	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	24°	3000K	IP20	4 Wires	✓
	7770408	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	24°	3000K	IP20	4 Wires	✓
	8770411	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1200Lm	>80	24°	4000K	IP20	4 Wires	✓
	8770412	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1200Lm	>80	24°	4000K	IP20	4 Wires	✓
	7770409	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>90	60°	3000K	IP20	4 Wires	✓
	7770410	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>90	60°	3000K	IP20	4 Wires	✓
	8770414	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>90	60°	4000K	IP20	4 Wires	✓
	8770413	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>90	60°	4000K	IP20	4 Wires	✓
	7770406	Black Aluminium	30W	Philips	Philips	D:8.1 H:21	3100Lm	>80	24°	3000K	IP20	3 Wires	✓
	7770402	Black Aluminium	30W	Philips	Philips	D:8 H:20	3100Lm	>80	24°	3000K	IP20	4 Wires	✓
	7770401	White Aluminium	30W	Philips	Philips	D:8 H:20	3100Lm	>80	24°	3000K	IP20	4 Wires	✓

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE) - 7770630 (WHITE)






GU10



Rotating & Adjustable

SINT | 9712001

Sandy White Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 13 cm




Compatible with 9193444 or 9052016 rail



Rotating & Adjustable

SINT | 9712002

Sandy Black Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 13 cm




Compatible with 9193454 or 9052017 rail



Rotating & Adjustable

SINT | 9701101

Sandy White Aluminium
Black Honeycomb
LED GU10 Adaptor 1x10 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 20.1 cm




Compatible with 9193441 rail



Rotating & Adjustable

SINT | 9701102

Sandy Black Aluminium
Black Honeycomb
LED GU10 Adaptor 1x10 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 20.1 cm



Compatible with 9193451 rail






GU10



Rotating & Adjustable

DISS | 8008801

Sandy White Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 19.5 cm




Compatible with 9193444 or 9052016 rail



Rotating & Adjustable

DISS | 8008802

Sandy Black Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 19.5 cm




Compatible with 9193454 or 9052017 rail



Rotating & Adjustable

PARIS | 9011851

Sandy White Aluminium
LED GU10 1x10 Watt
Adaptor 4 wires 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 16 cm




Compatible with 9193421 or 7770630 rail



Rotating & Adjustable

PARIS | 9011852

Sandy Black Aluminium
LED GU10 1x10 Watt
Adaptor 4 wires 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 16 cm



Compatible with 9193431 rail

TRACK RAILS
& ACCESSORIES



4 Wires Track



9193431

Black Aluminium
4 wires track rail
2 meters



9193421

White Aluminium
4 wires track rail
2 meters



9193426

White Aluminium
T Connector 4 wires
220-250V 16A



9193436

Black Aluminium
T Connector 4 wires
220-250V 16A



9193425

White Aluminium
Connector 4 wires
220-250V 16A



9193435

Black Aluminium
Connector 4 wires
220-250V 16A



9193447

White Aluminium
Suspension Clamp (18cm)
4 wires



9193457

Black Aluminium
Suspension Clamp (18cm)
4 wires

Connectors & Hanging Elements

Suitable for 4 wires Track Rail



9193427

White Aluminium
L Connector 4 wires
220-250V 16A



9193437

Black Aluminium
L Connector 4 wires
220-250V 16A



9193422

White Aluminium
Interior Connector 4 wires
220-250V 16A



9193432

Black Aluminium
Interior Connector 4 wires
220-250V 16A



9193429

White Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail



9193439

Black Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail



9193448

White Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail



9193458

Black Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail



9193424

White Aluminium
Power Connector 4 wires
220-250V 16A



9193434

Black Aluminium
Power Connector 4 wires
220-250V 16A



9193423

White Aluminium
End Plug 4 wires



9193433

Black Aluminium
End Plug 4 wires

Step by Step



USE CONNECTOR 9193432



PUSH THE SECOND RAIL
ON CONNECTOR



PLACE 9193457 ON THE
CONNECTION POINT



SECURE 9193457 TO THE RAIL

4 Wires Track



7770630
White Aluminium
4 wires track rail socket
End cap & Power Connector
are Included
2 meters



7770633
White Aluminium
L Connector 4 wires
220-240V



7770632
White Aluminium
Connector 4 wires
220-240V

2 Wires Track



9052017
Recessed Black Aluminium
2 wires track rail socket
End cap & Power Connector
are Included
2 meters



9052016
Recessed White Aluminium
2 wires track rail socket
End cap & Power Connector
are Included
2 meters



9193454
Black Aluminium
2 wires track rail socket
End cap & Power Connector
are Included
2 meters



9193444
White Aluminium
2 wires track rail socket
End cap & Power Connector
are Included
2 meters



3 Wires Track



9193451
Black Aluminium
3 wires track rail socket
End Cap and Power connector
are Included 2 meters



9193441
White Aluminium
3 wires track rail socket
End Cap and Power connector
are Included 2 meters



9193445
White Aluminium
Interior Connector
2 Wires

Compatible with 9193444 rail



9193455
Black Aluminium
Interior Connector
2 Wires

Compatible with 9193454 rail



9193446
White Aluminium
L connector 2 Wires

Compatible with 9193444 rail



9193456
Black Aluminium
L connector 2 Wires

Compatible with 9193454 rail



9193442
White Aluminium
Connector

Compatible with 9193441 rail



9193452
Black Aluminium
Connector

Compatible with 9193451 rail



9193443
White Aluminium
L connector

Compatible with 9193441 rail



9193453
Black Aluminium
L connector

Compatible with 9193451 rail



DOWNLIGHT
RECESSED SPOTS





IP42

DRIVER INCLUDED




PETIT | 9844011



PETIT | 9844012



PETIT | 9844013



PETIT | 9844014




Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9844011	Sandy White Aluminium	9W	220-240V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	<16	5.5	40°	3000K	IP42	X	✓	II
	9844012	Sandy Black Aluminium	9W	220-240V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	<16	5.5	40°	3000K	IP42	X	✓	II
	9844013	Sandy White Aluminium	9W	220-240V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	<16	5.5	40°	3000K	IP42	X	✓	II
	9844014	Sandy Black Aluminium	9W	220-240V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	<16	5.5	40°	3000K	IP42	X	✓	II






IP42


DRIVER INCLUDED



PETIT | 9844015



PETIT | 9844016



PETIT | 9844017



PETIT | 9844018








Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9844015	Sandy White Aluminium	9W	220-240V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	<16	5.5	40°	3000K	IP42	X	✓	II
	9844016	Sandy Black Aluminium	9W	220-240V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	<16	5.5	40°	3000K	IP42	X	✓	II
	9844017	Sandy White Aluminium	9W	220-240V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	<16	5.5	20°	3000K	IP42	X	✓	II
	9844018	Sandy Black Aluminium	9W	220-240V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	<16	5.5	20°	3000K	IP42	X	✓	II






Beam
Angle
3°

DRIVER
INCLUDED



Adjustable

TIF | 9097022



Adjustable

TIF | 9097021





Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9097022	Sandy Black Aluminium	2W	220-240V	700	Eaglerise	Philips	D:6 H:4.8	148Lm	>90	<9	5.2	3°	3000K	IP20	✓	✓	III
	9097021	Sandy White Aluminium	2W	220-240V	700	Eaglerise	Philips	D:6 H:4.8	148Lm	>90	<9	5.2	3°	3000K	IP20	✓	✓	III





MINI TRIMLESS

DRIVER INCLUDED



BREE | 9232111



BREE | 9232112



BREE | 9232113



BREE | 9232114




Included Driver 7 Watt Philips
 Input: 220-240V AC 50/60Hz
 Output: 32-37 VDC
 200mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Driver	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9232111	White Aluminium	7W	220-240V	200	Philips	770Lm	Cree	D:5.6 H:7.5	5	>90	>12	24°	3000K	IP32	X	✓	III
	9232112	Black Aluminium	7W	220-240V	200	Philips	770Lm	Cree	D:5.6 H:7.5	5	>90	>12	24°	3000K	IP32	X	✓	III
	9232113	White Aluminium	7W	220-240V	200	Philips	770Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	>11	24°	3000K	IP32	X	✓	III
	9232114	Black Aluminium	7W	220-240V	200	Philips	770Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	>11	24°	3000K	IP32	X	✓	III



SELENE | 9052015



SELENE | 9052014






DRIVER | 9020172

Driver 6 Watt Eaglerise
 Input: 220-240V AC 50/60Hz
 Output: 6-12 VDC
 500mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9052015	White Aluminium	5W	10V	500	Trimless Luminus	D:3.4 H:6.1	350Lm	>90	>17	4.5	40°	3000K	IP20	X	X	III
	9052014	White Aluminium	5W	10V	500	Luminus	D:4 H:6.4	350Lm	>90	>23	3.5	40°	3000K	IP20	X	X	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020172





DRIVER | 9020170


Driver 4W ACTEC MINI
 Input: 100-240V AC 50/60Hz
 Output: 3-12 VDC
 350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	8035601	White Aluminium	1W	3V	350	Philips	D:1.6 H:2	70Lm	>80	>8	1.2	50°	3000K	IP44	X	X	III
	8125801	White Aluminium	1W	3V	350	Philips	D:2.2 H:2.9	70Lm	>85	>23	1.6	30°	3000K	IP44	X	X	III
	9017812	Black Aluminium	1W	3V	350	Philips	D:1.6 H:2	70Lm	>80	>8	1.2	50°	3000K	IP44	X	X	III
	9080201	White Aluminium	1W	3V	350	Philips	D:2.5 H:2.2	70Lm	>90	>25	1.8	16°	3000K	IP44	X	X	III
	9080202	Black Aluminium	1W	3V	350	Philips	D:2.5 H:2.2	70Lm	>90	>25	1.8	16°	3000K	IP44	X	X	III

CABLE LENGTH 1.80m


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

IP44







GEMA | 62007




GEMA | 62006




GEMA | 620010




GEMA | 62008



GIO | 620014



GIO | 620015




Included Philips Driver



Rotating

MEA | 7770441



DRIVER | 6001

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable



DRIVER | 9011763

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40VDC 0.25A
Not Dimmable



DRIVER | 64001

Driver 20 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.5A Not Dimmable



Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	62007	Black Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	<18	38°	3000K	IP20	X	X	III
	62006	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	<18	38°	3000K	IP20	X	X	III
	620010	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	<17	38°	3000K	IP20	X	X	III
	62008	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	<18	38°	3000K	IP20	X	X	III
	620014	White Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>80	<18	38°	3000K	IP20	X	X	III
	620015	Black Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>80	<18	38°	3000K	IP20	X	X	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 6001

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	7770441	White Aluminium	15W	250	1275Lm	Luminus	D:9.6 H:8.5	8.5	>90	<18	24°	3000K	IP20	✓	Philips	III


step 1



step 2




step 3



you are ready!



LAZIO | 8018509 · IP44



8016905 | · 10W · 3000K
8016906 | · 10W · 4000K




DRIVER | 9020171


Driver 12W Eaglerise
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable




LAZIO | 8044909 · IP54



LAZIO | 8044809 · IP54



LAZIO | 8000502 · IP54



LAZIO | 8000503 · IP54




Photo	Code	Material	Recessed	CRI	UGR	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8018509	White & Black Alum.	✓	>90	<8	X	D:9 H:7.3	7.8	36°	X	IP44	✓	X
	8044909	White Aluminium	✓	>90	<14	X	D:9 H:8.6	8.2	36°	X	IP54	✓	X
	8044809	White Aluminium	✓	>90	<16	X	L:16.8 W:9 H:8.9	16 x 8.2	36°	X	IP54	✓	X
	8000502	White Aluminium	✓	>90	<27	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X
	8000503	Black Aluminium	✓	>90	<27	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X

MUST HAVE ACCESSORY

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171





IP44



OLBIA | 8016909



OLBIA | 8001402




DRIVER | 9020171


Driver 12W Eaglerise
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable



OLBIA | 8059409



OLBIA | 8033409



8016905 | 10W · 3000K
8016906 | 10W · 4000K

Photo	Code	Material	Recessed	CRI	UGR	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8016909	White & Black Alum.	✓	>90	<28	X	L:9 H:8.9	8x8	36°	X	IP44	X	X
	8001402	White Aluminium	✓	>90	<28	X	L:9 H:8.9	8x8	36°	X	IP44	X	X
	8059409	White & Black Alum.	✓	>90	<16	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X
	8033409	White Aluminium	✓	>90	<16	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X

MUST HAVE ACCESSORY

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	4000K	IP44	X	X


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171



DRIVER INCLUDED




SELENE | 9071021




SELENE | 9071022



Photo	Code	Material	Watt	Volt	Ma	Lumen	Recessed	CRI	UGR	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjust.	Driver Included	Class
	9071021	White Aluminium	10W	220-240V	500	600Lm	✓	>90	<22	Citizen	D:8.2 H:7.9	7.6	36°	3000K	IP54	X	✓	III
	9071022	Black Aluminium	10W	220-240V	500	600Lm	✓	>90	<22	Citizen	D:8.2 H:7.9	7.6	36°	3000K	IP54	X	✓	III




IP54




DRIVER | 9011763
 Driver 10 Watt Philips
 Input: 220-240V AC 50/60Hz
 Output: 32-40VDC 0.25A
 Not Dimmable



CARPO | 9011761



CARPO | 9011762



RING | 9011765
 Matt Brass



RING | 9011765
 Matt Brass

Photo	Code	Material	Watt	Volt	Ma	Lumen	Recessed	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9011761	White Aluminium	10W	37.6V	350	980Lm	✓	Cree	D:10 H:7	9	>90	<18	36°	3000K	IP20	X	X	II
	9011762	Black Aluminium	10W	37.6V	350	980Lm	✓	Cree	D:10 H:7	9	>90	<18	36°	3000K	IP20	X	X	II


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9011763




TRIMLESS
IP54




BELLUNO | 8014909




BELLUNO | 8014910



BELLUNO | 8019109



BELLUNO | 8019310



8016905 · 10W · 3000K
8016906 · 10W · 4000K



DRIVER | 9020171

Driver 12W Eaglerise
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable



Photo	Code	Material	Trimless	LED Chip	CRI	UGR	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8014909	White Aluminium	✓	X	>90	<28	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X
	8014910	Black Aluminium	✓	X	>90	<28	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X
	8019109	White Aluminium	✓	X	>90	<27	D:8.2 H:9.4	10.5	36°	X	IP54	X	X
	8019310	Black Aluminium	✓	X	>90	<27	D:8.2 H:9.4	10.5	36°	X	IP54	X	X

MUST HAVE ACCESSORY

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	4000K	IP44	X	X


DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171

TRIMLESS
ADJUSTABLE




MAGGY | 9700302

White Aluminium Trimless
D: 7.8 H: 3.4 cm



MAGGY | 9700303

White Aluminium Trimless
L: 7.7 H: 3.4 cm



9700304
White Round Inner
Frame D: 7.7 cm



9700306
Black Round Inner
Frame D: 7.7 cm



9700305
White Square Inner Frame
L: 7.5 x W: 7.5 cm



9700307
Black Square Inner Frame
L: 7.5 x W: 7.5 cm



Rotating

READY!



Rotating



MAGGY | 9700301

Gray LED Cree 3000K
15 Watt 1125Lm
Beam Angle 36°



DRIVER | 9715100

Driver 15 Watt Philips
Input: 220-240V AC
Output: 42V
350mA Not Dimmable



HONEYCOMB | 9713003

MAKE IT IDEAL
FOR YOU

LED COB

CHOOSE YOUR TRIMLESS SPOT

CHOOSE FRAME: BLACK OR WHITE?

COB

ORDER DRIVER

READY!




IP65


DRIVER INCLUDED




BLADE | 9232116



BLADE | 9232119




BLADE | 9232117




Rotating



BLADE | 9232115



BLADE | 9232120



BLADE | 9232118




Rotating

WATERPROOF
IP65



Included Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz | Output: 32-37 VDC
300mA 0.35A Not Dimmable


Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9232116	White Aluminium	12W	220-240V	300	1280Lm	Cree	D:7.8 H:7.2	7.2	>90	<14	38°	3000K	IP65	X	Philips	III
	9232115	Black Aluminium	12W	220-240V	300	1280Lm	Cree	D:7.8 H:7.2	7.2	>90	<14	38°	3000K	IP65	X	Philips	III
	9232119	White Aluminium	12W	220-240V	300	1280Lm	Cree	D:8.5 H:5.4	8	>90	<17	38°	3000K	IP65	X	Philips	III
	9232120	Black Aluminium	12W	220-240V	300	1280Lm	Cree	D:8.5 H:5.4	8	>90	<17	38°	3000K	IP65	X	Philips	III
	9232117	White Aluminium	12W	220-240V	300	1280Lm	Cree	D:9 H:4.7	8	>90	<16	38°	3000K	IP65	✓	Philips	III
	9232118	Black Aluminium	12W	220-240V	300	1280Lm	Cree	D:9 H:4.7	8	>90	<16	38°	3000K	IP65	✓	Philips	III




DRIVER INCLUDED



SWAN | 9232126



SWAN | 9232127



DRIVER INCLUDED

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	CRI	UGR	Kelvin	Protection	Adj.	Driver Included	Class
	9232126	White & Black Alum.	5x2W	220-240V	500	820Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	>90	<16	3000K	IP32	X	Philips	III
	9232127	Black Aluminium	5x2W	220-240V	500	820Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	>90	<16	3000K	IP32	X	Philips	III



SOREL | 9050920




DRIVER | 9020174

Driver 7 Watt
Input: 100-240V AC 50/60Hz
Output: 12-24 VDC
350mA Not Dimmable



SOREL | 9065023



DRIVER | 9020173

Driver 13 Watt
Input: 100-240V AC 50/60Hz
Output: 25-42 VDC
350mA Not Dimmable



SOREL | 9065121




DRIVER INCLUDED

Included Driver 25 Watt
Input: 220-240V AC 50/60Hz
Output: 30-60 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	CRI	UGR	Kelvin	Protection	Adj.	Driver Included	Class
	9050920	White & Black Alum.	7W	20V	350	490Lm	Citizen	L:6.2 W:6.2 H:6.8	5.8x5.7	45°	>90	<14	3000K	IP20	X	X	III
	9065023	White & Black Alum.	14W	20V	350	1000Lm	Citizen	L:11.5 W:6.2 H:6.8	10.8x5.7	45°	>90	<14	3000K	IP20	X	X	III
	9065121	White & Black Alum.	21W	220-240V	350	1545Lm	Citizen	L:15.7 W:6.2 H:6.8	15x5.7	45°	>90	<14	3000K	IP20	X	✓	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020174 - 9020173
7 Watt 13 Watt





TRIMLESS

**GYPSUM
GU10**



GIACOMO | 51855201

Gypsum & White Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 6 L: 15.5 H: 33 cm
Cut Out: 15.8 x 15.8 cm




GIACOMO | 51855401

Gypsum & White Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 6 L: 15.5 H: 23 cm
Cut Out: 15.8 x 15.8 cm



GIACOMO | 51855202

Gypsum & Black Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 6 L: 15.5 H: 33 cm
Cut Out: 15.8 x 15.8 cm



GIACOMO | 51855402


Gypsum & Black Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 6 L: 15.5 H: 23 cm
Cut Out: 15.8 x 15.8 cm




ZETAN | 9232122




ZETAN | 9232121




OVO | 9223111



OVO | 9223112



**DRIVER
INCLUDED**



TRIMLESS

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9232122	Black Aluminium	9W	220-240V	700	740Lm	Cree	D:2.6 H:25	7.5 cm	>90	<15	30°	3000K	IP20	✓	Eaglerise	III
	9232121	White Aluminium	9W	220-240V	700	740Lm	Cree	D:2.6 H:25	7.5 cm	>90	<15	30°	3000K	IP20	✓	Eaglerise	III
	9223111	Black Aluminium	9W	220-240V	700	740Lm	Cree	D:2.6 H:25	7.5 cm	>90	<15	30°	3000K	IP20	✓	Eaglerise	III
	9223112	White Aluminium	9W	220-240V	700	740Lm	Cree	D:2.6 H:25	7.5 cm	>90	<15	30°	3000K	IP20	✓	Eaglerise	III

**DRIVER
INCLUDED**

Included Driver 9 Watt Eaglerise | Output: 6-12 VDC
Input: 220-240V AC 50/60Hz | 700mA Not Dimmable



Adjustable

GU10

BOSTON | 9441181

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.8 H: 19.6 cm

5.8 19.6

LED A++ A

Adjustable

GU10

BOSTON | 9441182

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.8 H: 19.6 cm

5.8 19.6

LED A++ A

Adjustable

LED

BOSTON | 9441291

Sandy black Aluminium
LED 6 Watt 230 Volt
UGR<19 450Lm 3000K IP20
CRI>80 Beam Angle 38°
D: 4 H: 16 cm

4 16

LED WARM WHITE A++ A DRIVER INCL

Adjustable

LED


BOSTON | 9441292

Sandy White Aluminium
LED 6 Watt 230 Volt
UGR<19 450Lm 3000K IP20
CRI>80 Beam Angle 38°
D: 4 H: 16 cm


4 16

LED WARM WHITE A++ A DRIVER INCL








UNIVERSAL | 92003 · 20W



UNIVERSAL | 92002 · 20W



UNIVERSAL | 92001 · 20W



DRIVER INCLUDED

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension ^(cm)	Lumen	CRI	UGR	Cut Out ^(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	92003	Sandy Gold & Black Aluminium	20W	230V	300	Hep	Cree	D:9.5 H:7	1450Lm	>90	<13	X	36°	3000K	IP20	✓	✓	I
	92002	Sandy Black Aluminium	20W	230V	300	Hep	Cree	D:9.5 H:7	1450Lm	>90	<13	X	36°	3000K	IP20	✓	✓	I
	92001	Sandy White & Black Aluminium	20W	230V	300	Hep	Cree	D:9.5 H:7	1450Lm	>90	<13	X	36°	3000K	IP20	✓	✓	I




DRIVER INCLUDED



Rotating & Adjustable

UNIVERSAL | 72002 · 13W




Rotating & Adjustable

UNIVERSAL | 62002 · 13W



Rotating & Adjustable

UNIVERSAL | 72004 · 13W



Rotating & Adjustable

UNIVERSAL | 62004 · 13W




Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	72002	Sandy Black Aluminium	13W	230V	300	Philips	Cree	D:10 H:9	1140Lm	>90	19	9.3	38°	3000K	IP20	✓	✓	I
	62002	Sandy White Aluminium	13W	230V	300	Philips	Cree	D:10 H:9	1140Lm	>90	19	9.3	38°	3000K	IP20	✓	✓	I
	72004	Sandy Black Aluminium	13W	230V	300	Philips	Cree	D:10 H:10.3	1140Lm	>90	19	X	38°	3000K	IP20	✓	✓	I
	62004	Sandy White Aluminium	13W	230V	300	Philips	Cree	D:10 H:10.3	1140Lm	>90	19	X	38°	3000K	IP20	✓	✓	I






DRIVER INCLUDED




JUNO | 7770443 · 15W




Included Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
0.35A Not Dimmable



JUNO | 7770442 · 15W



JUNO | 7770444 · 30W



Included Driver 30 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
0.7A Not Dimmable



JUNO | 7770445 · 30W







Photo	Code	Material	Watt	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	7770443	Black Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	60°	3000K	IP20	✓	Philips
	7770442	White Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	60°	3000K	IP20	✓	Philips
	7770445	Black Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	60°	3000K	IP20	✓	Philips
	7770444	White Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	60°	3000K	IP20	✓	Philips



DRIVER INCLUDED



PIN | 9232131 · 12W



PIN | 9232130 · 12W





Photo	Code	Material	Watt	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232131	Black Aluminium	12W	Cree	720Lm	D:6-8.4 H:18.6	9.2	>90	24°	3000K	IP32	✓	✓
	9232130	White & Black Alum.	12W	Cree	720Lm	D:6-8.4 H:18.6	9.2	>90	24°	3000K	IP32	✓	✓



Included Driver 12 Watt
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
300mA Not Dimmable



DESERT | 9075916



DESERT | 9072815




DRIVER | 9020170

Driver 4W ACTEC MINI
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



DESERT | 9076117



DRIVER INCLUDED

Included Driver 12W ACTEC
Input: 100-240V AC 50/60Hz
Output: 2-34 VDC
350mA Not Dimmable




Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9075916	White Aluminium	3W	9V	350	270Lm	Citizen	L:6.2 W:6.2 H:6.6	5.8x5.7	>90	<16	35°	3000K	IP20	✓	X	III
	9072815	White Aluminium	3W	9V	350	270Lm	Citizen	D:5.2 H:6.8	4.4	>90	<16	35°	3000K	IP20	✓	X	III
	9076117	White Aluminium	9W	100-240V	350	740Lm	Citizen	L:15.7 W:6.2 H:6.6	15x5.7	>90	<16	35°	3000K	IP20	✓	✓	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170
4 Watt



STEP LIGHTS



IP67



ONE SIDE LIGHT



TWO SIDE LIGHTS



ONE SIDE LIGHT





IP54



PASSAGGIO | 8090801



PASSAGGIO | 9045418



PASSAGGIO | 9045514



PASSAGGIO | 8058001



PASSAGGIO | 9031616




DRIVER | 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	8090801	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	>85	<26	>80	3000K	IP67	X	X	III
	9045418	Black Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	>85	<26	>80	3000K	IP67	X	X	III
	9045514	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	>85	<9	>80	3000K	IP67	X	X	III
	8058001	White Aluminium	1W	3V	350	Philips	70Lm	L:3.9 W:2.1 H:3.9	3.2	>85	<9	>80	3000K	IP67	X	X	III
	9031616	White Aluminium	1W	3V	350	Philips	70Lm	D:3.9 W:2.1 H:3.9	3.2	>85	<9	>80	3000K	IP67	X	X	III

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170





**WATERPROOF
IP67**



BANG | 9019212



BANG | 9019213



BANG | 8038801



BANG | 8039001



BANG | 8038401



DRIVER | 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9019212	Satin Nickel Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	<11	40°	3000K	IP67	X	X	III
	9019213	Satin Nickel Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	<11	36°	3000K	IP67	X	X	III
	8038801	Sandy White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	-	36°	3000K	IP67	X	X	III
	8039001	Sandy White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	-	36°	3000K	IP67	X	X	III
	8038401	Sandy White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	<21	40°	3000K	IP67	X	X	III

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



BANG | 9203111



BANG | 9203112



BANG | 9203113



**DRIVER
INCLUDED
IP67**

Photo	Code	Material	Watt	Volt	Lumen	Dimension (cm)	Cut Out (cm)	CRI	Beam Angle	Kelvin	Protection	Waterproof	Adj.	Driver Included	Class
	9203111	Satin Nickel Aluminium	1W	100-240 V	60Lm	D:4.2 H:9	3.7	>80	42°	3000K	IP67	✓	X	✓	I
	9203112	Satin Nickel Aluminium	1W	100-240 V	60Lm	D:4.2 H:9	3.7	>80	51°	3000K	IP67	✓	X	✓	I
	9203113	Satin Nickel Aluminium	1W	100-240 V	60Lm	D:4.2 H:7	3.7	>80	42°	3000K	IP67	✓	X	✓	I



NATAL | 6800201



NATAL | 6800202



**DRIVER
INCLUDED
IP20**

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension (cm)	Lumen	CRI	Cut Out (cm)	Kelvin	Protection	Adj.	Driver Included	Class
	6800202	White Aluminium	2.5W	220-240V	700	Waiberlon	Cree	D:4.4 H:4.3	68Lm	>80	4	3000K	IP20	X	✓	II
	6800201	Silver Aluminium	2.5W	220-240V	700	Waiberlon	Cree	D:4.4 H:4.3	68Lm	>80	4	3000K	IP20	X	✓	II

Included Driver 3 Watt Waiberlon | Output: 3-6 VDC
Input: 220-240V AC 50/60Hz | 700mA Not Dimmable




DOWNLIGHT RECESSED
SPOTS GU10






BRAD | 9000351

Sandy White Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Rotating
IP20 Bulb Excluded
L: 8.8 H: 6.2 cm
Cut Out: 8.5x8.5 cm




BRAD | 9000352

Sandy Black Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Rotating
IP20 Bulb Excluded
L: 8.8 H: 6.2 cm
Cut Out: 8.5x8.5 cm




BRAD | 9017391

Sandy White Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Rotating
IP20 Bulb Excluded
D: 8.1 H: 5.1 cm
Cut Out: 10 cm



BRAD | 9017392

Sandy Black Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Rotating
IP20 Bulb Excluded
D: 8.1 H: 5.1 cm
Cut Out: 10 cm



**TRIMLESS
GU10
ADJUSTABLE**




**TRIMLESS
GU10**




BRAD | 9017402

Sandy White Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt
IP20 Bulb Excluded
D: 6.5 H: 4.6 cm
Cut Out: 7.2 cm




BRAD | 9017403

Sandy Black Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt
IP20 Bulb Excluded
D: 6.5 H: 4.6 cm
Cut Out: 7.2 cm





Rotating




CEDI | 9430124

Sandy Black & White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 10 H: 3.8 cm
Cut Out: 9.5 cm



Rotating




CEDI | 9430125

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 10 H: 3.8 cm
Cut Out: 9.5 cm



Rotating




CEDI | 9430241

Sandy Black & White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 10 W: 10 H: 3.8 cm
Cut Out: 9.5 x 9.5 cm



Rotating




CEDI | 9430242

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 10 W: 10 H: 3.8 cm
Cut Out: 9.5 x 9.5 cm



Rotating




CEDI | 9430551

Sandy Black & White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 18.3 W: 10 H: 3.8 cm
Cut Out: 9.5 x 18 cm



Rotating



CEDI | 9430552

Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 18.3 W: 10 H: 3.8 cm
Cut Out: 9.5 x 18 cm






STAF | 9012191

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 7.5 W: 7.5 H: 4.5 cm
Cut Out: 7x7 cm




STAF | 9012192

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 7.5 W: 7.5 H: 4.5 cm
Cut Out: 7x7 cm




STAF | 9012201

Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 15 W: 7.5 H: 4.5 cm
Cut Out: 14.2x7 cm



STAF | 9012202

Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 15 W: 7.5 H: 4.5 cm
Cut Out: 14.2x7 cm





IP44




TEX | 9012121

Sandy White Aluminium
LED GU10 1x10 Watt IP44
220-240 Volt Bulb Excluded
D: 9.3 H: 3.8 cm
Cut Out: 6 cm



TEX | 9012122


Sandy Black Aluminium
LED GU10 1x10 Watt IP44
220-240 Volt Bulb Excluded
D: 9.3 H: 3.8 cm
Cut Out: 6 cm






ENZO | 834802

Sandy Black Aluminium
Consists of 3 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.8 cm




ENZO | 834801

Sandy White Aluminium
Consists of 3 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.8 cm




TAKE | 9350443

Sandy Black Aluminium
Consists of 2 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 4.2 cm
Cut Out: 7.6 cm



TAKE | 9350444

Sandy Black Aluminium
Consists of 2 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 4.2 cm
Cut Out: 7.6 cm



**MAKE IT IDEAL
FOR YOU**

LAMP OR COB?

step 1

GU10




COB



+

step 2

CHOOSE THE FRAME:
BLACK OR WHITE?



READY

**EASY
REPLACEMENT
OF LIGHT
SOURCE!**



detail of 9350443




detail of 9350444






REDO | 9418501



Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.8 H: 2.5 cm
Cut Out: 6.5 cm



REDO | 9418502



Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.8 H: 2.5 cm
Cut Out: 6.5 cm



Rotating

REDO | 9350442




Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.6 cm



Rotating

REDO | 9350441




Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.6 cm



Rotating

CADMO | 9701001




Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9 H: 4.5 cm
Cut Out: 8.2 cm



Rotating

CADMO | 9701002



Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9 H: 4.5 cm
Cut Out: 8.2 cm



CADMO | 9707701



LED 12 Watt 3000K
Philips COB 250mA
1140 Lm 3000K
CRI 90 Beam Angle 36°
D: 5.2 H: 5.4 cm



DRIVER | 9712102

Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.3A Not Dimmable



HONEYCOMB | 9712101



Black Plastic
Honeycomb
D: 5 cm






ENZO | 7201401

Sandy White Aluminium
 LED GU10 1x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 10.5 H: 3.3 cm
 Cut Out: 10 cm


ENZO | 7201402



Sandy Black Aluminium
 LED GU10 1x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 10.5 H: 3.3 cm
 Cut Out: 10 cm





ENZO | 7201201

Sandy White Aluminium
 LED GU10 1x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 11 H: 4.1 cm
 Cut Out: 10.5 cm


ENZO | 7201202

Sandy Black Aluminium
 LED GU10 1x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 11 H: 4.1 cm
 Cut Out: 10.5 cm





HAP | 9174151

Sandy White Aluminium
 LED GU10 1x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 6.8 H: 5 cm
 Cut Out: 6.2 cm





HAP | 9174152

Sandy Black Aluminium
 LED GU10 1x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 6.8 H: 5 cm
 Cut Out: 6.2 cm




MAKE IT IDEAL FOR YOU

LAMP OR COB?



**CHOOSE THE FRAME:
BLACK OR WHITE?**





OTTAVIA | 62018
 Sandy White Aluminium
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 2.2 cm
 Cut Out: 7.5 cm

RAENA | 62200
 Sandy White Aluminium
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 2.2 cm
 Cut Out: 7.5 cm

ZELMIRA | 62202
 Sandy White Aluminium
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 2.2 cm
 Cut Out: 7.5 cm

OTTAVIA | 62019
 Sandy Black Aluminium
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 2.2 cm
 Cut Out: 7.5 cm

RAENA | 62201
 Sandy Black Aluminium
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 2.2 cm
 Cut Out: 7.5 cm

ZELMIRA | 62221
 Sandy Black Aluminium
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 2.2 cm
 Cut Out: 7.5 cm

ZELMIRA | 94500
 Sandy Black Aluminium Outside
 Gold Aluminium Inside
 LED GU10 1x10 Watt
 220-240 Volt Bulb Excluded
 D: 8.2 H: 3.6 cm
 Cut Out: 7.5 cm

MEA | 732001
 MR 16 LED 16 Watt 3000K
 Cree COB 250mA
 1450 Lm 3000K
 CRI 90 Beam Angle 38°
 D: 5 H: 9.6 cm



MEA | 62000
 MR 16 LED 9 Watt 3000K
 Cree COB 250mA
 800Lm 3000K
 CRI 90 Beam Angle 38°
 D: 5 H: 6 cm

DRIVER | 9011763
 Driver 10 Watt Philips
 Input: 220-240V AC 50/60Hz
 Output: 32-40 VDC
 0.25A Not Dimmable

DRIVER | 6001
 Driver 10 Watt Philips
 Input: 220-240V AC 50/60Hz
 Output: 32-40 VDC
 0.25A Not Dimmable


DRIVER | 64001
 Driver 20 Watt Philips
 Input: 220-240V AC 50/60Hz
 Output: 32-40 VDC
 0.5A Not Dimmable

MAKE IT IDEAL FOR YOU



MAKE IT IDEAL
FOR YOU

LAMP OR COB?



OR

LED COB



CID | 6209
Sandy White Aluminium
D: 10 H: 15 cm
BULB EXCL. A++-E





CID | 6208
Sandy Black Aluminium
D: 10 H: 15 cm
BULB EXCL. A++-E

LAMP OR COB?




OR


LED COB




CID | 62014
Sandy White Aluminium
L: 10.5 H: 15 cm
BULB EXCL. A++-E



CID | 62015
Sandy Black Aluminium
L: 10.5 H: 15 cm
BULB EXCL. A++-E



CID | 6202
Sandy White Aluminium
Frame
W: 10 L: 10 cm
BULB EXCL. A++-E



CID | 6203
Sandy Black Aluminium
Frame
W: 10 L: 10 cm
BULB EXCL. A++-E






CID | 6206
 Sandy White Aluminium
 Frame for Recess
 L: 19.5 W: 10 cm
 Cut Out: 9.3 x 18.3 cm
 BULB EXCL. A++-E



CID | 6207
 Sandy Black Aluminium
 Frame for Recess
 L: 19.5 W: 10 cm
 Cut Out: 9.3 x 18.3 cm
 BULB EXCL. A++-E

MAKE IT IDEAL FOR YOU

LAMP OR COB?




OR

LED COB




MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB



CID | 62017
 Sandy Black Aluminium
 L: 20 W: 10.5 H: 15 cm
 BULB EXCL. A++-E



CID | 62016
 Sandy White Aluminium
 L: 20 W: 10.5 H: 15 cm
 BULB EXCL. A++-E



CID | 6205
 Sandy Black Aluminium
 Frame
 L: 19.5 W: 10 cm
 BULB EXCL. A++-E



CID | 6204
 Sandy White Aluminium
 Frame
 L: 19.5 W: 10 cm
 BULB EXCL. A++-E



MOUNTED SOLUTIONS





NED | 9419470

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 7 H: 10 cm




NED | 9419471

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 7 H: 10 cm




NIDO | 9012171

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 14 cm




NIDO | 9012172

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 14 cm



NIDO | 9012173

Gold Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 14 cm



RING
9012174 Matt Gold
9012175 Matt Silver



RING
9012174 Matt Gold
9012175 Matt Silver





Rotating

GOZZANO | 9420481

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 8 H: 9 cm



Rotating

GOZZANO | 9420482

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 8 H: 9 cm



Rotating

GOZZANO | 9174511

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 8 H: 9 cm



Rotating

GOZZANO | 9174512

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 8 H: 9 cm



Rotating

GOZZANO | 820001

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 12.5 cm




Rotating

GOZZANO | 820002


Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 12.5 cm





GENER | 9418425

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H: 10 cm



GENER | 9418426

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H: 10 cm



MARUPE | 834863

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 10 cm



**RING
834868**

White & Silver



MARUPE | 834865

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 10 cm




**RING
834867**

Black & Gold



MARUPE | 834864

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 20 cm




**RING
834868**

White & Silver



MARUPE | 834866

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 20 cm



**RING
834867**

Black & Gold






GARF | 9388901

Sandy Black Aluminium & Acrylic
LED 7 Watt 100-240 Volt
570Lm 3000K IP20
D: 7 H: 7.5 cm



GARF | 9388902

Sandy White Aluminium & Acrylic
LED 7 Watt 100-240 Volt
570Lm 3000K IP20
D: 7 H: 7.5 cm




GU10

LED




ESCA | 9387002

Sandy White Aluminium & Acrylic
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 12.5 cm




ESCA | 9387001

Sandy Black Aluminium & Acrylic
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 12.5 cm






OSLO | 9184371



Sandy White Aluminium Outside
Sandy White Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 15 cm




OSLO | 9184372



Sandy White Aluminium Outside
Sandy White Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 30 cm




OSLO | 9184373



Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 15 cm



OSLO | 9184374




Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 30 cm





NIDO | 9012181

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.5 W: 9.5 H: 14.5 cm




RING

9012183 Matt Gold **9012184** Matt Silver



NIDO | 9012182

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.5 W: 9.5 H: 14.5 cm




RING

9012183 Matt Gold **9012184** Matt Silver



Rotating




RENE | 998092

Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 16 W: 8 H: 9 cm



Rotating




RENE | 998091

Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 16 W: 8 H: 9 cm



Rotating




RENE | 820603

Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 18 W: 9.6 H: 12.5 cm



Rotating



RENE | 820602

Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 18 W: 9.6 H: 12.5 cm





Rotating



RENDE | 820202

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.6 W: 9.6 H: 12.5 cm



Rotating



RENDE | 820203

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.6 W: 9.6 H: 12.5 cm



Rotating




RENDE | 9175513

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 8 H: 9 cm



Rotating



RENDE | 9175514

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 8 H: 9 cm



DECORATIVE LIGHTS





ESCA | 9387003

Sandy Black Aluminium
& Acrylic
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H1: 30 H2: 150 cm



ESCA | 9387004

Sandy White Aluminium
& Acrylic
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H1: 30 H2: 150 cm



PERO | 9184376


Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H1: 30 H2: 150 cm



PERO | 9184375

Sandy White Aluminium Outside
White Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H1: 30 H2: 150 cm





AILA | 9419422

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H1: 20 H2: 120 cm



AILA | 9419421

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H1: 20 H2: 120 cm



GIA | 834870

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H1: 30 H2: 170 cm



GIA | 834869

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H1: 30 H2: 170 cm



RING
834867
Black & Gold

RING
834868
White & Silver






DECORATIVE



BLACK & WHITE



ULTRATHIN | 9184024
 Sandy Black Aluminium
 LED 7x3 Watt 230 Volt
 1680Lm 3000K IP20
 D: 40 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.



ULTRATHIN | 9184023
 Sandy White Aluminium
 LED 7x3 Watt 230 Volt
 1680Lm 3000K IP20
 D: 40 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.




ULTRATHIN | 9184022
 Sandy Black Aluminium
 LED 3 Watt 230 Volt
 180Lm 3000K IP20
 D: 2.5 H: 60 H2: 150 cm


LED WARM WHITE A++-A DRIVER INCL.



ULTRATHIN | 9184021
 Sandy White Aluminium
 LED 3 Watt 230 Volt
 180Lm 3000K IP20
 D: 2.5 H: 60 H2: 150 cm

LED WARM WHITE A++-A DRIVER INCL.






NOCCI | 9303941

Black Aluminium
 LED 3x4.5 Watt 230 Volt
 660Lm 3000K IP20
 L: 320 H: 128 H₂: 112 cm



NOCCI | 9103212

Black Aluminium
 LED 4.5 Watt 230 Volt
 220Lm 3000K IP20
 D: 5 H: 158 cm




NOCCI | 9303952


Black Aluminium
 LED 10x4.5 Watt 230 Volt
 1860Lm 3000K IP20
 D: 40.5 H: 150 cm



NOCCI | 9103211

White Aluminium
 LED 4.5 Watt 230 Volt
 220Lm 3000K IP20
 D: 5 H: 158 cm






GOCCIO | 9102591

Black Aluminium & Steel
LED 7 Watt 230 Volt
213Lm 3000K IP20
D: 3 H: 60 Hz: 160 cm





GOCCIO | 9102592


White Aluminium & Steel
LED 7 Watt 230 Volt
213Lm 3000K IP20
D: 3 H: 60 Hz: 160 cm



GOCCIO | 9504001

Black Aluminium & Steel
LED 5x7 Watt 230 Volt
1065Lm 3000K IP20
L: 110 W: 4.5 H: 60 Hz: 160 cm





GIONO | 9601007

Sandy Black Aluminium & Acrylic
 LED 7x3 Watt 230 Volt
 1280Lm 3000K IP20
 L: 90 W: 5 H₁: 51 H₂: 230 cm

GIONO | 9601001



Sandy Black Aluminium & Acrylic
 LED 1x3 Watt 230 Volt
 180Lm 3000K IP20
 D: 8 H: 51 H₂: 230 cm



NAVAN | 9018901

Matt Black Aluminium
 LED 6 Watt 230 Volt
 530Lm 3000K IP20
 D: 6 H: 150 cm



NAVAN | 9018902

Satin Nickel & Black Aluminium
 LED 6 Watt 230 Volt
 530Lm 3000K IP20
 D: 6 H: 150 cm



NAVAN | 9018903


Brass & Black Aluminium
 LED 6 Watt 230 Volt
 530Lm 3000K IP20
 D: 6 H: 150 cm




GIONO | 9601012

Sandy Black Aluminium & Acrylic
 LED 12x3 Watt 230 Volt
 2280Lm 3000K IP20
 D: 50 H: 51 H₂: 230 cm











AMADEO | 9118106

Sandy Black Aluminium & Acrylic
Adjustable Switch On/Off
LED 6 Watt 230 Volt
528Lm 3000K IP20
D: 10 D2: 9 H: 400 cm




AMADEO | 9118635

Sandy Black Aluminium & Acrylic
Adjustable Switch On/Off
LED 36 Watt 230 Volt
2180Lm 3000K IP20
D: 15 D2: 9 H: 400 cm





SWITCH ON/OFF




AMADEO | 8223602


Black Aluminium & Acrylic
Adjustable
Switch On/Off
LED Edison 6 Watt 230 Volt
528Lm 3000K IP20
D: 12 W: 12 H: 12 cm



AMADEO | 8223601

White Aluminium & Acrylic
Adjustable
Switch On/Off
LED Edison 6 Watt 230 Volt
528Lm 3000K IP20
D: 12 W: 12 H: 12 cm






Rotating & Adjustable

LUCCELO | 9190130

Sandy Black Aluminium
& Acrylic
LED 30 Watt 230 Volt
1500Lm 3000K IP20
L: 16 W: 16 H: 400 cm




Rotating & Adjustable

LUCCELO | 9190110

Sandy Black Aluminium
& Acrylic
LED 10 Watt 230 Volt
500Lm 3000K IP20
L: 16 W: 16 H: 400 cm





Rotating & Adjustable

MARCE | 9028811

Gold Aluminium
Clear Glass
LED 5 Watt 230 Volt
250Lm 3000K IP20
D: 12 W: 14.5 H: 400 cm



Rotating & Adjustable


MARCE | 9028813

Gold Aluminium
Clear Glass
LED 15 Watt 230 Volt
750Lm 3000K IP20
D: 12 W: 14.5 H: 400 cm




MARCE | 9060111

Gold Aluminium
Clear Glass
LED 5 Watt 230 Volt
250Lm 3000K IP20
D: 12 W: 14.5 H: 17.5 cm



| SPOTS





Rotating
& Adjustable

GON | 9105201

Sandy White Aluminium
LED 5 Watt 230 Volt
400Lm 3000K IP20
D: 11 H: 9 cm



Rotating
& Adjustable

GON | 9105101


Sandy Black Aluminium
LED 5 Watt 230 Volt
400Lm 3000K IP20
D: 11 H: 9 cm



Rotating
& Adjustable


GON | 9105202

Sandy White Aluminium
LED 2x5 Watt 230 Volt
800Lm 3000K IP20
L: 25 W: 11 H: 9 cm



GON | 9105102

Sandy Black Aluminium
LED 2x5 Watt 230 Volt
800Lm 3000K IP20
L: 25 W: 11 H: 9 cm



Rotating
& Adjustable


GON | 9105203


Sandy White Aluminium
LED 4x5 Watt 230 Volt
1600Lm 3000K IP20
L: 25 W: 25 H: 9 cm



GON | 9105103

Sandy Black Aluminium
LED 4x5 Watt 230 Volt
1600Lm 3000K IP20
L: 25 W: 25 H: 9 cm





TOD | 9011311

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.7 H1: 9 H2: 13 cm



TOD | 9011312

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.7 H1: 9 H2: 13 cm




TOD | 9012281

Sandy White Aluminium
LED GU10 3x10 Watt IP20
220-240 Volt Bulb Excluded
D: 22 H1: 9 H2: 12.7 cm



TOD | 9012282

Sandy Black Aluminium
LED GU10 3x10 Watt IP20
220-240 Volt Bulb Excluded
D: 22 H1: 9 H2: 12.7 cm






Rotating & Adjustable

TOD | 9012291


Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 35 W: 6 H: 12.7 cm



Rotating & Adjustable

TOD | 9012301


Sandy White Aluminium
LED GU10 3x10 Watt IP20
220-240 Volt Bulb Excluded
L: 55 W: 6 H: 12.7 cm



Rotating & Adjustable

TOD | 9012292


Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 35 W: 6 H: 12.7 cm



Rotating & Adjustable

TOD | 9012302


Sandy Black Aluminium
LED GU10 3x10 Watt IP20
220-240 Volt Bulb Excluded
L: 55 W: 6 H: 12.7 cm






INUS | 9460971

Black & Satin Gold Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 27 W: 6 H: 12.7 cm




INUS | 9460972

Black & Satin Gold Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.7 H: 13 cm



NOSA | 9450881


Sandy White Aluminium
LED GU10 2x10 IP20
220-240 Volt Bulb Excluded
D: 5.6 W: 8 H: 18 cm



NOSA | 9450882


Sandy Black Aluminium
LED GU10 2x10 IP20
220-240 Volt Bulb Excluded
D: 5.6 W: 8 H: 18 cm





Adjustable

BERNARDO | 7409002




Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 11 H₂: 29 cm




Adjustable

BERNARDO | 7409001




Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 11 H₂: 29 cm




Rotating & Adjustable

BERNARDO | 7404601




Sandy Black Aluminium
LED COB 13 Watt Cree
1140Lm 3000K IP20
CRI 90 Adjustable
Philips Driver
D: 5 H: 14 H₂: 28 cm



Rotating & Adjustable

BERNARDO | 7404602




Sandy White Aluminium
LED COB 13 Watt Cree
1140Lm 3000K IP20
CRI 90 Adjustable
Philips Driver
D: 5 H: 14 H₂: 28 cm



Rotating & Adjustable

MINIAIR | 9720101




Sandy White Aluminium
LED COB 10 Watt Cree
900Lm 3000K IP20
CRI 90 Adjustable
Eaglerise Driver
D: 6.3 H: 17 cm




Rotating & Adjustable

MINIAIR | 9720102




Sandy Black Aluminium
LED COB 10 Watt Cree
900Lm 3000K IP20
CRI 90 Adjustable
Eaglerise Driver
D: 6.3 H: 17 cm






UMBERTO | 7410401

Sandy Black Aluminium
Switch On/Off
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 15 cm




UMBERTO | 7410402

Sandy White Aluminium
Switch On/Off
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 15 cm




NET | 9011922

Sandy Black Aluminium
Switch On/Off
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.7 H: 9 Hz: 10.5 cm



NET | 9011921

Sandy White Aluminium
Switch On/Off
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.7 H: 9 Hz: 10.5 cm




WAN | 9184311

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H: 15 cm



WAN | 9184312

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H: 15 cm



DEXTER | 821602

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6.2 H: 15 cm



DEXTER | 821601


Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6.2 H: 15 cm






CLIP | 9030201

Sandy White Aluminium
LED Philips 3 Watt
Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm




**ANTI
GLARE
NETWORK**



CLIP | 9030202



Sandy Black Aluminium
LED Philips 3 Watt
Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm



Rotating & Adjustable

LAREDO | 8140521


Sandy White Aluminium
LED Samsung 3 Watt
Switch On/Off
190Lm 3000K IP20
D: 9 H: 11 cm



Rotating & Adjustable

LAREDO | 8140522


Chrome Aluminium
LED Samsung 3 Watt
Switch On/Off
190Lm 3000K IP20
D: 9 H: 11 cm



Rotating & Adjustable

CLIP | 9030203

Satin Brass Aluminium
LED Philips 3 Watt
Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm




GYPSUM & CONCRETE
SPOT LIGHTS






CRONUS | 9084071

White Gypsum & Alumimium
 LED 10 Watt 220-240 Volt
 927Lm 3000K IP20
 D: 16 W: 8 H: 18 cm




CRONUS | 9084081

White Gypsum & Alumimium
 LED 12 Watt 220-240 Volt
 1121Lm 3000K IP20
 D: 20.5 W: 11 H: 22 cm




NETUNE | 9831051

Gray Concrete & White Alumimium
 LED 6 Watt 220-240 Volt
 160Lm 3000K IP20
 D: 11 W: 9.6 H: 7.5 cm



NETUNE | 9831050


White Gypsum & White Alumimium
 LED 6 Watt 220-240 Volt
 160Lm 3000K IP20
 D: 11 W: 9.6 H: 7.5 cm






ZERO | 9577012

Gray Concrete
& Opal Glass
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 10 W:14 H: 10 cm




ZERO | 9577013

White Gypsum
& Opal Glass
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 10 W:14 H: 10 cm




ZERO | 9704191

Gray Concrete Opal Glass
& Black Aluminium
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 10 H: 19.5 Hz: 120 cm



ZERO | 9704192

White Gypsum Opal Glass
& White Aluminium
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 10 H: 19.5 Hz: 120 cm






SANDRO | 9168544

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 10 W: 12.5 H: 15 cm




SANDRO | 9164923

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 10 W: 12.5 H: 15 cm




SANDRO | 9166821

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 11.5 W: 10.7 H: 24 cm




SANDRO | 9168303

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 15 W: 13 H: 12.8 cm




SANDRO | 7200601

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 15 W: 13 H: 12.8 cm




SANDRO | 41688001

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
D: 15 W: 7 H: 15 cm




SANDRO | 41667801

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 12.5 W: 7 H: 12.5 cm



SANDRO | 61623401

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 11.5 W: 11.5 H: 11.5 cm





SANDRO | 9164041

White Gypsum
 LED E14 1x5 Watt IP20
 220-240 Volt Bulb Excluded
 L: 9.5 W: 9 H: 24.5 cm



OTELLO | 41688601

White Gypsum
 LED GU10 2x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 7 W: 10 H: 25 cm



OTELLO | 41688602

White Gypsum
 LED GU10 2x10 Watt IP20
 220-240 Volt Bulb Excluded
 D: 7 W: 10 H: 25 cm



SANDRO | 9168562

White Gypsum & Glass
 LED E14 1x5 Watt IP20
 220-240 Volt Bulb Excluded
 D: 11 W: 7 H: 18 cm



OTELLO | 51684201


White Gypsum
 LED G9 1x5 Watt IP20
 220-240 Volt Bulb Excluded
 L: 8 W: 13 H: 30 cm






ICARUS | 9082171

White Gypsum
LED 4 Watt 220-240 Volt
416Lm 3000K IP20
D: 16 W: 8 H: 6 cm




SANDRO | 41637801

White Gypsum & Glass
LED E14 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 32 W: 17 H: 12 cm




OTELLO | 7201601

White Gypsum
LED E27 1x12 Watt IP20
220-240 Volt Bulb Excluded
L: 30 W: 17 H: 12 cm



SANDRO | 516276

White Gypsum
LED E14 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 28 H: 14 cm





RENATA | 51686001

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 32 W: 14 H: 5.5 cm



SANDRO | 9162445

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 30 W: 10 H: 7.5 cm



RENATA | 61642201

White Gypsum
LED E14 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 27.5 W: 9.5 H: 5.5 cm



OTELLO | 9166041

White Gypsum & Glass
LED E14 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 22 W: 9.5 H: 7 cm



OTELLO | 7200401

White Gypsum
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 18 W: 10 H: 9 cm



OTELLO | 61702401


White Gypsum
LED E14 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 30 W: 9.5 H: 14 cm



OTELLO | 7240202


White Gypsum & Glass
LED E14 2x5 Watt IP20
220-240 Volt Bulb Excluded
L: 36 W: 9.5 H: 7 cm





NEVIO | 4192401

White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 7 W: 7 H: 11 cm



NEVIO | 51852801

White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 7 W: 7 H: 17 cm




ORAZIO | 51854001

White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 7 H: 17 cm



ORAZIO | 61853202



White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D1: 16.8 D2: 6.8 H: 13 cm



ORAZIO | 61853601




White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 7 H: 11 cm



BONA | 41880201

White Gypsum & Glass
LED E27 2x12 Watt IP20
220-240 Volt Bulb Excluded
D: 30 H: 6 cm




BELINA | 41860201

White Gypsum & Glass
LED E27 2x12 Watt IP20
220-240 Volt Bulb Excluded
L: 25 W: 25 H: 8.5 cm



BONA | 41880401

White Gypsum & Glass
E27 3x12 Watt IP20
220-240 Volt Bulb Excluded
D: 51 H: 7 cm



BELINA | 41860401

White Gypsum & Glass
E27 3x12 Watt IP20
220-240 Volt Bulb Excluded
L: 45 W: 45 H: 8 cm





SINTRA | 9168241

Gray Concrete
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 13 H: 15 cm




SINTRA | 9168242

Gray Concrete
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 13 W: 13 H: 15 cm




CADMO | 61625401

Gray Concrete
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 11.5 W: 11.5 H: 11.5 cm



ZERINO | 9170202

Gray Concrete
LED G9 1x5 Watt IP20
220-240 Volt Bulb Excluded
L: 18 W: 10 H: 9 cm








Adjustable
Brackets

CRATE | 9091631


White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 12 H: 6 cm
Cut Out: 12.3 cm



9261 9262 9263 9264




Black Silver Bronze Gold



Adjustable
Brackets

CRATE | 9090621

White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 12 W: 12 H: 6 cm
Cut Out: 12.3 cm




9161 9162 9163 9164



Black Silver Bronze Gold






COSIMO | 9879109

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 8 H: 5.2 cm
Cut Out: 8.5 x 8.5 cm




COSIMO | 7100461

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 8 H: 6 cm
Cut Out: 8.5 x 8.5 cm




TOBIA | 9879113

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.5 W: 9.5 H: 5 cm
Cut Out: 9 x 9 cm





TOBIA | 9879112

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.5 W: 9.5 H: 5 cm
Cut Out: 9 x 9 cm




TOBIA | 9879102

White Gypsum & Glass
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 12 W: 12 H: 5.5 cm
Cut Out: 12.5 x 12.5 cm





TOBIA | 9879101

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 12 W: 12 H: 5.5 cm
Cut Out: 12.5 x 12.5 cm



TOBIA | 41825801

White Gypsum
Adjustable Brackets
LEDGU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 12 W: 12 H: 6 cm
Cut Out: 12.5 x 12.5 cm




TOBIA | 7100481

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 8 H: 6 cm
Cut Out: 8.5 x 8.5 cm



TOBIA | 9879110


White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 8 H: 5.2 cm
Cut Out: 8.5 x 8.5 cm







TOBIA | 9879107

White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 10 W: 10 H: 2.5 cm
Cut Out: 10.5 x 10.5 cm





TOBIA | 41844401

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 10 W: 10 H: 3 cm
Cut Out: 10.5 x 10.5 cm



TOBIA | 9879104

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 12 W: 12 H: 4.5 cm
Cut Out: 12.5 x 12.5 cm




TOBIA | 51826201

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 12 W: 12 H: 4.5 cm
Cut Out: 12.5 x 12.5 cm



TOBIA | 61853201

White Gypsum
Adjustable Brackets
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 21.4 W: 11.7 H: 6 cm
Cut Out: 21.7 x 12 cm



COSIMO | 61844801

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 20.5 W: 20.5 H: 6 cm
Cut Out: 20.7 x 20.7 cm





COSIMO | 9879103

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 13 H: 4.5 cm
Cut Out: 13.5 cm



COSIMO | 41826001

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 13 H: 5 cm
Cut Out: 13.5 cm



COSIMO | 9879105

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 12 H: 4.3 cm
Cut Out: 12.5 cm



COSIMO | 51826202

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 13 H: 4.5 cm
Cut Out: 13.5 cm



TOBIA | 9879111

White Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 5.2 cm
Cut Out: 8.8 cm



NEIVA | 620017

White Aluminium & Gypsum
Adjustable Brackets
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 14 H: 4.1 cm
Cut Out: 14.3 cm



COSIMO | 9879108


White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 10.3 H: 3 cm
Cut Out: 10.8 cm



COSIMO | 41844402

White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 10 H: 3 cm
Cut Out: 10.5 cm





Adjustable Brackets

Rotating

VITALE | 51850801

White Gypsum
Adjustable Brackets
AR111 1x100 Watt IP20
220-240 Volt Bulb Excluded
L: 21 W: 21 D: 6.7 cm
Cut Out: 21.5 x 21.5 cm



Adjustable Brackets

Rotating

VITALE | 51851001


White Gypsum
Adjustable Brackets
AR111 1x100 Watt IP20
220-240 Volt Bulb Excluded
D: 21 W: 21 H: 6.7 cm
Cut Out: 21.5 x 21.5 cm



Adjustable Brackets

VITALE | 41849601

White Gypsum
Adjustable Brackets
AR111 1x50 Watt IP20
220-240 Volt Bulb Excluded
L: 20 W: 20 H: 8.5 cm
Cut Out: 20.5 x 20.5 cm



Adjustable Brackets


VITALE | 41849401

White Gypsum
Adjustable Brackets
AR111 1x50 Watt IP20
220-240 Volt Bulb Excluded
L: 20 W: 20 H: 8.5 cm
Cut Out: 20.5 cm



STEP LIGHTS






Adjustable Brackets

CIROCCO | 9879106

White Gypsum
LED 1 Watt CREE 3000K IP20
Waiberlon Driver Included
L: 10 W: 4.75 H: 10 cm
Cut Out: 10.3 x 10.3 cm



Adjustable Brackets


CIROCCO | 61886001

White Gypsum
LED 1 Watt CREE 3000K IP20
L: 10 W: 4.9 H: 10 cm
Cut Out: 10.3 x 10.3 cm



DRIVER | 9889134

Driver 2 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-4 VDC
500mA Not Dimmable



Adjustable Brackets

CIROCCO | 9188626


White Gypsum
LED 1 Watt CREE 3000K IP20
L: 12 W: 5.5 H: 18 cm
Cut Out: 12.3 x 18.3 cm



Adjustable Brackets

CIROCCO | 9602615


White Gypsum
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 21 W: 7.8 H: 25 cm
Cut Out: 21.3 x 25.3 cm





CIROCCO | 5600601 7600601

White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 11 W: 5.5 H: 24.5 cm
Cut Out: 11.3 x 24.8 cm



White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 11 W: 5.5 H: 24.5 cm
Cut Out: 11.3 x 24.8 cm



CIROCCO | 66018101

White Gypsum
MR11 GU4 1x20 Watt
L: 8 W: 4.8 H: 17 cm
Cut Out: 8.3 x 17.3 cm




DRIVER | 9889134

Driver 2 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-4 VDC
500mA Not Dimmable



CIROCCO | 6600801

White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 14.2 W: 4.5 H: 17 cm
Cut Out: 14.5 x 17.3 cm




CIROCCO | 9600217

White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 14.2 W: 4.5 H: 17 cm
Cut Out: 14.5 x 17.3 cm



EURONA | 9879390

White Gypsum
MR11 GU4 1x20 Watt IP20
220-240 Volt Bulb Excluded
L: 10.8 W: 5.3 H: 24.5 cm
Cut Out: 11 x 24.7 cm




EURONA | 9879391

White Gypsum
LED 1 Watt 3000K IP20
Waiberlon Driver Included
L: 10.8 W: 5.3 H: 24.5 cm
Cut Out: 11.1 x 24.8 cm



EURONA | 9879388

White Gypsum
MR11 GU4 1x20 Watt IP20
220-240 Volt Bulb Excluded
L: 8 W: 4.8 H: 16.5 cm
Cut Out: 8.2 x 16.7 cm



EURONA | 9879389

White Gypsum
LED 1 Watt 3000K IP20
Waiberlon Driver Included
L: 8 W: 4.8 H: 16.5 cm
Cut Out: 8.2 x 16.7 cm



LED PANEL







PANEL | **61840002** · 18W · 4000K
61840004 · 18W · 6500K



PANEL | **90630003** · 6W · 3000K



PANEL | **61840001** · 18W · 4000K
61840003 · 18W · 6500K



**LED
SAMSUNG
CHIP**


Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension (cm)	Cut Out (cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	90630003	White Aluminium & Acrylic	6W	220-240	Samsung	430Lm	D:12 H:2.5	12.3x12.3	3000K	IP20	X	>80	✓
	61840001	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	D:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	✓
	61840003	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	D:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	✓
	61840002	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	✓
	61840004	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	✓




**LED
SAMSUNG
CHIP**




SURFACE | **90630001** · 6W · 3000K



SURFACE | **62430001** · 24W · 3000K



SURFACE | **61830002** · 18W · 3000K
81840002 · 18W · 4000K



SURFACE | **61830001** · 18W · 3000K
81840001 · 18W · 4000K





Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension (cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	61830001	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	D:22.7 H:3.5	3000K	IP20	X	>80	✓
	81840001	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	D:22.7 H:3.5	4000K	IP20	X	>80	✓
	62430001	White Aluminium & Acrylic	24W	220-240V	Samsung	1740Lm	D:30 H:3.8	3000K	IP20	X	>80	✓
	82440001	White Aluminium & Acrylic	24W	220-240V	Samsung	1850Lm	D:30 H:3.8	4000K	IP20	X	>80	✓
	61830002	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	L:22.7 W:22.7 H:3.5	3000K	IP20	X	>80	✓
	81840002	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	4000K	IP20	X	>80	✓

LOOK WHAT THE CAT DRAGGED IN.



EELI BUTTONS

A++-E The luminaire is compatible with bulbs of all energy classes. **A++-A** Included highly efficient LED boards (cannot be replaced by the end consumer)

LIGHT COLOUR

NEUTRAL WHITE Neutral White **WARM WHITE** Warm White **COOL WHITE** Cool White

FUNCTIONS & COMFORT

DIMMABLE Dimmable **NOT DIMMABLE** Not Dimmable **CUT OUT** Cut out

DRIVER & BULBS

DRIVER INCL. Driver Included **BULB EXCL.** Bulb Excluded **BULB INCL.** Bulb Included **LED**
LAMP E14 Lamp E14 **LAMP E27** Lamp E27 **LAMP G9** Lamp G9 **LAMP GU10** Lamp GU10

IP PROTECTION

IP20 Protection rating IP20 **IP32** Protection rating IP32 **IP44** Protection rating IP44
IP54 Protection rating IP54 **IP65** Protection rating IP65 **IP67** Protection rating IP67

SWITCHES & SENSORES


ON/OFF This luminaire can be switched on and off by touching the specially designed

A	66 ABER 33 ALMON 250 AMADEO 38 ART	H	207 HAP 62 HARN 128 HERM 166.176.204 HONEYCOMB	R	28 PLUS 38 POINT 56.80 POWER CONNECTOR 28 PUZZLE
B	190.191 BANG 36 BAR 287 BELINA 266 BERNARDO 168 BLADE 287 BONA 176 BOSTON 80 BOX 194.195 BRAD 236 BRANDO 151 BREE 78.82.84 BUXTON	I	283 ICARUS 264 INUS	S	209 RAENA 64 RAM 204 REDO 285 RENATA 227.228 RENDE 92 RIETI 163.217.221.226 RING 126 ROLER 46 RUB
C	204.289 CADMO 56.72.80 CAP 163 CARPO 196 CEDI 210.212 CID 304.306 CIROCCO 271 CLIP 34 COCKTAIL 55.81 CONNECTOR 36 CONO 295.296.298.299 COSIMO 80 COVER 292 CRATE 26 CRIMSON 22 CRON 274 CRONUS 70.74 CURVE	J	94 JAZZ 182 JUNO	T	36 TAG 202 TAKE 200 TEX 58 TINT 152 TINY 148 TIF 295.296 TOBIA 260.262 TOD 82 TREE
D	184 DESERT 268 DEXTER 104 DIDO 12.14 DION 134 DISS 56.81.208 DRIVER	K	95 KARMA 80.104.139 KIT 120 KORS 64 KOZY	U	240 ULTRATHIN 108 UMA 269 UMBERTO 178.180 UNIVERSAL
E	82.108 END CAP 202.206 ENZO 223.232 ESCA 92 ESTE 307 EURONA	L	33 LAN 270 LAREDO 116 LAVISH 158 LAZIO 44 LIBO 66.98 LOCE 62 LOD 86 LOOP 252 LUCCELO	V	36 VERSUS 300 VITALE
F	16 FEDON 33 FLER	M	166 MAGGY 42.46 MAGNA 254 MARCE 220 MARUPE 154.208 MEA 266 MINIAIR 34 MINIMAL 118 MONVEL	W	268 WAN 122 WANG 124 WEST 108 WIRELESS
G	105 GAGA 112 GAL 222 GARF 154 GEMA 220 GENER 102 GENT 234 GIA 174 GIACOMO 154 GIO 246 GIONO 244 GOCCIO 258 GON 218 GOZZANO 18.20 GRAMMI 34 GRU	N	96 NAP 191 NATAL 247 NAVAN 216 NED 274 NETUNE 298 NEIVA 269 NET 286 NEVIO 217.226 NIDO 242 NOCCI 66 NOLAN 265 NOSA 38 NOX 62 NOT 33 NUDA	Z	98 ZANO 20.28 ZED 209 ZELMIRA 38 ZEON 289 ZERINO 276 ZERO 175 ZETAN
		O	95 OIKO 160 OLBIA 66 OLVI 286 ORAZIO 224 OSLO 281.282.285 OTELLO 209 OTTAVIA 175 OVO		
		P	310 PANEL 188 PASSAGGIO 64 PEC 232 PERO 144.146 PETIT 183 PIN 50 PLANET		



code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
6001	155	620014	154	7201402	206	8019310	164	8252030	94	8254442	104	9012175	217	9025201	94
6001	208	620015	154	7201601	282	8033409	160	8252031	94	8254443	104	9012181	226	9028310	22
6202	210	620017	298	7240202	285	8035601	152	8252032	94	8254444	104	9012182	226	9028311	22
6203	210	732001	208	7404601	266	8038401	190	8252034	84	8254445	105	9012183	226	9028348	18
6204	212	820001	218	7404602	266	8038801	190	8252035	82	8254445	108	9012184	226	9028600	12
6205	212	820002	218	7409001	266	8039001	190	8252036	82	8770411	128	9012191	198	9028750	18
6206	213	820202	228	7409002	266	8044809	158	8252037	80	8770412	128	9012192	198	9028800	12
6207	213	820203	228	7409601	236	8044909	158	8252038	80	8770413	128	9012201	198	9028801	32
6209	210	820602	227	7409602	236	8058001	188	8252039	96	8770414	128	9012202	198	9028803	12
9161	292	820603	227	7409603	236	8059409	160	8254401	102	8925201	86	9012281	260	9028804	33
9162	292	821601	268	7409604	236	8090801	188	8254402	102	8925202	86	9012282	260	9028805	33
9163	292	821602	268	7410401	269	8125801	152	8254403	102	8925204	88	9012291	262	9028806	33
9164	292	834801	202	7410402	269	8140521	270	8254404	102	8925216	96	9012292	262	9028807	33
9261	292	834802	202	7600601	306	8140522	270	8254406	104	8925220	96	9012301	262	9028808	33
9262	292	834863	220	7770401	128	8223601	250	8254407	104	9000351	194	9012302	262	9028811	254
9263	292	834864	220	7770402	128	8223602	250	8254407	108	9000352	194	9012662	94	9028813	254
9264	292	834865	220	7770406	128	8252001	78	8254408	105	9008801	112	9012671	95	9028817	38
62000	208	834866	220	7770407	128	8252002	78	8254409	105	9008815	112	9012672	95	9028818	38
62002	180	834867	220	7770408	128	8252003	80	8254411	104	9011103	80	9012673	96	9028820	16
62004	180	834867	234	7770409	128	8252004	92	8254411	108	9011311	260	9012674	95	9028838	38
62006	154	834868	220	7770410	128	8252005	92	8254412	92	9011312	260	9012675	95	9028921	14
62007	154	834868	234	7770441	154	8252006	92	8254413	92	9011761	163	9012676	94	9028922	14
62008	154	834869	234	7770442	182	8252007	92	8254414	92	9011762	163	9012677	80	9028923	14
62014	210	834870	234	7770443	182	8252008	96	8254415	92	9011763	163	9013620	96	9028924	32
62015	210	998091	227	7770444	182	8252009	96	8254416	92	9011763	208	9013720	96	9028925	38
62016	212	998092	227	7770445	182	8252010	94	8254417	92	9011765	163	9017391	194	9028981	16
62017	212	1025201	66	7770630	140	8252011	81	8254418	92	9011851	134	9017392	194	9030201	271
62018	209	1025201	98	7770632	140	8252012	81	8254419	92	9011852	134	9017402	195	9030202	271
62019	209	1025202	98	7770633	140	8252013	81	8254420	105	9011861	126	9017403	195	9030203	271
62200	209	1025203	98	8000502	158	8252014	81	8254421	105	9011862	126	9017812	152	9031616	188
62201	209	1025204	98	8000503	158	8252015	80	8254422	108	9011871	126	9018901	247	9045418	188
62202	209	1035001	56	8001402	160	8252016	80	8254423	108	9011872	126	9018902	247	9045514	188
62221	209	1035001	98	8008801	134	8252017	80	8254424	108	9011921	269	9018903	247	9050920	171
64001	155	4192401	286	8008802	134	8252019	56	8254425	104	9011922	269	9019212	190	9052014	150
64001	208	5600601	306	8014909	164	8252019	80	8254425	108	9011941	124	9019213	190	9052015	150
72002	180	6600801	306	8014910	164	8252020	56	8254426	108	9011942	124	9020170	152	9052016	141
72004	180	6800201	191	8016905	158	8252020	80	8254427	108	9011951	124	9020170	184	9052017	141
92001	178	6800202	191	8016905	160	8252021	56	8254428	108	9011952	124	9020170	188	9060111	254
92002	178	7100461	295	8016905	164	8252021	80	8254429	102	9012121	200	9020170	190	9062301	118
92003	178	7100481	294	8016906	158	8252024	108	8254430	102	9012122	200	9020171	158	9062302	118
94500	209	7200401	284	8016906	160	8252025	92	8254431	102	9012171	217	9020171	160	9065023	171
94991	196	7200601	278	8016906	164	8252026	92	8254432	102	9012172	217	9020171	164	9065121	171
94992	196	7201201	206	8016909	160	8252027	92	8254433	105	9012173	217	9020172	150	9071021	162
516276	283	7201202	206	8018509	158	8252028	92	8254434	105	9012174	217	9020173	171	9071022	162
620010	154	7201401	206	8019109	164	8252029	96	8254441	104	9012175	217	9020174	171	9072815	184

code	page	code	page	code	page	code	page	code	page	code	page	code	page	code	page
9075916	184	9136101	50	9180120	46	9193433	138	9232131	183	9460972	264	9879102	294	41880401	287
9076117	184	9136105	55	9180121	42	9193434	138	9236105	54	9504001	244	9879103	298	51684201	280
9080201	152	9136110	56	9180122	42	9193435	138	9236106	56	9577012	276	9879104	296	51686001	285
9080202	152	9136111	56	9180123	42	9193436	138	9236107	56	9577013	276	9879105	298	51826201	296
9082171	283	9136120	64	9180561	36	9193437	138	9236323	58	9600217	306	9879106	304	51826202	298
9084071	274	9136121	64	9180562	36	9193439	139	9236360	58	9601001	246	9879107	296	51850801	300
9084081	274	9136122	62	9180563	20	9193441	140	9252015	80	9601007	246	9879108	299	51851001	300
9090281	36	9136123	64	9180564	20	9193442	140	9303941	242	9601012	246	9879109	295	51852801	286
9090282	36	9136124	62	9180565	28	9193443	140	9303952	242	9602615	304	9879110	294	51854001	286
9090283	34	9136125	62	9180566	28	9193444	141	9350441	204	9700301	166	9879111	298	51855201	174
9090284	34	9136126	66	9180567	28	9193445	141	9350442	204	9700302	166	9879112	295	51855202	174
9090285	36	9136127	66	9180568	28	9193446	141	9350443	202	9700303	166	9879113	295	51855401	174
9090286	36	9136128	66	9180569	28	9193447	139	9350444	202	9700304	166	9879388	307	51855402	174
9090288	34	9136129	66	9180660	46	9193448	139	9366461	58	9700305	166	9879389	307	61623401	279
9090289	34	9136130	64	9180661	46	9193451	140	9366462	58	9700306	166	9879390	307	61625401	289
9090290	34	9136131	64	9184021	240	9193452	140	9387001	223	9700307	166	9879391	307	61642201	284
9090291	34	9136135	62	9184022	240	9193453	140	9387002	223	9701001	204	9889134	304	61702401	284
9090292	36	9136136	62	9184023	240	9193454	141	9387003	232	9701002	204	9889134	306	61830001	311
9090293	36	9136290	55	9184024	240	9193455	141	9387004	232	9701101	132	9912601	72	61830002	311
9090621	292	9136303	54	9184311	268	9193456	141	9388901	222	9701102	132	9912602	72	61840001	310
9091631	292	9136323	58	9184312	268	9193457	139	9388902	222	9704191	276	9912603	72	61840002	310
9097021	148	9136335	50	9184371	224	9193458	139	9418425	220	9704192	276	9912611	72	61840003	310
9097022	148	9136338	50	9184372	224	9203111	191	9418426	220	9707701	204	9912612	72	61840004	310
9102591	244	9136360	58	9184373	224	9203112	191	9418501	204	9712001	132	9913071	120	61844801	296
9102592	244	9162445	284	9184374	224	9203113	191	9418502	204	9712002	132	9913072	120	61853201	296
9103211	242	9164041	281	9184375	232	9212672	74	9419421	234	9712101	204	9913073	120	61853202	286
9103212	242	9164923	278	9184376	232	9212690	74	9419422	234	9712102	204	9913074	120	61853601	286
9105101	258	9166041	285	9188626	304	9223111	175	9419470	216	9713003	166	9980570	28	61886001	304
9105102	258	9166821	278	9190110	252	9223112	175	9419471	216	9715100	166	9980751	20	62430001	311
9105103	258	9168241	288	9190130	252	9232111	151	9420481	218	9720101	266	9980752	20	66018101	306
9105201	258	9168242	288	9190350	26	9232112	151	9420482	218	9720102	266	41637801	282	81840001	311
9105202	258	9168303	278	9190615	38	9232113	151	9430124	196	9811361	56	41667801	279	81840002	311
9105203	258	9168544	278	9190619	38	9232114	151	9430125	196	9811362	56	41688001	278	90630001	311
9112672	70	9168562	280	9190800	26	9232115	168	9430241	196	9831050	274	41688601	281	90630003	310
9112690	70	9170202	289	9193421	138	9232116	168	9430242	196	9831051	274	41688602	281	8254410 B	104
9118106	250	9174151	207	9193422	138	9232117	168	9430551	196	9844011	144	41825801	294	8254410 W	104
9118151	118	9174152	207	9193423	138	9232118	168	9430552	196	9844012	144	41826001	298	8254410 W	108
9118152	118	9174511	218	9193424	138	9232119	168	9441181	176	9844013	144	41844401	296		
9118635	250	9174512	218	9193425	138	9232120	168	9441182	176	9844014	144	41844402	299		
9123131	122	9175513	228	9193426	138	9232121	175	9441291	176	9844015	146	41849401	300		
9123132	122	9175514	228	9193427	138	9232122	175	9441292	176	9844016	146	41849601	300		
9123141	116	9180006	44	9193429	139	9232126	170	9450881	265	9844017	146	41860201	287		
9123142	116	9180015	44	9193431	138	9232127	170	9450882	265	9844018	146	41860401	287		
9136100	50	9180120	42	9193432	138	9232130	183	9460971	264	9879101	294	41880201	287		

LUMINOUS INTENSITY DISTRIBUTION



LUMINOUS INTENSITY DISTRIBUTION



GU10
TRIMLESS

1. The installation must be done in strict accordance with the instruction.
2. Please don't install the lighting in easily damaged, deformed, unsteady ceiling.
3. Please make sure you have cut off the power supply before install, changing or clearing the lamp.
4. Please make sure there is no component loose.

