

# NOVA LUCE





OUTDOOR  
COLLECTION  
2023



# OUTDOOR

10 . MABEL	12 . ADURO	14 . TIEN	14 . MINOT	16 . TALA	18 . FOCUS	20 . RAMO
22 . ELLERY	24 . PORTAL	26 . NED	27 . VOLVEL	28 . SURF	30 . PAX	32 . ACQUA
32 . BLISS	34 . TWIN	36 . OFIR	38 . POET	40 . PARK	42 . POSEN	42 . ENZI
44 . APOLLO	46 . SUITE	47 . SUITE	48 . BRIGITTA	50 . ZELDA	52 . ZELDA	54 . DEVORA
54 . STARK	56 . STONE	58 . AGOSTO	58 . MAX	60 . PYRO	62 . STICK	64 . NOTEN
66 . ROCK	68 . TALA	70 . CETERA	72 . ZOSIA	74 . FERRON	75 . LOCK	76 . SELENA

78 . LOEVE	78 . ZEST	80 . FIGO	82 . REGINA	82 . SORREN	84 . OMIKA	86 . CARINA
88 . ISIDORA	92 . BEV	94 . CAIRO	96 . CASTRO	98 . ARAN	100 . GRANTE	100 . BARCO
102 . FOX	104 . FUENTO	104 . EMILE	106 . EMILE	107 . LIDO	110 . VALOR	110 . PRIM
110 . TRENDO	110 . MARTA	112 . LOVETO	112 . BAY	112 . DYN	114 . BALI	118 . VEIRO
118 . MILEY	120 . VIDENO	120 . ZIRI	122 . FUNGO	124 . ARABELLA	124 . CHEZ	124 . MILE
126 . COMBO	128 . BRICE	128 . CAPO	130 . PARRIS	131 . DEWI	132 . COMO	132 . SOHO
134 . ZARI	135 . COMO	136 . AGILE	136 . BRIN	138 . DARF	139 . NUS	140 . FOCUS


140. GRAVITY	142 . COMO	144 . EPIC	146 . DEWEI	147 . OVI	148 . NERO	148 . NERO
						
150. NODUS	151. LIMBIO	152 . LUPO	152 . KEEN	153 . NOBU	154 . LETO	156 . ZENON
						
156. CAPE	157. KEEN	158 . TUNE	159 . DROPLET	160 . SANTO	160 . ZENITH	161 . ZENITH
						
166. FEND	166. STAKE	166 . KIMIKO	168 . DESTRY	170 . MINI	170 . INSIDE	172. INSIDE
						
173. NORTH	176 . FOCUS	178 . CECI	180 . CERISE	180 . CERISE	182. OLIVER	182. TOMMY
						
186. BLADE	190 . FUMO	190 . FABIO	192 . SEINA	200 . ROSE	201 . COLT	202 . JIGRA
						
203 . VERHAL	204 . FIGI	204 . MOCHA	205 . VENEDO	208 . RIO	208 . LIV	210 . FINLO
						
212 . LUTON	212 . KRYPTON	214 . BRIGI	214 . AIZEN	216 . JOYA	217 . COVE	218 . PULSAR
						
222 . KRYPTON	224 . CIRCE	226 . PASSAGIO	228 . BANG	232 . WALL WASHER	234 . WALL WASHER	235 . ALP
						

01	FLOOR & WALL p. 008
02	CEMENT WALL & FLOOR p. 090
03	SOLAR & SENSOR LIGHTS p. 108
04	WALL LIGHTS p. 116
05	SPIKES p. 162
06	CEILING LIGHTS p. 174
07	SPOT LIGHTS p. 184
08	PORTABLE LIGHTS p. 188
09	STEP LIGHTS p. 206
10	WALL WASHER p. 230

# FLOOR & WALL




IP54



**MABEL - 9002869**

Black Aluminium  
& Clear Glass  
LED 8.5 Watt 590Lm  
3000K 220-240 Volt  
Beam Angle 36° IP54  
Cable Length: 64 cm  
D: 7.8 W: 7.8 H: 150 cm



**MABEL - 9002870**

Black Aluminium  
& Clear Glass  
LED 17 Watt 1190Lm  
3000K 220-240 Volt  
Beam Angle 36° IP54  
Cable Length: 35 cm  
D: 48.9 W: 20.1 H: 201.2 cm






IP54




**ADURO - 9002871**

Black Aluminium & Acrylic  
LED 7.6 Watt 460Lm  
3000K 200-240 Volt  
Beam Angle 78° IP54  
D: 7.5 W: 11.7 H: 35 cm



**ADURO - 9002872**

Black Aluminium & Acrylic  
LED 7.6 Watt 460Lm  
3000K 200-240 Volt  
Beam Angle 78° IP54  
D: 7.5 W: 11.7 H: 65 cm






**TIEN - 9002878**  
 Black Aluminium  
 & Clear Glass  
 LED 8.5 Watt 470Lm  
 3000K 200-240 Volt  
 Beam Angle 55° IP54  
 D: 9 H: 25 cm



IP54



**MINOT - 9026125**  
 Black Aluminium  
 & Acrylic  
 LED 12 Watt 601Lm  
 3000K 100-240V  
 Beam Angle 122° IP54  
 L: 15 W: 9.5 H: 70 cm



**TIEN - 9002879**  
 Black Aluminium  
 & Clear Glass  
 LED 8.5 Watt 470Lm  
 3000K 200-240 Volt  
 Beam Angle 55° IP54  
 D: 9 H: 65 cm







IP54




**TALA - 9026121**  
Black Aluminium  
& Clear Glass  
LED 9 Watt 630Lm  
3000K 100-240V  
Beam Angle 120° IP54  
D: 9 H: 19.5 cm



**TALA - 9026122**  
Black Aluminium  
& Clear Glass  
LED 9 Watt 630Lm  
3000K 100-240V  
Beam Angle 120° IP54  
D: 9 H: 65 cm




IP54




**FOCUS - 9207912**

Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt IP54  
Bulb Excluded  
D: 6.8 W: 11.5 H: 9.5 cm




**FOCUS - 9279111**

Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt IP54  
Bulb Excluded  
D: 6.8 W: 13.8 H: 27 cm




**FOCUS - 9279112**

Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt IP54  
Bulb Excluded  
D: 6.8 W: 13.8 H: 55 cm







**RAMO - 9291701**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP65  
 Bulb Excluded  
 D: 8 W: 20 H: 14.6 cm




**RAMO - 9291702**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP65  
 Bulb Excluded  
 D: 8 W: 14.6 H: 60 cm



IP65



**RAMO - 9291703**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP65  
 Bulb Excluded  
 D: 8 W: 21 H: 60 cm






IP65




**ELLERY - 9100917**

Black Aluminium  
& Acrylic  
LED 12 Watt 372Lm  
3000K 100-240V  
Beam 60° IP65  
D: 8 H: 60 cm





**ELLERY - 9100918**

Black Aluminium  
& Acrylic  
LED 12 Watt 372Lm  
3000K 100-240V  
Beam 60° IP65  
D: 8 H: 80 cm




**ELLERY - 9100916**

Black Aluminium  
& Acrylic  
LED 12 Watt 372Lm  
3000K 100-240V  
Beam 60° IP65  
D: 8 H: 36 cm






IP54




**PORTAL - 9002840**  
Black Aluminium & Acrylic  
LED 13.5 Watt 890Lm  
3000K 220-240 Volt  
Beam Angle 296° IP54  
L: 17.8 W: 6.9 H: 30 cm




**PORTAL - 9002841**  
Black Aluminium & Acrylic  
LED 13.5 Watt 890Lm  
3000K 220-240 Volt  
Beam Angle 296° IP54  
L: 17.8 W: 6.9 H: 65 cm





**NED - 9104021**


Dark Gray Aluminium  
Glass Diffuser  
LED 2x6 Watt 1150Lm  
3000K 220-240 Volt 50Hz  
Beam 2x38° IP54  
2 Sides Light  
L: 28 W: 19 H: 6 cm



Rotating

**VOLVEL - 9195062**

Black Die-Casting Aluminium  
Acrylic Diffuser  
LED 7 Watt 719Lm  
3000K 220-240 Volt  
Beam Angle 150° IP54  
L: 20 W: 11 H: 6 cm



IP54



**NED - 9104022**

Dark Gray Aluminium  
Glass Diffuser  
LED 6 Watt 708Lm  
3000K 220-240 Volt 50Hz  
Beam 38° IP54  
L: 15 W: 6 H: 50 cm



Rotating




**VOLVEL - 9195061**

Black Die-Casting Aluminium  
Acrylic Diffuser  
LED 7 Watt 719Lm  
3000K 220-240 Volt  
Beam Angle 150° IP54  
L: 20 W: 6 H: 80 cm



IP54




IP65




**SURF - 9176101**

Anthracite Die-Casting Aluminium  
LED 8 Watt 440Lm 3000K  
200-240 Volt 50Hz  
Beam Angle 108° IP65  
L: 18 W: 18 H: 23 cm



**SURF - 9176102**

Anthracite Die-Casting Aluminium  
LED 8 Watt 512Lm 3000K  
200-240 Volt 50Hz  
Beam Angle 108° IP65  
L: 18 W: 18 H: 80 cm








IP54



**PAX - 9756800**  
Black Aluminium  
LED 9 Watt 715Lm  
3000K 100-240 Volt  
Beam Angle 108° IP54  
L: 13.5 W: 12 H: 80 cm



**PAX - 9756500**  
Black Aluminium  
LED 9 Watt 715Lm  
3000K 100-240 Volt  
Beam Angle 108° IP54  
L: 13.5 W: 12 H: 50 cm








**BLISS - 819502**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 7 Watt 708Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 56° IP54  
AC Driver Included  
L: 15 W: 6 H: 16 cm




**BLISS - 819503**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 7 Watt 708Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 56° IP54  
AC Driver Included  
L: 15 W: 6 H: 50 cm



**ACQUA - 713312**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 5 Watt 490Lm  
3000K 110-265 Volt 50Hz  
Beam Angle 38° IP54  
L: 12 W: 18 H: 5 cm




IP54



**ACQUA - 713313**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 5 Watt 490Lm  
3000K 110-265 Volt 50Hz  
Beam Angle 38° IP54  
L: 12 W: 5 H: 80 cm







Rotating



**TWIN - 713121**  
 Dark Gray Aluminium  
 Acrylic Diffuser  
 LED 2x5 Watt 476Lm  
 3000K 220-240 Volt  
 Rotation 0-90° IP54  
 L: 20 W: 10 H: 60 cm



Rotating



**TWIN - 713122**  
 Dark Gray Aluminium  
 Acrylic Diffuser  
 LED 2x5 Watt 476Lm  
 3000K 220-240 Volt  
 Rotation 0-90° IP54  
 L: 20 W: 10 H: 10 cm



IP54






**OFIR - 9002866**

Black Aluminium & Acrylic  
LED 10.3 Watt 660Lm  
3000K 220-240 Volt  
Beam Angle 92° IP54  
L: 8 W: 7 H: 16 cm




IP54




**OFIR - 9002867**

Black Aluminium & Acrylic  
LED 10.3 Watt 660Lm  
3000K 220-240 Volt  
Beam Angle 92° IP54  
L: 16 W: 8 H: 50 cm




**OFIR - 9002868**

Black Aluminium & Acrylic  
LED 10.3 Watt 660Lm  
3000K 220-240 Volt  
Beam Angle 92° IP54  
L: 16 W: 8 H: 75 cm







IP65



**POET - 9492780**  
 Anthracite Die-Casting Aluminium  
 & Clear Glass  
 LED 16 Watt 1177Lm  
 3000K 220-240V  
 Beam Angle 90° IP65  
 L: 23.5 W: 10 H: 65 cm



**POET - 9492770**  
 Anthracite Die-Casting Aluminium  
 & Clear Glass  
 LED 8 Watt 560Lm  
 3000K 220-240V  
 Beam Angle 94° IP65  
 L: 13.5 W: 10 H: 65 cm





**PARK - 711024**

Aluminium Dark Gray  
Acrylic Diffuser  
LED 6 Watt 522Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 120° IP54  
AC Driver Included  
L: 9 W: 14.5 H: 18 cm



**PARK - 713124**

Aluminium Dark Gray  
Acrylic Diffuser  
LED 2x6 Watt 1044Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 120° IP54  
AC Driver Included  
L: 12.5 W: 22 H: 80 cm




IP54



**PARK - 713123**

Aluminium Dark Gray  
Acrylic Diffuser  
LED 6 Watt 522Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 120° IP54  
AC Driver Included  
L: 12.5 W: 12 H: 80 cm








IP54




**POSEN - 9131201**  
 Anthracite Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 10 Watt 872.69Lm  
 3000K 200-240 Volt  
 Beam Angle 113° IP65  
 L: 18 W: 19 H: 5 cm




**ENZI - 9936101**  
 Dark Gray Aluminium  
 Acrylic Diffuser  
 LED 15 Watt 1630Lm  
 3000K 100-240 Volt  
 Beam Angle 180° IP54  
 D: 18 W: 18 H: 7 cm



**POSEN - 9131202**  
 Anthracite Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 10 Watt 795Lm  
 3000K 200-240 Volt  
 Beam Angle 113° IP65  
 L: 18 W: 19 H: 65 cm




**ENZI - 9936102**  
 Dark Gray Aluminium  
 Acrylic Diffuser  
 LED 15 Watt 1630Lm  
 3000K 100-240 Volt  
 Beam Angle 180° IP54  
 D: 18 W: 18 H: 80 cm







**APOLLO - 713411**  
Dark Gray Aluminium  
Acrylic Diffuser  
LED 5 Watt 522Lm  
3000K 110-265 Volt 50Hz  
Beam Angle 120° IP54  
L: 9 W: 15 H: 4.5 cm



**APOLLO - 713311**  
Dark Gray Aluminium  
Acrylic Diffuser  
LED 5 Watt 522Lm  
3000K 110-265 Volt 50Hz  
Beam Angle 120° IP54  
L: 9 W: 15 H: 80 cm



IP54






IP54




**SUITE - 9207167**

Dark Gray Aluminium & Acrylic  
LED 12 Watt 480Lm 3000K  
100-240 Volt 50Hz  
Beam 140° IP54  
D: 18 H: 60 cm



**SUITE - 9207168**

Black Aluminium & Acrylic  
LED 12 Watt 480Lm 3000K  
100-240 Volt 50Hz  
Beam 140° IP54  
D: 18 H: 60 cm



IP54



047




**SUITE - 859439**

White Aluminium & Acrylic  
LED 10 Watt 485Lm 3000K  
100-240 Volt 50Hz  
Beam 140° IP54  
D: 15 W: 5 cm




**SUITE - 9297191**

Black Aluminium & Acrylic  
LED 10 Watt 485Lm 3000K  
100-240 Volt 50Hz  
Beam 140° IP54  
D: 15 W: 5 cm



**SUITE - 859438**

Dark Gray Aluminium & Acrylic  
LED 10 Watt 485Lm 3000K  
100-240 Volt 50Hz  
Beam 140° IP54  
D: 15 W: 5 cm







IP65




**BRIGITTA - 9020929**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 501Lm  
3000K 100-240V IP65  
L: 12 W: 13.7 H: 60 cm




**BRIGITTA - 9020928**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 503Lm  
3000K 100-240V IP65  
L: 12 W: 8.3 H: 20.8 cm



**BRIGITTA - 9020930**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 515Lm  
3000K 100-240V IP65  
L: 12 W: 15.5 H: 40 cm




**BRIGITTA - 9020931**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 526Lm  
3000K 100-240V IP65  
L: 12 W: 15.5 H: 80 cm




IP65




IP65



**ZELDA - 9020925**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 342Lm  
3000K 100-240V IP65  
L: 12 W: 7.2 H: 15 cm



**ZELDA - 9020921**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 335Lm  
3000K 100-240V IP65  
L: 12 W: 7.2 H: 40 cm




**ZELDA - 9020922**  
Black Aluminium  
& Anti-Glare Acrylic Diffuser  
LED 6 Watt 301Lm  
3000K 100-240V IP65  
L: 12 W: 7.2 H: 80 cm






IP65



**ZELDA - 9020926**  
 Black Aluminium  
 & Anti-Glare Acrylic Diffuser  
 LED 9 Watt 571Lm  
 3000K 220-240V IP65  
 L: 12 W: 9.4 H: 15 cm



**ZELDA - 9020923**  
 Black Aluminium  
 & Anti-Glare Acrylic Diffuser  
 LED 9 Watt 590Lm  
 3000K 100-240V IP65  
 L: 12 W: 9.4 H: 40 cm



**ZELDA - 9020924**  
 Black Aluminium  
 & Anti-Glare Acrylic Diffuser  
 LED 9 Watt 571Lm  
 3000K 100-240V IP65  
 L: 12 W: 9.4 H: 80 cm



IP54



**DEVORA - 822642**  
 Dark Gray Die-Casting  
 Aluminium & Glass Diffuser  
 LED 8.5 Watt 327.61Lm 3000K  
 220-240 Volt 50Hz IP54  
 D: 11 H: 65 cm




**DEVORA - 826423**  
 Dark Gray Die-Casting  
 Aluminium & Glass Diffuser  
 LED 8.5 Watt 327.61Lm 3000K  
 220-240 Volt 50Hz IP54  
 D: 11 H: 22 cm



IP65




**STARK - 9492660**  
 Anthracite Die-Casting Aluminium  
 & Frost Acrylic  
 LED 8.2 Watt 116Lm  
 3000K 220-240V  
 Beam Angle 168° IP65  
 D: 16 H: 14.6 cm






**STONE - 9002850**

White Aluminium  
& Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 12 W: 15 H: 23 cm




IP54




**STONE - 9002851**

Black Aluminium  
& Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 12 W: 15 H: 23 cm




**STONE - 9002860**

Black Aluminium  
& Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 12 W: 12 H: 65 cm






IP65



**MAX - 9026002**

Dark Gray ABS  
Clear & White Acrylic  
LED 12 Watt 1307Lm  
3000K 200-240 Volt  
Beam Angle 120° IP65  
D: 16 W: 10 cm



**MAX - 9026001**

Dark Gray ABS  
Clear & White Acrylic  
LED 12 Watt 1385Lm  
3000K 200-240 Volt  
Beam Angle 120° IP65  
L: 16 W: 10 H: 16 cm




**AGOSTO - 9207615**

Black Die-Casting  
Aluminium & Acrylic Diffuser  
LED 6 Watt 420Lm 3000K  
100-240 Volt 50Hz  
Beam Angle 120° IP54  
D: 11 W: 11 cm



IP54



**AGOSTO - 9277151**

Black Die-Casting  
Aluminium & Acrylic Diffuser  
LED 6 Watt 420Lm 3000K  
100-240 Volt 50Hz  
Beam Angle 120° IP54  
D: 11 H: 50 cm



**AGOSTO - 9207616**

Black Die-Casting  
Aluminium & Acrylic Diffuser  
LED 6 Watt 420Lm 3000K  
100-240 Volt 50Hz  
Beam Angle 120° IP54  
L: 11 W: 11 H: 11 cm





**PYRO - 9209211**  
Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 10 W: 13 H: 21 cm



**PYRO - 9209212**  
Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 10 H: 60 cm



IP54






**STICK - 713412**  
 Dark Gray Aluminium  
 White Acrylic  
 LED E27 1x12 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 L: 7.6 W: 11 H: 17 cm




**STICK - 71371102**  
 Dark Gray Aluminium  
 White Acrylic  
 LED E27 1x12 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 L: 7.6 W: 7.6 H: 25 cm



IP54



**STICK - 71371101**  
 Dark Gray Aluminium  
 White Acrylic  
 LED E27 1x12 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 L: 7.6 W: 7.6 H: 80 cm






IP65




**NOTEN - 9905023**  
 Sandy Black Aluminium  
 Clear & White Acrylic  
 LED 8 Watt 937Lm 3000K  
 220-240 Volt IP65  
 Beam Angle 120° IP65  
 D: 9 H: 20 cm



LED IP65 WARM WHITE



**NOTEN - 9905022**  
 Sandy Black Aluminium  
 Clear & White Acrylic  
 LED 8 Watt 937Lm 3000K  
 220-240 Volt IP65  
 Beam Angle 120° IP65  
 D: 9 H: 40 cm



LED IP65 WARM WHITE



**NOTEN - 9905021**  
 Sandy Black Aluminium  
 Clear & White Acrylic  
 LED 8 Watt 937Lm 3000K  
 220-240 Volt IP65  
 Beam Angle 120° IP65  
 D: 9 H: 80 cm




LED IP65 WARM WHITE




IP65



**ROCK - 9905025**  
Sandy Black Aluminium  
Silver Aluminium & Clear Acrylic  
LED 8 Watt 937Lm  
3000K 220-240 Volt  
Beam Angle 120° IP65  
D: 9 H: 43 cm




**ROCK - 9905024**  
Sandy Black Aluminium  
Silver Aluminium & Clear Acrylic  
LED 8 Watt 937Lm  
3000K 220-240 Volt  
Beam Angle 120° IP65  
D: 9 H: 83 cm





**TALA - 9026123**  
 Black Aluminium  
 & Acrylic  
 LED 12 Watt 594Lm  
 3000K 100-240V  
 Beam Angle 180° IP54  
 D: 13.4 H: 25 cm



LED IP54 WARM WHITE





**TALA - 9026124**  
 Black Aluminium  
 & Acrylic  
 LED 12 Watt 594Lm  
 3000K 100-240V  
 Beam Angle 180° IP54  
 D: 13.4 H: 70 cm



LED IP54 WARM WHITE


IP54





**CETERA - 9002873**

Black Aluminium & Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 9 W: 14.1 H: 21 cm



**CETERA - 9002874**

Black Aluminium & Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 9 H: 50 cm




IP54



**CETERA - 9002875**

Black Aluminium & Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
D: 9 H: 90 cm







IP65



**ZOSIA - 9060181**  
Dark Gray Aluminum  
& Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 9 W: 12 H: 25 cm



**ZOSIA - 9060182**  
Dark Gray Aluminum  
& Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 9 H: 50 cm



**ZOSIA - 9060183**  
Dark Gray Aluminum  
& Clear Acrylic Diffuser  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 9 H: 80 cm



IP65




**FERRON - 9060184**

Dark Grey Aluminum & Clear Acrylic Diffuser  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 13 W: 13 H: 50 cm




**LOCK - 813101**

Aluminium Dark Gray  
White & Clear Acrylic Diffuser  
LED 12 Watt 1047Lm  
3000K or 4000K Beam 45°  
220-240 Volt 50Hz  
AC Driver Included IP54  
L: 13.5 W: 16 H: 20 cm




**FERRON - 9060185**

Dark Grey Aluminum & Clear Acrylic Diffuser  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 13 W: 13 H: 80 cm



**LOCK - 813104**

Aluminium Dark Gray  
White & Clear Acrylic Diffuser  
LED 12 Watt 1047Lm  
3000K or 4000K Beam 45°  
220-240 Volt 50Hz  
AC Driver Included IP54  
L: 13.5 W: 13.5 H: 50 cm



IP54






IP65




**SELENA - 949270**

Anthracite Die-Casting Aluminum  
& Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 9 W: 10.1 H: 17.1 cm



**SELENA - 9492740**

Anthracite Die-Casting Aluminum  
& Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 8.5 W: 9.8 H: 16 cm





**SELENA - 9492730**

Anthracite Die-Casting Aluminum  
& Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 9 H: 65 cm




**SELENA - 9492750**

Anthracite Die-Casting Aluminum  
& Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 8.5 W: 8.5 H: 65 cm







IP54



**ZEST - 870026**  
Black Die-Casting Aluminium  
Clear Glass  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
L: 18 W: 17 H: 28 cm  
BULB EXCL. IP54




**ZEST - 870045**  
Black Die-Casting Aluminium  
Clear Glass  
LED E27 1x12 Watt  
220-240 Volt IP54  
Bulb Excluded  
L: 20 W: 20 H: 29 cm  
BULB EXCL. IP54



**LOEVE - 9193101**  
Anthracite Die-Casting  
Aluminium & Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP65  
Bulb Excluded  
L: 14.5 W: 21.5 H: 27.6 cm  
BULB EXCL. IP65

IP65




**LOEVE - 9193102**  
Anthracite Die-Casting  
Aluminium & Clear Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP65  
Bulb Excluded  
L: 14.5 W: 14.5 H: 22 cm  
BULB EXCL. IP65








IP65




**FIGO - 9492500**  
 Anthracite Die-Casting  
 Aluminium & Clear Acrylic  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP65  
 L: 14.5 W: 20.5 H: 43 cm



**FIGO - 9060192**  
 Dark Grey Aluminum  
 & Clear Glass  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP54  
 L: 11 W: 15 H: 24.5 cm



IP54



**FIGO - 9060193**  
 Dark Grey Aluminum  
 & Clear Glass  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP54  
 L: 11 W: 11 H: 50 cm






**SORREN - 9197701**

Anthracite Die-Casting Aluminium & Clear Glass  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 8.6 W: 9 H: 25.8 cm




**REGINA - 9492442**

Anthracite Die-Casting Aluminium & Clear Glass  
LED E27 2x12 Watt 220-240 Volt  
Bulb Excluded IP65  
L: 8.6 W: 9 H: 34.8 cm




**SORREN - 9197702**

Anthracite Die-Casting Aluminium & Clear Glass  
LED E27 2x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 22 W: 8.7 H: 22 cm




**REGINA - 9492760**

Anthracite Die-Casting Aluminium  
Clear & Frost Acrylic  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 13.8 W: 10 H: 23.8 cm




**REGINA - 9492710**

Anthracite Die-Casting Aluminium & Clear Glass  
LED E27 1x12 Watt  
220-240 Volt  
Bulb Excluded IP65  
L: 15.2 W: 12.2 H: 29.5 cm




IP65






**OMIKA - 9060195**

Dark Grey Aluminum  
& Clear Glass  
LED E27 1x12 Watt  
110-240 Volt  
Bulb Excluded IP54  
D: 15 H: 37 cm



**OMIKA - 9060197**

Dark Grey Aluminum  
& Clear Glass  
LED E27 1x12 Watt  
110-240 Volt  
Bulb Excluded IP54  
D: 15 H: 88.5 cm




**IP54**




**OMIKA - 9060196**

Dark Grey Aluminum  
& Clear Glass  
LED E27 1x12 Watt  
110-240 Volt  
Bulb Excluded IP54  
D: 15 H: 97 cm



**OMIKA - 9060194**

Dark Grey Aluminum  
& Clear Glass  
LED E27 1x12 Watt  
110-240 Volt  
Bulb Excluded IP54  
D: 15 W: 18.5 H: 28 cm





**CARINA - 9060208**  
 Black Aluminium  
 LED 6 Watt 294.84Lm  
 3000K 220-240V IP65  
 D: 18 W: 21.5 H: 30 cm

LED IP65 WARM WHITE



**CARINA - 9060207**  
 Black Aluminium  
 LED 6 Watt 279.09 Lm  
 3000K 220-240V IP65  
 D: 18 H: 150 cm


LED IP65 WARM WHITE



**CARINA - 9060213**  
 Black Aluminium  
 LED 6 Watt 279.54 Lm  
 3000K 220-240V IP65  
 D: 18 W: 27 H: 90 cm

LED IP65 WARM WHITE

IP65






IP54



**ISIDORA - 870426**  
 Black Die-Casting Aluminium  
 Clear Glass  
 LED E27 1x12 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 D: 25 W: 27 H: 40 cm




**ISIDORA - 870445**  
 Black Die-Casting Aluminium  
 Clear Glass  
 LED E27 1x12 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 D: 22 H: 95 cm




# CEMENT WALL & FLOOR






**BEV - 9540214**  
 Gray Cement  
 Glass Diffuser  
 LED 5 Watt 200Lm  
 3000K 120-230V IP65  
 L: 17 W: 17 H: 20 cm



**BEV - 9540215**  
 Gray Cement  
 Glass Diffuser  
 LED 5 Watt 200Lm  
 3000K 120-230V IP65  
 L: 20 W: 20 H: 35 cm




**BEV - 9540216**  
 Gray Cement  
 Glass Diffuser  
 LED 5 Watt 200Lm  
 3000K 120-230V IP65  
 L: 20 W: 20 H: 70 cm




IP65



IP65





**CAIRO . 9540217**  
Gray Cement  
Glass Diffuser  
LED 8 Watt 380Lm  
3000K 120-230V IP65  
L: 28 W: 10 H: 35 cm




**CAIRO . 9540218**  
Gray Cement  
Glass Diffuser  
LED 8 Watt 380Lm  
3000K 120-230V IP65  
L: 28 W: 10 H: 65 cm








**CASTRO - 9762161**  
 Gray Sandstone & Acrylic  
 LED E27 1x12 Watt  
 Bulb Excluded  
 100-240 Volt IP65  
 L: 16 W: 16 H: 16 cm



**CASTRO - 9762162**  
 White Sandstone & Acrylic  
 LED E27 1x12 Watt  
 Bulb Excluded  
 100-240 Volt IP65  
 L: 16 W: 16 H: 16 cm



**CASTRO - 9739351**  
 Gray Sandstone & Acrylic  
 LED E27 1x12 Watt  
 Bulb Excluded  
 100-240 Volt IP65  
 L: 20 W: 20 H: 35 cm



**CASTRO - 9739352**  
 White Sandstone & Acrylic  
 LED E27 1x12 Watt  
 Bulb Excluded  
 100-240 Volt IP65  
 L: 20 W: 20 H: 35 cm

IP65






**ARAN - 9540213**  
 Gray Cement  
 Glass Diffuser  
 LED 8 Watt 380Lm  
 3000K 120-230V IP65  
 L: 16 W: 15 H: 50 cm



**ARAN - 9540212**  
 Gray Cement  
 Glass Diffuser  
 LED 5 Watt 200Lm  
 3000K 120-230V IP65  
 L: 15 W: 14 H: 70 cm



**ARAN - 9540211**  
 Gray Cement  
 Glass Diffuser  
 LED 2x5 Watt 850Lm  
 3000K 120-230V IP65  
 L: 13 W: 14.5 H: 70 cm




IP65




**GRANTE . 9790021**

Gray Concrete & Aluminium  
LED 5 Watt 365Lm 3000K  
220-240 Volt IP65  
L: 12 W: 12 H: 53 cm




**GRANTE . 9790022**

Gray Concrete & Aluminium  
LED GU10 2x10 Watt  
100-240 Volt  
Bulb Excluded IP65  
L: 20 W: 12 H: 60 cm



**BARCO . 9540207**

Gray Cement  
Glass Diffuser  
LED 6 Watt 450Lm  
3000K 120-230V IP65  
L: 12 W: 12 H: 25 cm



**BARCO . 9540208**

Gray Cement  
Glass Diffuser  
LED 6 Watt 450Lm  
3000K 120-230V IP65  
L: 12 W: 12 H: 60 cm





**FOX . 9470582**  
White Sandstone  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt  
Bulb Excluded IP65  
D: 14 H: 16 cm



**FOX . 9470581**  
Dark Gray Sandstone  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt  
Bulb Excluded IP65  
D: 14 H: 16 cm




IP65






**FUENTO . 9790541**

White Sandstone  
Glass Diffuser  
LED GU10 1x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Down  
L: 8.6 W: 10 H: 12 cm




**FUENTO . 9790542**

Gray Concrete  
Glass Diffuser  
LED GU10 1x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Down  
L: 8.6 W: 10 H: 12 cm




**FUENTO . 9790551**

White Sandstone  
Glass Diffuser  
LED GU10 2x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Up & Down  
L: 8.6 W: 10 H: 18 cm



**FUENTO . 9790552**

Gray Concrete  
Glass Diffuser  
LED GU10 2x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Up & Down  
L: 8.6 W: 10 H: 18 cm




IP65



**EMILE . 9540209**


Gray Cement  
Glass Diffuser  
LED 5 Watt 200Lm  
3000K 120-230V IP65  
Light Down  
L: 9 W: 9.7 H: 11.2 cm





**EMILE . 9540210**

Gray Cement  
Glass Diffuser  
LED 5 Watt 200Lm  
3000K 120-230V IP65  
D: 9 H: 11.2 cm



IP65



**LIDO . 9790531**

White Sandstone  
Glass Diffuser  
LED GU10 1x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Down  
D: 8.6 W: 10 H: 12 cm



**LIDO . 9790532**

Gray Concrete  
Glass Diffuser  
LED GU10 1x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Down  
D: 8.6 W: 10 H: 12 cm



**LIDO . 9790521**

White Sandstone  
Glass Diffuser  
LED GU10 2x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Up & Down  
D: 8.6 W: 10 H: 18 cm



**LIDO . 9790522**

Gray Concrete  
Glass Diffuser  
LED GU10 2x7 Watt IP65  
100-240 Volt Bulb Excluded  
Light Up & Down  
D: 8.6 W: 10 H: 18 cm




# SOLAR & SENSOR LIGHTS






**VALOR - 9492540**  
 Anthracite Die-Casting Aluminium  
 & Frost Acrylic  
 LED 2 Watt 104Lm  
 3000K 3.7 Volt  
 Beam Angle 86° IP65  
 Switch On/Off  
 L: 18.6 W: 7.2 H: 14 cm




**PRIM - 9492510**  
 Anthracite Die-Casting  
 Aluminium & Clear Glass  
 LED 2 Watt 197Lm  
 3000K 3.7 Volt  
 Beam Angle 100° IP65  
 L: 18 W: 17.5 H: 3.5 cm




IP65




**TRENDO - 9492520**  
 Anthracite Die-Casting Aluminium  
 & Clear Glass  
 LED 2 Watt 219Lm  
 3000K 3.7 Volt  
 Beam Angle 106° IP65  
 Switch On/Off  
 L: 12.2 W: 14.6 H: 5 cm




**MARTA - 9492530**  
 Anthracite Die-Casting Aluminium  
 & Clear Glass  
 LED 1 Watt 57Lm  
 3000K 3.7 Volt  
 Beam Angle 54° IP65  
 Switch On/Off  
 L: 11.3 W: 8.9 H: 11.2 cm



**Motion Sensor Activation**  
 Max. distance 5M. Temperature less than 20°C  
 The lights need to be installed at least 1.5-2.5M.  
 from the ground.  
 Charging time: 7-9 hours  
 Lighting duration : 10-11 hours








**Motion Sensor Activation**  
 Max. distance 5M. Temperature less than 20°C.  
 The lights need to be installed at least 1.5-2.5M from the ground.




**LOVETO - 9120622**

Dimmable  
 Anthracite Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 1.5 Watt 136Lm 3000K  
 3.7 Volt Beam Angle 125° IP65  
 Solar / Switch On/Off  
 L: 14.5 W: 14.5 H: 50 cm




**LOVETO - 9120621**

Dimmable  
 Anthracite Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 1.5 Watt 90Lm 3000K  
 3.7 Volt Beam Angle 125° IP65  
 Solar / Switch On/Off  
 L: 14.5 W: 16.2 H: 24 cm




**BAY - 9120711**

Dimmable  
 Anthracite Die-Casting Aluminium  
 Clear Glass & Acrylic Diffuser  
 LED 1.5 Watt 82.67Lm 3000K  
 3.7 Volt Beam Angle 87° IP65  
 Solar / Switch On/Off  
 L: 12.6 W: 8.3 H: 25.2 cm



**DYN - 9190101**

Dimmable  
 Anthracite Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 1.5 Watt 199.47Lm 3000K  
 3.7 Volt Beam Angle 110° IP65  
 Solar / Switch On/Off  
 L: 16 W: 11.5 H: 6 cm



IP65






SOLAR

**BALI - 9922510**

Dimmable




Anthracite Die-Casting Aluminium  
LED 2 Watt 399.09Lm  
3000K DC 5 Volt  
Beam Angle 108° IP65  
Solar / USB Wire / Switch On/Off  
L: 18 W: 18 H: 51 cm



SOLAR

**BALI - 9922360**

Dimmable



Anthracite Die-Casting Aluminium  
LED 2 Watt 265.39Lm  
3000K DC 5 Volt  
Beam Angle 108° IP65  
Solar / USB Wire / Switch On/Off  
L: 18 W: 18 H: 36 cm




IP65

PORTABLE



SOLAR

USB CHARGER





WALL LIGHTS




IP54



IP65




**VEIRO - 9104835**  
Anthracite Die-Casting  
Aluminium & Clear Glass  
LED 6 Watt 62Lm 3000K  
200-240 Volt IP65  
Light up & Down  
Beam Angle 40°  
L: 9 W: 9.3 H: 20.5 cm



**MILEY - 9202262**  
Sandy Black Aluminium  
Clear Glass  
LED 7 Watt 397Lm 3000K  
200-240 Volt IP54  
Light up & Down  
L: 7.4 W: 7.4 H: 13.6 cm



**MILEY - 9202261**  
Sandy White Aluminium & Glass  
LED 7 Watt 397Lm 3000K  
200-240 Volt IP54  
Light up & Down  
L: 7.4 W: 7.4 H: 13.6 cm




**MILEY - 9202131**  
Sandy White Aluminium & Glass  
LED 4.5 Watt 304Lm 3000K  
200-240 Volt IP54  
Light Down  
L: 8 W: 4 H: 12 cm







IP65



**VIDENO - 9492590**  
Anthracite Die-Casting Aluminium & Clear Glass  
LED 10 Watt 302Lm  
3000K 220-240V  
Beam Angle 270° IP65  
L: 20 W: 10.3 H: 5.5 cm



**ZIRI - 9492570**  
Anthracite Die-Casting Aluminium & Clear Glass  
LED 10 Watt 284Lm  
3000K 220-240V  
Beam Angle 96° IP65  
D: 18 W: 11.6 H: 4 cm



**PURE - 9492560**  
Anthracite Die-Casting Aluminium & Frost Acrylic  
LED 6 Watt 299Lm  
3000K 220-240V  
Beam Angle 103° IP65  
L: 16 W: 10.2 H: 3.4 cm





**FUNGO - 9027201**

Dark Gray Aluminium  
Glass Diffuser  
LED 12 Watt 536Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 120° IP65  
Light Down

L: 22 W: 7.6 H: 3.2 cm



**FUNGO - 9027202**

Sandy White Aluminium  
Glass Diffuser  
LED 12 Watt 536Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 120° IP65  
Light Down



L: 22 W: 7.6 H: 3.2 cm



IP65




IP54




**ARABELLA . 9026119**

White Aluminium  
& Clear Glass  
LED 6 Watt 398Lm  
3000K 100-240V  
Beam Angle 50° IP54  
L: 11 W: 9 H: 18 cm




**CHEZ . 9259361**

White Aluminium & Glass  
LED 6 Watt 274Lm  
3000K 100-240 Volt  
Beam Angle 138° IP54  
Light Up & Down  
L: 13 W: 9 H: 7 cm




**CHEZ . 9292211**

White Aluminium & Glass  
LED 2x5 Watt 560Lm  
3000K 100-240 Volt  
Beam Angle 90° IP54  
Light Up & Down  
L: 17 H: 8.5 H: 14 cm



**MILE . 9257871**

White Aluminium & Glass  
LED 9 Watt 475Lm  
3000K 100-240 Volt  
Beam Angle 155° IP54  
Light Up & Down  
L: 18 W: 11.5 H: 7.5 cm




**MILE . 9262111**


White Aluminium & Glass  
LED 2x5 Watt 550Lm  
3000K 100-240 Volt  
Beam Angle 102° IP54  
Light Up & Down  
L: 18 W: 3.5 H: 9 cm




IP65




**FEDOR - 9492630**  
Anthracite Die-Casting Aluminium & Clear Glass  
LED 7.7 Watt 282Lm  
3000K 220-240V  
Beam Angle 253° IP65  
L: 15.6 W: 3.8 H: 9.7 cm  
LED IP65 WARM WHITE



**COMBO - 9492600**  
Anthracite Die-Casting Aluminium & Clear Acrylic  
LED 7.5 Watt 265Lm  
3000K 220-240V  
Beam Angle 170° IP65  
D: 16 W: 4.6 H: 16.5 cm  
LED IP65 WARM WHITE



**GOA - 9192171**  
Anthracite Die-Casting Aluminium & Clear Acrylic  
LED G9 1x5 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 7.7 W: 7.6 H: 14.4 cm  
BULB EXCL. IP65






IP54




**BRICE - 9136176**

Black Aluminium  
Glass Diffuser  
LED 6 Watt 594Lm  
3000K 220-240V IP54  
D: 6 W: 12 H: 4 cm



**BRICE - 9136177**

White Aluminium  
Glass Diffuser  
LED 6 Watt 594Lm  
3000K 220-240V IP54  
D: 6 W: 12 H: 4 cm




IP65



**CAPO - 9060199**

Sandy Black Aluminium  
& Tempered Glass Diffuser  
LED 3 Watt 184.3Lm  
3000K 220-240V IP65  
D: 7 W: 6.4 H: 10.5 cm





9492620



9492620




IP65




**PARRIS - 9492620**

Anthracite Die-Casting Aluminium  
& Clear Glass  
LED 8.6 Watt 395Lm  
3000K 220-240V  
Beam Angle 101° IP65  
L: 12 W: 12 H: 11.5 cm




**SERIKA - 9492580**

Anthracite Die-Casting Aluminium  
& Clear Glass  
LED 8 Watt 188Lm  
3000K 220-240V  
Beam Angle 222° IP65  
L: 11 W: 6 H: 11 cm




**ZARO - 9492650**

Anthracite Die-Casting Aluminium  
& Clear Glass  
LED 10.4 Watt 639Lm  
3000K 220-240V  
Beam Angle 266° IP65  
Light Up & Down  
L: 9 W: 5.5 H: 10.2 cm



**DEWI - 9492640**

Anthracite Die-Casting Aluminium  
& Clear Glass  
LED 7.7 Watt 296Lm  
3000K 220-240V  
Beam Angle 253° IP65  
Light Up & Down  
L: 11.8 W: 3.8 H: 9.7 cm



IP65



9492580



9492580



9492650



9492640

IP54



**COMO - 741661**

Sandy White Aluminium  
Glass Diffuser  
LED 2x3 Watt 510Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 2x34° IP54  
Light Up & Down

L: 15 W: 7 H: 11 cm



**COMO - 741662**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x3 Watt 510Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 2x34° IP54  
Light Up & Down


L: 15 W: 7 H: 11 cm



**SOHO - 740401**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x3 Watt 480Lm  
3000K 220-240 Volt 50Hz  
Beam 2x60° IP54  
Light Up & Down


L: 12 W: 3 H: 9 cm



**SOHO - 740404**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x5 Watt 800Lm  
3000K 220-240 Volt 50Hz  
Beam 2x60° IP54  
Light Up & Down


L: 18.5 W: 3 H: 10 cm



**SOHO - 740402**

Sandy White Aluminium  
Glass Diffuser  
LED 2x3 Watt 480Lm  
3000K 220-240 Volt 50Hz  
Beam 2x60° IP54  
Light Up & Down



L: 12 W: 3 H: 9 cm



**SOHO - 740403**

Sandy White Aluminium  
Glass Diffuser  
LED 2x5 Watt 800Lm  
3000K 220-240 Volt 50Hz  
Beam 2x60° IP54  
Light Up & Down

L: 18.5 W: 3 H: 10 cm



IP54



**ZARI - 9226217**  
Sandy White Aluminium & Glass  
Cree LED 2x2 Watt 285Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 2x38° IP54  
L: 5.5 W: 6.5 H: 6.5 cm  
Light in 2 directions



**COMO - 726217**  
Sandy White Aluminium & Glass  
LED 2x5 Watt 560Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 2x51° IP54  
D: 11 W: 8.5 cm  
Light in 2 directions



**ZARI - 9226216**  
Sandy Black Aluminium & Glass  
Cree LED 2x2 Watt 285Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 2x38° IP54  
L: 5.5 W: 6.5 H: 6.5 cm  
Light in 2 directions



**COMO - 852436**  
Sandy White Aluminium & Glass  
LED 4x1 Watt 265Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 4x51° IP54  
D: 11 W: 8.5 cm  
Light in 4 directions




**ZARI - 9226215**  
Sandy White Aluminium & Glass  
Osram LED 4x1 Watt 265Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 4x38° IP54  
L: 5.5 W: 6.5 H: 6.5 cm  
Light in 4 directions



**ZARI - 9226214**  
Sandy Black Aluminium & Glass  
Osram LED 4x1 Watt 265Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 4x38° IP54  
L: 5.5 W: 6.5 H: 6.5 cm  
Light in 4 directions



IP54




IP54

Adjustable



**AGILE - 833426**

Dark Gray Die-Casting Aluminium  
LED 13 Watt 480Lm  
3000K 220-240 Volt 50Hz  
Adjustable Beam Max 120° IP54  
D: 15 W: 11.7 H: 15 cm





IP65

Rotating



**BRIN - 9160101**

Anthracite Die-Casting Aluminium  
Clear Glass  
LED 9.5 Watt 340.76Lm  
3000K 200-240 Volt  
Beam Angle 101° IP65  
L: 14 W: 14.5 H: 3.5 cm








IP65



**DARF - 9925666**  
 Sandy Black Aluminium  
 ABS Diffuser  
 LED 2x5 Watt 840Lm  
 3000K 100-240 Volt 50Hz  
 Beam Angle 115° IP65  
 Light Up & Down  
 D: 9.5 W: 10.5 H: 13 cm




**DARF - 9925665**  
 Sandy Black Aluminium  
 ABS Diffuser  
 LED 5 Watt 420Lm  
 3000K 100-240 Volt 50Hz  
 Beam Angle 104° IP65  
 Light Down  
 D: 9.5 W: 10.5 H: 8.5 cm




IP54




**NUS - 9200201**  
 Black Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 4 Watt 400.33Lm  
 3000K 100-240 Volt  
 Beam Angle 120° IP54  
 Light Down  
 L: 13.2 W: 9 H: 6.9 cm



**NUS - 9200202**  
 Black Die-Casting  
 Aluminium & Acrylic Diffuser  
 LED 2x4 Watt 943Lm  
 3000K 100-240 Volt  
 Beam Angle 120° IP54  
 Light Up & Down  
 L: 13.2 W: 9 H: 7.8 cm



IP65



**VITORIA - 8401030**  
Dark Gray Aluminium  
LED 5 Watt 522Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 120° IP65  
AC Driver Included  
L: 6.2 W: 12 H: 23.6 cm




Rotating



**FOCUS - 752470**

Dark Gray Aluminium & Glass  
Osram LED 6 Watt 420Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 44° IP54  
L: 8.5 W: 14 H: 12 cm



Rotating



**GRAVITY - 810067**

Dark Gray Die-Casting Aluminium  
Acrylic Diffuser  
LED 12.5 Watt 591.13Lm  
3000K 220-240 Volt 50Hz  
Rotation IP54  
D: 14 W: 4.8 H: 14 cm



Rotating



**PIER - 810066**

Dark Gray Die-Casting Aluminium  
Acrylic Diffuser  
LED 13 Watt 723.32Lm  
3000K 220-240 Volt 50Hz  
Rotation IP54  
L: 14 W: 4.8 H: 14 cm




IP54





IP54



Adjustable Beam Angle



**COMO - 747406**  
Sandy White Aluminium  
LED 2x3 Watt 510Lm  
3000K 220-240 Volt 50Hz  
Adjustable Beam 0-90° IP54  
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



**COMO - 847406**  
Antique Brown Aluminium  
LED 2x3 Watt 510Lm  
3000K 220-240 Volt 50Hz  
Adjustable Beam 0-90° IP54  
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



**COMO - 847408**  
Black Aluminium  
LED 2x3 Watt 510Lm 3000K  
220-240 Volt 50Hz  
Adjustable Beam 0-90° IP54  
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle




**COMO - 847407**  
Dark Gray Aluminium  
LED 2x3 Watt 510Lm 3000K  
3000K 220-240 Volt 50Hz  
Adjustable Beam 0-90° IP54  
L: 11.2 W: 11.2 H: 11.2 cm





IP54



**EPIC - 9136174**  
Black Aluminium  
LED 2x10 Watt 1950Lm  
3000K 220-240 Volt 50Hz  
Adjustable Beam 0-90° IP54  
L: 15 W: 15 H: 15 cm



**EPIC - 9136175**  
White Aluminium  
LED 2x10 Watt 1950Lm  
3000K 220-240 Volt 50Hz  
Adjustable Beam 0-90° IP54  
L: 15 W: 15 H: 15 cm






IP54




**AZAR - 9026116**

Black Aluminium  
& Acrylic  
LED 2x2 Watt 400Lm  
3000K 500mA 100-240V  
Beam Angle 68° IP54  
Light Up & Down  
L: 5 W: 4 H: 9 cm




**DEWEI - 9026117**

Black Aluminium  
& Acrylic  
LED 2x2 Watt 400Lm  
3000K 500mA 100-240V  
Beam Angle 68° IP54  
Light Up & Down  
L: 5 W: 4 H: 9 cm




**DEWEI - 9026118**

White Aluminium  
& Acrylic  
LED 2x2 Watt 400Lm  
3000K 500mA 100-240V  
Beam Angle 68° IP54  
Light Up & Down  
L: 5 W: 4 H: 9 cm



IP54




**OVI - 9136182**

Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt IP54  
Bulb Excluded Light Down  
D: 10 W: 11 H: 9 cm







**NERO - 710022**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Up & Down  
 D: 7 W: 8 H: 15 cm




**NERO - 710021**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Down  
 D: 7 W: 8 H: 8 cm



**NERO - 710042**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Up & Down  
 L: 6.7 W: 8 H: 15 cm



**NERO - 710041**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Down  
 L: 6.7 W: 8 H: 8 cm




IP54




**NERO - 910022**  
 Aluminium White  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Up & Down  
 D: 7 W: 8 H: 15 cm




**NERO - 910021**  
 Aluminium White  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Down  
 D: 7 W: 8 H: 8 cm



**NERO - 910042**  
 Aluminium White  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Up & Down  
 L: 6.7 W: 8 H: 15 cm



**NERO - 910041**  
 Aluminium White  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Down  
 L: 6.7 W: 8 H: 8 cm






IP54



**LIMBIO - 9010601**  
 White ABS  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 Bulb Excluded IP44  
 Light Down  
 D: 6 W: 8.5 H: 12 cm



**LIMBIO - 9010602**  
 Black ABS  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 Bulb Excluded IP44  
 Light Down  
 D: 6 W: 8.5 H: 12 cm



IP44



**NODUS - 773221**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Down  
 D: 6.5 W: 10.4 H: 11 cm



**NODUS - 773223**  
 Dark Gray Aluminium  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Up & Down  
 D: 6.5 W: 10.4 H: 18 cm



**NODUS - 773222**  
 Antique Brown Aluminium  
 Glass Diffuser  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Down  
 D: 6.5 W: 10.4 H: 11 cm



**NODUS - 773224**  
 Antique Brown Aluminium  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 Light Up & Down  
 D: 6.5 W: 10.4 H: 18 cm



**LIMBIO - 9010622**  
 Black ABS  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 Bulb Excluded IP44  
 Light Up & Down  
 D: 8 W: 8.5 H: 16 cm





**LIMBIO - 9010621**  
 White Acrylic  
 Glass Diffuser  
 LED GU10 2x7 Watt  
 Bulb Excluded IP44  
 Light Up & Down  
 D: 8 W: 8.5 H: 16 cm

IP65



**LUPO - 9926617**

Black Aluminium  
Acrylic Diffuser  
LED 10 Watt 380Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 64° IP65  
L: 11 W: 8.5 H: 25 cm




**NOBU - 9060206**

Sandy Black Aluminium  
& Tempered Glass Diffuser  
Silicone Gasket  
LED 15 Watt 496.9Lm  
3000K 220-240V IP65  
L: 19.3 W: 4.7 H: 12.7 cm



**KEEN - 9160081**


Dark Gray Aluminium  
Acrylic Diffuser  
LED 12 Watt 936Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 75° IP65  
L: 22.5 W: 6.5 H: 9.5 cm






**LETO . 9060203**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 18 Watt 2132Lm  
3000K 220-240V  
Beam Angle 120° IP65  
L: 14.5 W: 10.2 H: 29 cm




**LETO . 9060204**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 18 Watt 2132Lm  
3000K 220-240V  
Beam Angle 120° IP65  
L: 29 W: 14.5 H: 10.2 cm




**LETO . 9060202**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 18 Watt 2132Lm  
3000K 220-240V  
Beam Angle 120° IP65  
L: 14.5 W: 10.2 H: 29 cm



**LETO . 9060205**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 10 Watt 1208Lm  
3000K 220-240V  
Beam Angle 120° IP65  
L: 14.5 W: 10.2 H: 17.5 cm




IP65







**KEEN - 9270027**  
 Sandy Black Aluminium  
 Acrylic Diffuser  
 LED 12 Watt 1080Lm  
 3000K 220-240 Volt 50Hz  
 Beam Angle 108° IP65  
 L: 18 W: 9 H: 9 cm




**KEEN - 9270028**  
 Sandy White Aluminium  
 Acrylic Diffuser  
 LED 12 Watt 1080Lm  
 3000K 220-240 Volt 50Hz  
 Beam Angle 108° IP65  
 L: 18 W: 9 H: 9 cm




IP65




**ZENON - 9492610**  
 Anthracite Die-Casting  
 Aluminium & Frost Acrylic  
 LED 10 Watt 558Lm  
 3000K 220-240V  
 Beam Angle 114° IP65  
 L: 18 W: 7.5 H: 9 cm




**CAPE - 9492550**  
 Anthracite Die-Casting Aluminium  
 Frost Acrylic & Clear Glass  
 LED 10 Watt 763Lm  
 3000K 220-240V  
 Beam Angle 112° IP65  
 L: 20 W: 7.4 H: 20 cm



IP65



**KEEN - 9270015**  
 Sandy Black Aluminium  
 Acrylic Diffuser  
 LED 12 Watt 1080Lm  
 3000K 220-240 Volt 50Hz  
 Beam Angle 108° IP65  
 L: 9 W: 7 H: 18 cm



**KEEN - 9270016**  
 Sandy White Aluminium  
 Acrylic Diffuser  
 LED 12 Watt 1080Lm  
 3000K 220-240 Volt 50Hz  
 Beam Angle 108° IP65  
 L: 9 W: 7 H: 18 cm





IP65



**DROPLET - 9522101**

Sandy White Aluminium & Acrylic  
LED 6 Watt 230Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 64° IP65  
L: 13 W: 2.5-4.5 H: 16 cm



**DROPLET - 9522102**

Sandy Black Aluminium & Acrylic  
LED 6 Watt 230Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 64° IP65  
L: 13 W: 2.5-4.5 H: 16 cm



IP65



**TUNE - 9529712**

Sandy White Aluminium & Acrylic  
LED 9 Watt 620Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 112° IP65  
D: 15 W: 5.5 cm



**TUNE - 9529713**

Sandy Black Aluminium & Acrylic  
LED 9 Watt 620Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 112° IP65  
D: 15 W: 5.5 cm



**TUNE - 9529720**

Sandy White Aluminium & Acrylic  
LED 9 Watt 620Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 115° IP65  
L: 15 W: 5.5 H: 15 cm



**TUNE - 9529721**


Sandy Black Aluminium & Acrylic  
LED 9 Watt 620Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 115° IP65  
L: 15 W: 5.5 H: 15 cm










**ZENITH . 9020933**  
 Dark Gray Stainless Aluminium  
 Anti-Glare Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 30.3 W: 9 H: 10 cm




**ZENITH . 9020932**  
 Dark Gray Stainless Aluminium  
 Anti-Glare Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 30.3 W: 9 H: 10 cm



**ZENITH . 713115**  
 White Aluminium  
 White Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 30.5 W: 9 H: 10.5 cm




**ZENITH . 713114**  
 Antique Brown Aluminium  
 White Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 30.5 W: 9 H: 10.5 cm




**ZENITH . 713113**  
 Dark Gray Aluminium  
 White Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 30.5 W: 9 H: 10.5 cm



**ZENITH . 713212**  
 Dark Gray Aluminium  
 White Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 23 W: 9.5 H: 26.4 cm



**ZENITH . 713514**  
 Dark Gray Aluminium  
 White Acrylic Diffuser  
 LED E27 1x12 Watt  
 220-240 Volt  
 Bulb Excluded IP44  
 L: 23 W: 9.5 H: 26.4 cm



IP44

IP44






**SPIKES**

IP65




Rotating & Adjustable




**FEND - 9271431**  
Black Aluminium & Glass  
LED 5 Watt 378Lm  
3000K 100-240 Volt  
Beam Angle 21° IP65  
D: 5 W: 7 H: 12 cm  
LED IP65 WARM WHITE

Rotating & Adjustable




**FEND - 9271491**  
Black Aluminium & Glass  
LED 10 Watt 883.4Lm  
3000K 100-240 Volt  
Beam Angle 24° IP65  
D: 6.5 W: 9 H: 15 cm  
LED IP65 WARM WHITE

Rotating & Adjustable




**FEND - 9271433**  
Black Aluminium & Glass  
LED 5 Watt 378Lm  
3000K 100-240 Volt  
Beam Angle 21° IP65  
D: 5 W: 9 H: 64 cm  
LED IP65 WARM WHITE

Rotating & Adjustable



**FEND - 9971451**  
Black Aluminium & Glass  
LED 5 Watt 378Lm  
3000K 100-240 Volt  
Beam Angle 21° IP65  
D: 5 W: 7 H: 12 cm  
LED IP65 WARM WHITE

Rotating & Adjustable



**FEND - 9971452**  
Black Aluminium & Glass  
LED 10 Watt 742Lm  
3000K 100-240 Volt  
Beam Angle 24° IP65  
D: 6.5 W: 9 H: 15 cm  
LED IP65 WARM WHITE




IP65



**STAKE . 9271432**

Black Aluminium & Glass  
LED 5 Watt 378Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 21° IP65  
D: 5 W: 9 H: 33 cm




**STAKE . 9271492**

Black Aluminium & Glass  
LED 10 Watt 742Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 24° IP65  
D: 6.5 W: 11 H: 35 cm



**STAKE . 9971455**

Black Aluminium & Glass  
LED 5 Watt 378Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 21° IP65  
D: 5 W: 7 H: 45 cm



IP54




**KIMIKO . 9026126**

Black Aluminium  
& Clear Glass  
LED GU10 1x10 Watt  
220-240 Volt  
Bulb Excluded IP54  
D: 7 H: 12.5 cm



**KIMIKO . 9026127**


Black Aluminium  
& Clear Glass  
LED GU10 1x10 Watt  
220-240 Volt  
Bulb Excluded IP54  
D: 7 W: 12.5 H: 21 cm



IP65




Rotating & Adjustable



**VIDA - 9026128**  
Black Aluminium & Clear Glass  
LED GU10 1x10 Watt  
220-240 Volt  
Bulb Excluded IP65  
D: 7 W: 9.5 H: 21 cm




Rotating & Adjustable




**CALIX - 9172870**  
Black Aluminium & Clear Glass  
LED 3W Watt 273Lm  
3000K 220-240 Volt  
Beam Angle 24° IP65  
D: 40 W: 7.3 H: 22.5 cm



IP54




Rotating & Adjustable




**DESTRY - 9136184**  
Black Aluminium & Clear Glass  
Honeycomb Antiglare Diffuser  
LED GU10 1x10 Watt  
220-240 Volt  
Bulb Excluded IP54  
D: 5.5 W: 9.5 H: 11.5 cm



Rotating & Adjustable



**DESTRY - 9136183**  
Black Aluminium & Clear Glass  
Honeycomb Antiglare Diffuser  
LED GU10 1x10 Watt  
220-240 Volt  
Bulb Excluded IP54  
D: 5.5 W: 9.5 H: 30 cm





Adjustable

**INSIDE - 9010001**


Sandy Black Aluminium & Glass  
LED 3 Watt 295.06Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 24° IP65  
D: 4.5 W: 9 H: 21-26 cm



Adjustable

**INSIDE - 9010003**

Sandy Black Aluminium & Glass  
LED 3 Watt 303.24Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 24° IP65  
D: 4.2 W: 7 H: 21-24 cm



Adjustable

**INSIDE - 9010002**

Sandy Black Aluminium & Glass  
LED 7 Watt 578.7Lm 3000K  
220-240 Volt 50Hz  
Beam Angle 24° IP65  
D: 6.5 W: 13 H: 24-31 cm



Adjustable

**INSIDE - 9010005**

Sandy Black Aluminium & Glass  
LED 7 Watt 578.7Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 24° IP65  
D: 6.5 W: 10 H: 24-28 cm



IP65



**BASE - 9010006**



Sandy Black Aluminium  
D: 5.5 W: 5.5 H: 4 cm  
Combine with 9010002 & 9010005



Adjustable

**MINI - 9010004**

Sandy Black Aluminium & Glass  
LED 3 Watt 303.24Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 24° IP65  
D: 4.2 W: 7 H: 5.5-8 cm





IP54



Adjustable



**NORTH - 9240677**  
 Black Aluminium & Glass  
 LED 10 Watt 700Lm  
 3000K 100-240 Volt 50Hz  
 Beam Angle 38° IP65  
 D: 9 W: 9.5 cm



Adjustable



**NORTH - 9240678**  
 Black Aluminium & Glass  
 LED 20 Watt 1500Lm  
 3000K 100-240 Volt 50Hz  
 Beam Angle 38° IP65  
 D: 12 W: 18 cm



Adjustable



**NORTH - 9240679**  
 Black Aluminium & Glass  
 LED 30 Watt 2800Lm  
 3000K 100-240 Volt 50Hz  
 Beam Angle 38° IP65  
 D: 15 W: 20.5 cm



Adjustable



**NORTH - 742071**  
 Aluminium Dark Gray & Glass  
 LED 18 Watt 1440Lm 3000K  
 100-240 Volt 50Hz  
 Beam Angle 48° IP65  
 W: 19.5 L: 13 H: 20-29 cm



IP65



Adjustable



**INSIDE - 767801**  
 Dark Gray Aluminium & Glass  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 D: 11 H: 20 cm



Adjustable



**INSIDE - 875409**  
 Dark Gray Aluminium & Glass  
 LED GU10 1x7 Watt  
 220-240 Volt IP54  
 Bulb Excluded  
 D: 7.5 W: 15 H: 36 cm





CEILING LIGHTS



IP54



**DARA - 9136178**

Black Aluminium  
Glass Diffuser  
LED 9 Watt 579Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 120° IP54  
D: 8 H: 11 cm



**DARA - 9136179**

White Aluminium  
Glass Diffuser  
LED 9 Watt 579Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 120° IP54  
D: 8 H: 11 cm



**FOCUS - 752461**

Sandy Black Aluminium  
Glass Diffuser  
Gx53 7 Watt 423.8Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 77° IP54  
D: 10 H: 6.5 cm



**FOCUS - 752463**

Dark Grey Aluminium  
Glass Diffuser  
Gx53 7 Watt 423.8Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 77° IP54  
D: 10 H: 6.5 cm



**FOCUS - 752462**

Sandy White Aluminium  
Glass Diffuser  
Gx53 7 Watt 423.8Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 77° IP54  
D: 10 H: 6.5 cm





IP65



**CECI - 9220021**

Sandy White Aluminium  
Glass Diffuser  
Osram LED 3 Watt 230Lm  
3000K 100-240 Volt 50Hz  
Beam 52° IP65  
D: 5.5 H: 11 cm



**CECI - 9200612**

Sandy White Aluminium  
Glass Diffuser  
Osram LED 6 Watt 520Lm  
3000K 100-240 Volt 50Hz  
Beam 76° IP65  
D: 9 H: 11 cm



**CECI - 9220022**

Sandy Black Aluminium  
Glass Diffuser  
Osram LED 3 Watt 230Lm  
3000K 100-240 Volt 50Hz  
Beam 52° IP65  
D: 5.5 H: 11 cm



**CECI - 9200611**

Sandy Black Aluminium  
Glass Diffuser  
Osram LED 6 Watt 520Lm  
3000K 100-240 Volt 50Hz  
Beam 76° IP65  
D: 9 H: 11 cm



**IP54**



**CERISE - 9020021**  
 Dark Gray Die-Casting  
 Aluminium & Glass Diffuser  
 LED GU10 1x7 Watt IP54  
 220-240 Volt Bulb Excluded  
 D: 6 H: 10.5 cm



**CERISE - 9040021**  
 White Die-Casting  
 Aluminium & Glass Diffuser  
 LED GU10 1x7 Watt IP54  
 220-240 Volt Bulb Excluded  
 D: 6 H: 10.5 cm



**CERISE - 9020061**  
 Dark Gray Die-Casting  
 Aluminium & Glass Diffuser  
 LED GU10 1x7 Watt IP54  
 220-240 Volt Bulb Excluded  
 D: 9 H: 9 cm



**CERISE - 9040061**  
 White Die-Casting  
 Aluminium & Glass Diffuser  
 LED GU10 1x7 Watt IP54  
 220-240 Volt Bulb Excluded  
 D: 9 H: 9 cm




**CERISE - 9020022**  
 Dark Gray Die-Casting  
 Aluminium & Glass Diffuser  
 LED GU10 1x7 Watt IP54  
 220-240 Volt Bulb Excluded  
 L: 8.6 W: 8.6 H: 9 cm




**CERISE - 9040022**  
 White Die-Casting  
 Aluminium & Glass Diffuser  
 LED GU10 1x7 Watt IP54  
 220-240 Volt Bulb Excluded  
 L: 8.6 W: 8.6 H: 9 cm



IP65




**OLIVER - 9944603**  
Sandy Black Aluminium  
Acrylic Diffuser  
LED 20 Watt 1550Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 92° IP65  
D: 27 H: 7 cm




**OLIVER - 9944602**  
Sandy White Aluminium  
Acrylic Diffuser  
LED 20 Watt 1550Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 92° IP65  
D: 27 H: 7 cm



IP54



**TOMMY - 9521001**  
Dark Gray ABS & Acrylic Diffuser  
LED 25 Watt 3728Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 85° IP54  
AC Driver Included  
D: 32 H: 6 cm



**TOMMY - 9521002**  
Dark Gray ABS & Acrylic Diffuser  
LED 21 Watt 2391Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 85° IP54  
AC Driver Included  
L: 28 W: 28 H: 6 cm






**SPOT LIGHTS**




**BLADE . 9232116**

White Aluminium  
LED 12 Watt 720Lm  
3000K Beam 38° IP65  
D: 7.8 H: 7.5 cm



**BLADE . 9232115**

Black Aluminium  
LED 12 Watt 720Lm  
3000K Beam 38° IP65  
D: 7.8 H: 7.5 cm



**BLADE . 9232119**


White Aluminium  
LED 12 Watt 720Lm  
3000K Beam 38° IP65  
D: 8.5 H: 5.4 cm



**BLADE . 9232120**


Black Aluminium  
LED 12 Watt 720Lm  
3000K Beam 38° IP65  
D: 8.5 H: 5.4 cm




Rotating 

**BLADE . 9232117**

White Aluminium  
LED 12 Watt 720Lm  
3000K Beam 38° IP65  
D: 9 H: 4.7 cm



Rotating 

**BLADE . 9232118**

Black Aluminium  
LED 12 Watt 720Lm  
3000K Beam 38° IP65  
D: 9 H: 4.7 cm



IP65





PORTABLE LIGHTS


Charging time: 7-10hrs

• Touch 1: 100% of light - 4hrs

• Touch 2: 40% of light - 10 hrs

• Touch 3: 10% of light - 50 hrs


IP54



**FUMO - 9002863**

Dimmable

White Aluminium & Acrylic  
LED 2 Watt 230Lm  
3000K 220-240 Volt  
Beam Angle 163° IP54  
Switch On/Off / USB Wire  
D: 11.8 H: 30 cm




**FUMO - 9002864**

Dimmable

Black Aluminium & Acrylic  
LED 2 Watt 230Lm 3000K  
3000K 220-240 Volt  
Beam Angle 163° IP54  
Switch On/Off / USB Wire  
D: 11.8 H: 30 cm



USB  
CHARGER



**FABIO - 9492441**

Dimmable

Black Die-Casting Aluminium  
& Frost Acrylic  
LED 2 Watt 280Lm  
3000K DC 5 Volt  
Beam Angle 83° IP54  
Switch On/Off / USB Wire  
D: 19 H: 38 cm





Charging time: 4.5hrs  
 • Touch 1: 100% of light - 10hrs  
 • Touch 2: 50% of light - 20 hrs



IP54


TWO DIFFERENT TYPES OF CHARGING




PG RECHARGING BASE



USB TYPE C



**SEINA - 9223406**  
 Dimmable  
 Sandy Black Aluminium & Acrylic  
 LED 2 Watt 192Lm  
 2700K DC 5 Volt IP54  
 Switch On/Off  
 Rechargeable with PG base or White USB Type C Wire  
 D: 11.4 H: 39.5 cm



**SEINA - 9223407**  
 Dimmable  
 Sandy White Aluminium & Acrylic  
 LED 2 Watt 192Lm  
 2700K DC 5 Volt IP54  
 Switch On/Off  
 Rechargeable with PG base or White USB Type C Wire  
 D: 11.4 H: 39.5 cm




**BASE - 9223408**  
 Sandy Black Aluminium  
 PG Recharging Base Compatible with codes 9223406 & 9223407



**ADAPTOR - 9223409**  
 Black adaptor 5V 2A



**ADAPTOR - 9223410**  
 White adaptor 5V 2A




Charging time: 4.5hrs  
 • Touch 1: 100% of light - 10hrs  
 • Touch 2: 50% of light - 20 hrs




**SEINA - 9223403**

Dimmable  
 Sandy Brown Aluminium & Acrylic  
 LED 2 Watt 192Lm  
 2700K DC 5 Volt IP54  
 Switch On/Off/ USB Type C Wire  
 Rechargeable with PG base  
 D: 11.4 H: 39.5 cm




**SEINA - 9223405**

Dimmable  
 Sandy Olive Green Aluminium & Acrylic  
 LED 2 Watt 192Lm  
 2700K DC 5 Volt IP54  
 Switch On/Off/ USB Type C Wire  
 Rechargeable with PG base  
 D: 11.4 H: 39.5 cm



**SEINA - 9223404**

Dimmable  
 Sandy Balsalt Grey Aluminium & Acrylic  
 LED 2 Watt 192Lm  
 2700K DC 5 Volt IP54  
 Switch On/Off / USB Type C Wire  
 Rechargeable with PG base  
 D: 11.4 H: 39.5 cm



IP54






**IP54** PORTABLE

Charging time: 7-8hrs  
 • Touch 1: 100% of light - 8-9hrs  
 • Touch 2: 5% of light - 280 hrs




**COLT - 9223412**

Dimmable  
 Sandy Rust Brown Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 8 H: 30 cm




**COLT - 9223414**

Dimmable  
 Sandy Olive Green Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 8 H: 30 cm



**COLT - 9223413**

Dimmable  
 Sandy Dark Grey Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 8 H: 30 cm



**ADAPTOR - 9223409**

Black adaptor 5V 2A




**ADAPTOR - 9223410**

White adaptor 5V 2A





**COLT - 9223415**

Dimmable  
 Sandy White Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 8 H: 30 cm



**COLT - 9223411**

Dimmable  
 Sandy Black Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 8 H: 30 cm





**IP54** PORTABLE 

Charging time: 7-8hrs  
 • Touch 1: 100% of light - 8-9hrs  
 • Touch 2: 5% of light - 280 hrs



**COLT - 9223999**  
 Dimmable  
 Sandy Rust Brown Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm



**COLT - 9223998**  
 Dimmable  
 Sandy Olive Green Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm




**COLT - 9223997**  
 Dimmable  
 Sandy Dark Grey Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm



**COLT - 9121911**  
 Dimmable  
 Sandy White Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm



**COLT - 9121912**  
 Dimmable  
 Sandy Black Die-Casting Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm



**ADAPTOR - 9223409**  
 Black adaptor 5V 2A



**ADAPTOR - 9223410**  
 White adaptor 5V 2A





USB  
CHARGER

Charging time: 4-5hrs  
 • Touch 1: 100% of light - 7-8hrs  
 • Touch 2: 5% of light - 280 hrs

IP54



**ROSE - 9281380**  
 White Aluminium  
 & Acrylic  
 LED 2 Watt 207Lm  
 3000K DC 5 Volt IP54  
 Switch On/Off / USB Wire  
 D: 11.5 W: 11.8 H: 32 cm



**COLT - 9223400**  
 Dimmable  
 Sandy Black Die-Casting  
 Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm




**ROSE - 9281381**  
 Black Aluminium  
 & Acrylic  
 LED 2 Watt 207Lm  
 3000K DC 5 Volt IP54  
 Switch On/Off / USB Wire  
 D: 11.5 W: 11.8 H: 32 cm



**COLT - 9223401**  
 Dimmable  
 Sandy White Die-Casting  
 Aluminium & Acrylic  
 LED 2 Watt 207Lm 3000K IP54  
 Beam Angle 62° DC 5 Volt  
 Switch On/Off USB Wire  
 D: 11 W: 11 H: 38 cm

Charging time: 7-8hrs  
 • Touch 1: 100% of light - 8-9hrs  
 • Touch 2: 5% of light - 280 hrs





Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs



**VERHAL - 9002862**

Dimmable  
 Black Aluminium  
 & Clear Glass  
 LED 2 Watt 200Lm  
 3000K 3.7 Volt  
 Beam Angle 360° IP54  
 Solar / USB Wire / Switch On/Off  
 L: 16 W: 16 H: 47.5 cm




**VERHAL - 9002861**

Dimmable  
 White Aluminium  
 & Clear Glass  
 LED 2 Watt 200Lm  
 3000K 3.7 Volt  
 Beam Angle 360° IP54  
 Solar / USB Wire / Switch On/Off  
 L: 16 W: 16 H: 47.5 cm




**JIGRA - 9002876**

Dimmable  
 Black Aluminium  
 & Acrylic  
 LED 2 Watt 200Lm  
 3000K 3.7 Volt  
 Beam Angle 306° IP54  
 Switch On/Off / USB Wire  
 D: 16 W: 16 H: 22.8 cm




**JIGRA - 9002877**

Dimmable  
 Black Aluminium  
 & Acrylic  
 LED 2 Watt 210Lm  
 3000K 3.7 Volt  
 Beam Angle 339° IP54  
 Switch On/Off / USB Wire  
 D: 16 W: 16 H: 22 cm



**IP54** **PORTABLE** **SOLAR**



IP65 PORTABLE 



**FIGI - 9923500**

Dimmable

Anthracite Die-Casting Aluminium


LED 2 Watt 271.41Lm

3000K DC 5 Volt

Beam Angle 108° IP65

Touch Lamp / Battery / USB Wire

L: 14.5 W: 14.5 H: 50 cm



**FIGI - 9922350**

Dimmable

Anthracite Die-Casting Aluminium


LED 2 Watt 207Lm

3000K DC 5 Volt

Beam Angle 108° IP65

Touch Lamp / Battery / USB Wire

L: 14.5 W: 14.5 H: 35 cm



IP54



**MOCHA - 9492700**


Anthracite Die-Casting Aluminium & Clear Glass

LED 2 Watt 191Lm

3000K DC 5 Volt

Beam Angle 96° IP54

D: 15 W: 15 H: 35 cm




Charging time: 3hrs

• Touch 1: 100% of light - 4hrs

• Touch 2: 40% of light - 10 hrs

• Touch 3: 10% of light - 50 hrs



**VENEDO - 9002865**


Dimmable

Black Aluminium & Acrylic


LED 2 Watt 180 Lm

3.7 Volt 3000K IP54

D: 10.2 W: 10.2 H: 15 cm



IP54





**STEP LIGHTS**





**LIV - 9018062**

Dark Gray Die-Casting Aluminium & Glass Diffuser  
 LED 3.5 Watt 245.3Lm  
 3000K 200-240 Volt  
 Beam Angle 120° IP54  
 L: 13 W: 3 H: 5.5 cm




**LIV - 9018061**

White Die-Casting Aluminium & Glass Diffuser  
 LED 3.5 Watt 245.3Lm  
 3000K 200-240 Volt  
 Beam Angle 120° IP54  
 L: 13 W: 3 H: 5.5 cm




**VISION - 9492690**

Anthracite Die-Casting Aluminium & Clear Acrylic  
 LED 1.5 Watt 34Lm  
 3000K 220-240V  
 Beam Angle 50° IP54  
 L: 10 W: 2.9 H: 6.7 cm



**RIO - 9492670**

Anthracite Die-Casting Aluminium & Clear Glass  
 LED 6 Watt 122.31Lm  
 3000K 220-240V  
 Beam Angle 266° IP65  
 L: 22.7 W: 3.5 H: 12.7 cm



IP54






**FINLO - 9117080**  
 Grey Concrete IP65  
 L: 10 W: 1.7 H: 10 cm



**FINLO - 9117086**  
 Grey Concrete IP65  
 L: 10 W: 1.7 H: 10 cm




**FINLO - 9117084**  
 Grey Concrete IP65  
 L: 10 W: 1.7 H: 10 cm



**SOURCE - 9117082**  
 Grey Aluminium  
 LED 3.5 Watt 111.65Lm  
 3000K 220-240V IP65  
 HEP DRIVER  
 Compatible with: 9117080,  
 9117084, 9117086  
 L: 6.5 W: 6.7 H: 3.9 cm



IP65




IP54




**KRYPTON - 710446**  
Dark Gray Aluminium & Glass  
LED 6 Watt 480Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 31° IP54  
D: 16 W: 9.6 cm



**KRYPTON - 726408**  
Dark Gray Aluminium  
LED 3 Watt 270Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 8.5 W: 5 H: 8.5 cm




**KRYPTON - 752250**  
Dark Gray Aluminium  
LED 6 Watt 751Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 32° IP54  
L: 15 W: 7.5 H: 15 cm




IP65




**LUTON - 8403624**  
Dark Gray ABS  
LED 1.2 Watt  
145Lm 3000K IP65  
100-220 Volt 50Hz  
RC Driver Included  
L: 12.5 W: 3.3 H: 12.5 cm



**LUTON - 8403622**  
Dark Gray ABS  
LED 1.6 Watt  
212Lm 3000K IP65  
100-220 Volt 50Hz  
RC Driver Included  
L: 23 W: 3.3 H: 8 cm



**LUTON - 8403626**  
Dark Gray ABS  
LED 1.2 Watt  
150Lm 3000K IP65  
100-220 Volt 50Hz  
RC Driver Included  
L: 12.5 W: 3.3 H: 8.3 cm






IP65




**BRIGI - 9020927**

Dark Grey Acrylic Cover & Diffuser  
 LED 1.2 Watt 158.99Lm  
 3000K 220-240V IP65  
 D: 11 W: 3.1 H: 11 cm




**ARNE - 9492680**

Anthracite Die-Casting Aluminium & Clear Acrylic  
 LED 1.5 Watt 39Lm  
 3000K 220-240V  
 Beam Angle 50° IP54  
 D: 12 W: 2.9 H: 12 cm



**AIZEN - 9026120**

White Aluminium & Clear Glass  
 LED 3 Watt 16Lm 3000K  
 600mA 100-240V  
 Beam Angle 148° IP54  
 Cut Out: L: 12.6 W: 4.2 H: 6 cm  
 L: 13.5 W: 5 H: 6.5 cm  
 Junction Box Included



IP54





**JOYA - 9944141**

Sandy Black Aluminium  
LED 3 Watt 16.3Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 21° IP65  
D: 6.5 W: 4 H: 6 cm  
Cut Out: 5.5 cm





**JOYA - 9944142**

Sandy Black Aluminium  
LED 3 Watt 23.3Lm  
3000K 100-240 Volt 50Hz  
Beam Angle 19° IP65  
D: 6.5 W: 4 H: 6 cm  
Cut Out: 5.5 cm



**COVE - 9083011**


Matt White Die-Casting Aluminium  
& Glass Diffuser  
LED 1.5 Watt 118.5Lm  
3000K 200-240 Volt  
Beam Angle 120° IP54  
L: 14 W: 3.8 H: 7.7 cm  
Junction Box Not Included  
Cut Out: L: 13.2 W: 5 H: 7.4 cm



IP54




IP65



**COVE - 9083021**

Matt White Die-Casting Aluminium  
& Glass Diffuser  
LED 1.5 Watt 118.5Lm  
3000K 200-240 Volt  
Beam Angle 120° IP54  
L: 7.7 W: 3.8 H: 14 cm  
Junction Box Not Included  
Cut Out: L: 7.4 W: 5 H: 13.2 cm






IP54




**PULSAR - 812302**

Dark Gray ABS  
LED 4 Watt 526.7Lm  
3000K 220-220 Volt 50Hz  
Beam Angle 32° IP54  
AC Driver Included  
L: 14 W: 3 H: 14 cm




**PULSAR - 811201**

Dark Gray ABS  
LED 2 Watt 268.9Lm  
3000K 220-220 Volt 50Hz  
Beam Angle 29° IP54  
AC Driver Included  
L: 12 W: 3 H: 12 cm




**PULSAR - 812102**

Dark Gray ABS  
LED 4 Watt 461.9Lm  
3000K 220-220 Volt 50Hz  
Beam Angle 38° IP54  
AC Driver Included  
L: 23 W: 3 H: 10 cm




**PULSAR - 811502**

Dark Gray ABS  
LED 2 Watt 365.14Lm  
3000K 220-220 Volt 50Hz  
Beam Angle 32° IP54  
AC Driver Included  
L: 23 W: 3 H: 8 cm




**PULSAR - 811501**

Dark Gray ABS  
Acrylic Diffuser  
LED 4 Watt 557Lm  
3000K or 4000K  
220-220 Volt 50Hz  
Beam Angle 62° IP54  
AC Driver Included  
L: 23 W: 3 H: 8 cm




**PULSAR - 812103**

Dark Gray ABS  
Acrylic White Diffuser  
LED 6 Watt 683Lm  
3000K or 4000K  
220-220 Volt 50Hz  
Beam Angle 67° IP54  
AC Driver Included  
L: 23 W: 10 H: 6.5 cm



**PULSAR - 812104**

Dark Gray ABS  
Acrylic White Diffuser  
LED 6 Watt 480Lm  
3000K or 4000K  
220-220 Volt 50Hz  
Beam Angle 48° IP54  
AC Driver Included  
L: 23 W: 10 H: 6.7 cm



IP54

IP54



**KRYPTON - 726407**

Dark Gray Aluminium  
LED 3 Watt 95.9Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 27° IP54  
D: 8 W: 5.5 cm  
Cut Out: D: 7.7 x W: 5.3 cm



**KRYPTON - 727002**

Dark Gray Aluminium  
LED 3 Watt 132Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 8 W: 7 H: 8 cm  
Cut Out: L: 6.4 x W: 6.7 cm




**KRYPTON - 727001**

White Aluminium  
LED 3 Watt 132Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 8 W: 7 H: 8 cm  
Cut Out: L: 6.4 x W: 6.7 cm





**KRYPTON - 726402**

White Aluminium  
LED 3 Watt 352.9Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 11 W: 6 H: 7 cm  
Cut Out: 10.2 x 6.5 cm



**KRYPTON - 726401**

Dark Gray Aluminium  
LED 3 Watt 352.9Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 11 W: 6 H: 7 cm  
Cut Out: 10.2 x 6.5 cm






IP54




**KRYPTON - 726405**

White Aluminium  
LED 3 Watt 202Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 13.5 W: 8 H: 5.5 cm  
Cut Out: 12.7 x 4.5 cm




**KRYPTON - 726406**

Dark Gray Aluminium  
LED 3 Watt 202Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 13.5 W: 8 H: 5.5 cm  
Cut Out: 12.7 x 4.5 cm




**KRYPTON - 726403**

White Aluminium  
LED 2 Watt 95Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 8.5 W: 8 H: 5.5 cm  
Cut Out: 8.1 x 4.2 cm



**KRYPTON - 726404**

Dark Gray Aluminium  
LED 2 Watt 95Lm  
3000K 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 8.5 W: 8 H: 5.5 cm  
Cut Out: 8.1 x 4.2 cm



IP54





IP54



**CIRCE - 9136185**

Black Aluminium  
LED 3 Watt 170Lm  
220-240 Volt 50Hz  
3000K IP54  
D: 7 H: 6.5 cm  
Cut Out: 5.5 cm



**CIRCE - 9136186**

White Aluminium  
LED 3 Watt 170Lm  
220-240 Volt 50Hz  
3000K IP54  
D: 7 H: 6.5 cm  
Cut Out: 5.5 cm



**CIRCE - 9136187**

Black Aluminium  
LED 3 Watt 170Lm  
220-240 Volt 50Hz  
3000K IP54  
D: 7 H: 6.5 cm  
Cut Out: 5.5 cm



**CIRCE - 9136188**

White Aluminium  
LED 3 Watt 170Lm  
220-240 Volt 50Hz  
3000K IP54  
D: 7 H: 6.5 cm  
Cut Out: 5.5 cm





**PASSAGIO - 8090801**

White Aluminium  
LED 1 Watt 18.09Lm 3000K  
3 Volt 50Hz IP54  
L: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**PASSAGIO - 9045418**

Black Aluminium  
LED 1 Watt 18.09Lm 3000K  
3 Volt 50Hz IP54  
L: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**PASSAGIO - 9045514**

White Aluminium  
LED 1 Watt 32.76Lm 3000K  
3 Volt 50Hz IP54  
L: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**PASSAGIO - 8058001**

White Aluminium  
LED 1 Watt 41.36Lm 3000K  
3 Volt 50Hz IP54  
L: 3.9 W: 2.2 H: 3.9 cm  
Cut Out: 3.4 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**PASSAGIO - 9031616**

White Aluminium  
LED 1 Watt 69.7Lm 3000K  
3 Volt 50Hz IP54  
D: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170






**PASSAGIO - 9002601**

White Aluminium  
LED Chip Cree 2 Watt 40.45Lm  
100-240 Volt 50Hz 3000K  
Beam 49° IP54  
D: 5 W: 5 H: 5 cm  
Cut Out: 4.5 cm  
Driver Included



IP54





**BANG - 9019212**  
 Satin Nickel Aluminium  
 LED 1 Watt 104.8Lm 3000K  
 3 Volt 50Hz IP67  
 D: 3.7 H: 5.3 cm  
 Cut Out: 3.2 cm  
 Cable Length 1.80m  
 Connect it with driver 9020170



**BANG - 9019213**  
 Satin Nickel Aluminium  
 LED 1 Watt 98.24Lm 3000K  
 3 Volt 50Hz IP67  
 D: 3.7 H: 5.3 cm  
 Cut Out: 3.2 cm  
 Cable Length 1.80m  
 Connect it with driver 9020170



**BANG - 9203113**  
 Satin Nickel Aluminium  
 LED 1 Watt 60Lm 3000K IP67  
 100-240 Volt 50Hz  
 Beam 42° Driver Included  
 D: 4.2 H: 7 cm  
 Cut Out: 3.7 cm



**BANG - 9203111**  
 Satin Nickel Aluminium  
 LED 1 Watt 60Lm 3000K IP67  
 100-240 Volt 50Hz  
 Beam 42° Driver Included  
 D: 4.2 H: 9 cm  
 Cut Out: 3.7 cm



**BANG - 9203112**  
 Satin Nickel Aluminium  
 LED 1 Watt 60Lm 3000K IP67  
 100-240 Volt 50Hz  
 Beam 51° Driver Included  
 D: 4.2 H: 9 cm  
 Cut Out: 3.7 cm



**BANG - 8038801**  
 White Aluminium  
 LED 1 Watt 19Lm  
 3 Volt 50Hz  
 3000K IP67  
 D: 3.7 H: 5.3 cm  
 Cut Out: 3.2 cm



**BANG - 8038401**  
 White Aluminium  
 LED 1 Watt 104.8Lm  
 3 Volt 50Hz  
 3000K IP67  
 D: 3.7 H: 5.3 cm  
 Cut Out: 3.2 cm



**BANG - 8039001**  
 White Aluminium  
 LED 1 Watt 11.4Lm  
 3 Volt 50Hz  
 3000K IP67  
 D: 3.7 H: 5.3 cm  
 Cut Out: 3.2 cm



**DRIVER - 9020170**  
 Driver 4W ACTEC MINI IP65  
 Input: 100-240V AC 50/60Hz  
 Output: 3-12 VDC  
 350mA Not Dimmable

**CABLE LENGTH 1.80m**

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170**






WALL WASHER

Rotation 30°



**WALL WASHER - 9011161**

Wall Washer  
Sandy Black Aluminium & Glass  
LED Chip Cree 32 Watt 3387.5Lm  
3000K DC24V Adjustable  
Beam Angle 30° IP67  
L: 100 W: 6.5 H: 12 cm  
Max Power 300 Watt




Rotation 30°



**WALL WASHER - 9011162**

Wall Washer  
Sandy Black Aluminium & Glass  
LED Chip Cree 44 Watt 4222.3Lm  
3000K DC24V Adjustable  
Beam Angle 30° IP67  
L: 100 W: 6.5 H: 12 cm  
Max Power 300 Watt




Rotation 30°



**WALL WASHER - 9011164**

Wall Washer RGB  
Sandy Black Aluminium & Glass  
LED Chip Epistar 36 Watt 3420Lm  
DC24V Adjustable  
Beam Angle 30° IP67  
L: 100 W: 5.5 H: 12 cm  
Max Power 300 Watt



**RGB**



**CONTROLLER - 9011101**


DMX CONTROLLER  
Used to Control Max 1000 pcs




**IP67 WATERPROOF**




**INSTALLATION**



**CONNECTION: 9011161 - 9011162**



**CONNECTION: 9011164**







**WALL WASHER - 9011102**


Wall Washer  
Satin Nickel Aluminium & Glass  
LED Chip Philips 15 Watt  
746Lm 3000K DC24V  
Beam Angle 30° IP67  
L: 100 W: 2.5 H: 3.5 cm



**INSTALLATION**



**IP67 WATERPROOF / ULTRA THIN**



**IP65 WATERPROOF / ULTRA NARROW / 7°**



**ALP - 9010009**

Sandy Black Aluminium & Glass  
LED Chip Cree 2x10 Watt 1857Lm  
220-240 Volt 50Hz 3000K  
Beam Angle 7° IP65  
D: 5.5 W: 7 H: 17 cm




**ALP - 9010008**

Sandy Black Aluminium & Glass  
LED Chip Cree 10 Watt 565Lm  
220-240 Volt 50Hz 3000K  
Beam Angle 7° IP65  
D: 5.5 W: 7 H: 10 cm



**INSTALLATION**



code	page	code	page	code	page	code	page	code	page	code	page
710021	148	773222	150	9002850	56	9020061	180	9060195	84	9176101	28
710022	148	773223	150	9002851	56	9020170	228	9060196	84	9176102	28
710041	148	773224	150	9002860	56	9020921	50	9060197	84	9190101	112
710042	148	810066	140	9002861	203	9020922	50	9060199	128	9192171	126
710446	212	810067	140	9002862	203	9020923	52	9060202	154	9193101	78
711024	40	811201	219	9002863	190	9020924	52	9060203	154	9193102	78
713113	160	811501	218	9002864	190	9020925	50	9060204	154	9195061	27
713114	160	811502	219	9002865	205	9020926	52	9060205	154	9195062	27
713115	160	812102	219	9002866	36	9020927	214	9060206	153	9197701	82
713121	34	812103	218	9002867	36	9020928	49	9060207	86	9197702	82
713122	34	812104	218	9002868	36	9020929	48	9060208	86	9200201	139
713123	34	812302	219	9002869	10	9020930	48	9060213	86	9200202	139
713124	40	813101	75	9002870	11	9020931	49	9083011	217	9200611	178
713212	161	813104	75	9002871	12	9020932	160	9083021	217	9200612	178
713311	44	819502	32	9002872	12	9020933	160	9100916	22	9202131	118
713312	32	819503	32	9002873	70	9026001	59	9100917	22	9202261	118
713313	32	822642	54	9002874	70	9026002	59	9100918	22	9202262	118
713411	44	826423	54	9002875	70	9026116	146	9104021	26	9203111	228
713412	62	833426	136	9002876	202	9026117	146	9104022	26	9203112	228
713514	161	847406	142	9002877	202	9026118	146	9104835	118	9203113	228
726217	135	847407	142	9002878	14	9026119	124	9117080	210	9207167	47
726401	220	847408	142	9002879	14	9026120	214	9117082	210	9207168	47
726402	220	852436	135	9010001	170	9026121	16	9117084	210	9207615	59
726403	222	859438	46	9010002	170	9026122	16	9117086	210	9207616	58
726404	222	859439	46	9010003	170	9026123	68	9120621	112	9207912	18
726405	223	870026	78	9010004	170	9026124	68	9120622	112	9209211	60
726406	223	870045	78	9010005	170	9026125	14	9120711	112	9209212	60
726407	220	870426	88	9010006	170	9026126	166	9121911	198	9220021	178
726408	212	870445	88	9010008	235	9026127	166	9131201	42	9220022	178
727001	220	875409	172	9010009	235	9026128	168	9131202	42	9223400	201
727002	220	910021	148	9010601	151	9027201	122	9136174	144	9223401	201
740401	132	910022	148	9010602	151	9027202	122	9136175	144	9223403	194
740402	132	910041	148	9010621	151	9031616	226	9136176	128	9223404	194
740403	132	910042	148	9010622	151	9040021	180	9136177	128	9223405	194
740404	132	8038401	228	9011101	232	9040022	180	9136178	176	9223406	192
741661	132	8038801	228	9011102	234	9040061	180	9136179	176	9223407	192
741662	132	8039001	228	9011161	232	9045418	226	9136182	147	9223408	192
742071	173	8058001	226	9011162	232	9045514	226	9136183	168	9223409	192
747406	142	8090801	226	9011163	232	9060181	72	9136184	168	9223410	192
752250	212	8401030	140	9011164	232	9060182	72	9136185	224	9223411	196
752461	176	8403622	212	9018061	208	9060183	72	9136186	224	9223412	196
752462	176	8403624	213	9018062	208	9060184	74	9136187	224	9223413	196
752463	176	8403626	212	9019212	228	9060185	74	9136188	224	9223414	196
752470	140	9002601	226	9019213	228	9060192	80	9160081	152	9223415	198
767801	172	9002840	24	9020021	180	9060193	80	9160101	136	9223997	198
773221	150	9002841	24	9020022	180	9060194	84	9172870	168	9223998	198

code	page	code	page	code	page
9223999	134	9492560	120	9756800	30
9226214	134	9492570	130	9762161	96
9226215	134	9492580	120	9762162	96
9226216	134	9492590	156	9790021	100
9226217	186	9492600	126	9790022	100
9232115	186	9492610	130	9790521	107
9232116	186	9492620	126	9790522	107
9223117	186	9492630	131	9790531	106
9232118	186	9492640	54	9790532	107
9232119	186	9492650	131	9790541	104
9232120	173	9492660	208	9790542	104
9240672	173	9492670	214	9790551	104
9240678	173	9492680	208	9790552	104
9240679	124	9492690	204	9905021	64
9257871	124	9492700	82	9905022	64
9259361	124	9492710	76	9905023	64
9262111	157	9492720	76	9905024	66
9270015	157	9492730	76	9905025	66
9270016	156	9492740	76	9922350	204
9270027	156	9492750	82	9922360	114
9270028	164	9492760	38	9923510	114
9271431	164	9492770	38	9923500	204
9271432	166	9492780	182	9925665	138
9271433	166	9521001	182	9925666	138
9271491	164	9521002	159	9926617	152
9271492	59	9522101	159	9936101	42
9277151	18	9522102	158	9936102	42
9279111	18	9529712	158	9944141	216
9279112	200	9529713	158	9944142	216
9281380	200	9529720	158	9944602	182
9281381	20	9529721	158	9944603	182
9291701	20	9540207	100	9971451	165
9291702	20	9540208	100	9971452	165
9291703	20	9540209	104	9971455	166
9292211	124	9540210	106	71371101	62
9297191	46	9540211	98	71371102	62
9470581	102	9540212	98		
9470582	102	9540213	98		
9492441	190	9540214	92		
9492442	82	9540215	92		
9492500	110	9540216	92		
9492510	110	9540217	94		
9492520	110	9540218	94		
9492530	120	9739351	96		
9492540	120	9739352	96		
9492550	156	9756500	30		

<b>A</b>	
32	ACQUA
192	ADAPTOR
12	ADURO
136	AGILE
58	AGOSTO
214	AIZEN
235	ALP
44	APOLLO
124	ARABELLA
98	ARAN
214	ARNE
146	AZAR
<b>B</b>	
114	BALI
228	BANG
100	BARCO
170.192	BASE
112	BAY
92	BEV
186	BLADE
32	BLISS
128	BRICE
214	BRIGI
48.49	BRIGITTA
136	BRIN
<b>C</b>	
94	CAIRO
168	CALIX
156	CAPE
128	CAPO
86	CARINA
96	CASTRO
178	CECI
180	CERISE
70	CETERA
124	CHEZ
224	CIRCE
196.198.201	COLT
126	COMBO
132.135.142	COMO
232	CONTROLLER
217	COVE
<b>D</b>	
176	DARA
138	DARF
168	DESTROY
54	DEVORA
146	DEWEI
131	DEWI
228	DRIVER
159	DROPLET
112	DYN
<b>E</b>	
22	ELLERY
104.106	EMILE
42	ENZI
144	EPIC

<b>F</b>	
190	FABIO
126	FEDOR
164-165	FEND
74	FERRON
204	FIGI
80	FIGO
210	FINLO
18.140.176	FOCUS
102	FOX
104	FUENTO
190	FUMO
122	FUNGO
<b>G</b>	
126	GOA
100	GRANTE
140	GRAVITY
<b>I</b>	
170-172	INSIDE
88	ISIDORA
<b>J</b>	
202	JIGRA
216	JOYA
<b>K</b>	
152.156.157	KEEN
166	KIMIKO
213.220.222.223	KRYPTON
<b>L</b>	
154	LETO
106.107	LIDO
151	LIMBIO
208	LIV
75	LOCK
78	LOEVE
112	LOVETO
152	LUPO
213	LUTON
<b>M</b>	
10.11	MABEL
110	MARTA
58	MAX
124	MILE
118	MILEY
170	MINI
14	MINOT
204	MOCHA
<b>N</b>	
26	NED
148	NERO

153	NOBU
150	NODUS
173	NORTH
64	NOTEN
139	NUS
<b>O</b>	
36	OFIR
182	OLIVER
84	OMIKA
147	OVI
<b>P</b>	
40	PARK
130	PARRIS
226	PASSAGIO
30	PAX
140	PIER
38	POET
24	PORTAL
42	POSEN
110	PRIM
218.219	PULSAR
120	PURE
60	PYRO
<b>R</b>	
20	RAMO
82	REGINA
208	RIO
66	ROCK
200	ROSE
<b>S</b>	
192.194	SEINA
76	SELENA
130	SERIKA
132	SOHO
82	SORREN
210	SOURCE
166	STAKE
54	STARK
62	STICK
56	STONE
46.47	SUITE
28	SURF
<b>T</b>	
16.68	TALA
14	TIEN
182	TOMMY
110	TRENDO
158	TUNE
34	TWIN
<b>V</b>	
110	VALOR
118	VEIRO
205	VENEDO
203	VERHAL

168	VIDA
120	VIDENO
208	VISION
140	VITORIA
27	VOLVEL
<b>W</b>	
232.234	WALL WASHER
<b>Z</b>	
134	ZARI
131	ZARO
50.52	ZELDA
160.161	ZENITH
156	ZENON
78	ZEST
120	ZIRI
72	ZOSIA



NOVA LUCE  
[www.novaluce.com](http://www.novaluce.com)